



# Parathion — Ferbam

## Tobacco Bed Fungicide And Insect Control



### ACTIVE INGREDIENTS

#### Parathion

(O, O-Diethyl O-p-Nitrophenyl thiophosphate) \_\_\_\_\_ 1.00%

Ferbam (Ferric Dimethyldithiocarbamate) \_\_\_\_\_ 11.40%

INERT INGREDIENTS \_\_\_\_\_ 87.60%

Total \_\_\_\_\_ 100.00%



### DANGER KEEP OUT OF REACH OF CHILDREN.

**DIRECTIONS:** For use on tobacco plant beds apply 1½ to 2 lbs. per 100 square yards, when plants are small and increase to 3½ lbs. by the time plants are ready for transplanting.

Apply preferably before blue mold appears or when plants are about the size of a dime or when blue mold is first reported in the area. Apply 2 to 3 times per week. Repeat after rains. Keep plants protected up until transplanting time. Also aids in controlling the following insects in tobacco plant beds. FLEA BEETLES, APHIDS, use 5 lbs. per 100 square yards of bed. MIDGE LARVAE, VEGETABLE WEEVIL LARVAE AND BUDWORMS. Dust at the rate of 1 ½ to 3 pounds per 100 square yards of bed.

Use Only As Specified on This Label. Not For Use or Storage In or Around The Home.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply where run off is likely to occur. Do not apply when weather conditions favor drift from areas treated.

Do not contaminate feed and food stuffs.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Poisonous if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. Rapidly absorbed through skin. In case of contact wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking and after handling. Wash all contaminated clothing with soap and hot water before reuse. In case of contact remove contaminated clothing and immediately wash skin with soap and water.

Wear natural rubber gloves, protective clothing and goggles. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Keep all unprotected persons out of operational area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated.

**ANTIDOTE FOR PARATHION—CALL A PHYSICIAN AT ONCE:** (Note: For Physician only: Therapeutic doses of atropine appear to be effective as an antidote). 2-PAM is also antidotal and may be administered in conjunction with atropine.

**INTERNAL:** Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have patient lie down and keep warm.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

ACC  
 MAY 15, 1973  
 1812 165