

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS**

DANGER

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed. Persons should be protected by hands or spilled or splashed on clothing (liquid goes through clothes). Breathing vapors, spray mist or dust may be fatal.

ATROPINE IS AN ANTIDOTE: Consult Physician for Emergency Supply. Never give anything by mouth to an unconscious person. Call a physician at once in all cases of suspected parathion poisoning. If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, do not wait for a doctor but give two atropine tablets (each 1-100 grain or 65 mg) at once. (One tablet to children under 12 years of age.) Remove patient from where parathion is present, remove contaminated clothing and wash the skin with plenty of soap and water. If swallowed, induce vomiting. Give a tablespoon of salt in a glass of warm water, and repeat until you feel sick. Have victim lie down and keep quiet.

NOTICE TO PHYSICIAN: Large doses of atropine are required for adults, give 2.0 mg. to 4.0 mg. of atropine. Preferably from hexamethylenetetramine. Repeat every 10 to 25 minutes until relief. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not breathe dust. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Do not apply or allow to drift to areas occupied by unprotected persons or beneficial animals. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. Wash hands, arms and face before eating or smoking. Washes contaminated clothing with soap and water before reuse. Poisonous by skin contact, inhalation or swallowing. Rapidly absorbed through the skin. Repeated exposure may, without symptoms, be increasingly hazardous.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Before using this product in treated areas may be killed. Keep out of fish ponds or water. Do not apply when water is present. Do not use in or near water areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal. This product is highly toxic to bees even when they are not foraging on treated crops. Protective of bees. For more information, see your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Workers entering treated fields within 24 hours should wear protective clothing.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

**SHADE TOBACCO
DUST**

**Parathion 2 - Thiodan 4 -
Zineb 6.5**

ACTIVE INGREDIENTS:

- Parathion (O, O-diethyl O-p-nitrophenyl Phosphorothioate) 2.00%
- *Endosulfan (Hexachlorocycloheximide) 4.00%
- **Zineb (zinc ethylene bisdithiocarbamate) 6.50%

INERT INGREDIENTS: 87.50%

TOTAL 100.00%

*Thiodan U.S. Patent No. 2,799,685. Thiodan is a registered trademark of Farbwerke Hoechst A.G.
** (metallic zinc equivalent 1.54%)

**KEEP OUT OF REACH OF CHILDREN
DANGER - POISON**



SEP 11 1978

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the purpose of registration under the FIFRA Act, EPA Reg. No. 253.100

STATEMENT OF PRACTICAL TREATMENT

Swallowing: If swallowed, induce vomiting. Do not give anything by mouth to an unconscious person. Call a physician at once in all cases of suspected parathion poisoning. If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, do not wait for a doctor but give two atropine tablets (each 1-100 grain or 65 mg) at once. (One tablet to children under 12 years of age.) Remove patient from where parathion is present, remove contaminated clothing and wash the skin with plenty of soap and water. If swallowed, induce vomiting. Give a tablespoon of salt in a glass of warm water, and repeat until you feel sick. Have victim lie down and keep quiet.

CATEGORY OF APPLICATOR

Certified applicators or persons under their direct supervision.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State or Local Disposal Authorities for approved alternative procedures, such as limited open burning.

Use contrary to these directions may result in injury to the foliage, in unsatisfactory control or in other unintended consequences.

Do not apply to tobacco within 5 days of priming or 15 days of cutting. Handlers should wear gloves where applications have been made within thirty days of cutting. Avoid plant juices coming in contact with the skin or other parts of the body when engaged in cutting the crop.

Do not use this dust on any food crop.

TOBACCO: Against blue mold, aphids (plant lice), flea beetles, budworms, thrips vegetable weevils, slugs, midge larvae and cutworms, apply 2 to 4 pounds per 100 square yards in plant beds or use 15 to 20 pounds per acre in the field depending upon plant size and severity of pests. In plant beds begin dusting when plants are the size of a dime and before blue mold is first reported in the area. Dust every three days (every two days after blue mold appears). Apply in the field weekly or as needed. Do not apply within 5 days before transplanting. Avoid direct forced flow application to foliage to prevent physical damage to foliage.

WARRANTY STATEMENT

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



Manufactured by
GRIFFIN CORPORATION
VALDOSTA, GEORGIA 31601

EPA F 1812 GA 1 PA RE 1812 170

NET CONTENTS 50 POUNDS