

**NET CONTENTS**



**DANGER—POISON—PRECAUTIONS** ☠

**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS**

Use contrary to these directions may result in injury to the foliage, in unsatisfactory control or in other unintended consequences.

**TOBACCO**—Against Aphids (Plant Lice), Flea Beetles, Budworms, Thrips, Vegetable Weevils, Slugs, Midge Larvae, and Cutworms, apply 2 to 4 pounds per 100 square yards in plant beds or use 15 to 20 pounds per acre in the field depending upon plant size and severity of pests. In plant beds begin dusting when plants are the size of a dime. Dust every three days. Apply in the field weekly or as needed. Do not apply within 5 days before transplanting. Avoid direct forced flow application to foliage to prevent physical damage to foliage.

**DANGER**—Do not apply to tobacco within 5 days of priming or 15 days of cutting. Handlers should wear gloves where applications have been made within thirty days of cutting. In case of contact, wash immediately with soap & water.

Avoid plant juices coming in contact with the skin or other parts of the body when engaged in cutting the crop.

Do not use this dust on any food crop.

This product is toxic to fish and wildlife.

Birds feeding on treated areas may be killed.

Keep out of any body of water.

Do not apply when weather conditions favor drift from areas treated.

Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

# Shade Tobacco Dust

Parathion 2 — Thiodan® 4

**ACTIVE INGREDIENTS:**


Parathion (O, O—diethyl O-p-nitrophenyl phosphorothioate) . . . . . 2.0%

\*Endosulfan (Hexachlorohexahydromethano-2, 4, 3-benzodioxathiepin oxide) . . . . . 4.0%

**INERT INGREDIENT:** . . . . . 94.0%

**TOTAL** . . . . . 100.0%

\*Thiodan, U.S. Pat. No. 2,799,685. Thiodan is a registered trademark of Farbwerke Hoechst A.G.



**POISON**



**DANGER: Keep Out of Reach of Children**

Be Sure To Read and Understand The Precautionary Statement Before Using.

**ATROPINE IS AN ANTIDOTE:** Consult Physician for Emergency Supply. Never Give Anything By Mouth To An Unconscious Person.

**FIRST AID:** Call a Physician at once in all cases of Suspected Parathion Poisoning. If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest do not wait for a doctor but give two atropine tablets (each 1/100 grain or 0.65 milligrams) at once. (One Tablet to children under five years of age.) Remove Patient from area where Parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water. If swallowed, induce vomiting. Give a tablespoonful of salt in a glass of warm water, and repeat until vomit fluid is clear. Have victim lie down and keep quiet.

**NOTICE TO PHYSICIAN:** Large doses of Atropine are required. For adults, give 2.0 mg. to 4.0 mg. of Atropine. Preferably by intravenous injection, repeat every 10 to 25 minutes until pupils dilate. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

**DANGER:** Do not breath dust. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Parathion protection. Do not apply or allow dust in areas occupied by unprotected humans or beneficial animals. Do not store near food or feed products.

Do not get in eyes, on skin or on clothing

Wear natural rubber gloves, protective clothing and goggles.

Vacated areas should not be reentered until drifting insecticide has cleared.

Wash hands, arms and face before eating or smoking. Wash all contaminated clothing with soap and water before reuse.

Poisonous by skin contact, inhalation or swallowing. Rapidly absorbed through skin. Repeated exposure may, without symptoms, be increasingly hazardous.

Workers entering treated fields within 24 hours should wear protective clothing

Bury spillage. Do not reuse container. Bury container at least 18 inches deep away from water supplies.

**50 Lbs. Net**

**Parramore & Griffin**

Valdosta, Georgia  
E.P.A. Reg. No. 1812-171

