


NET CONTENTS



**DANGER—POISON—PRECAUTIONS**

**POISONOUS IF SWALLOWED**

This product is so potent that you should swallow even in small amounts. It may cause death if dust may be inhaled or swallowed.



**POISONOUS BY SKIN CONTACT**

Persons should be protected by hands, or spilled or splashed on skin, or eyes, or on clothing. This liquid goes through clothes!



**POISONOUS IF BREATHED**

Breath should be protected by mask and goggles.

**POISONOUS TO FISH AND WILDLIFE**

This product is highly toxic to fish and wildlife. Birds and other animals will die if they eat or drink the product. Do not apply to water. Do not apply to water within 50 feet of water. Do not apply to water within 50 feet of water.

**DIRECTIONS**

Use contrary to these directions may result in injury to the foliage, in unsatisfactory control or in other unintended consequences.

**TOBACCO** Against Blue Mold, Aphids (Plant Lice), Flea Beetles, Budworm, Thrips, Vegetable Weevils, Slugs, Midge Larvae, and Cutworms, apply 2 to 4 pounds per 100 square yards in plant beds or use 35 to 40 pounds per acre in the field depending upon plant size and severity of pests. In plant beds begin dusting when plants are the size of a dime and before Blue Mold is first reported to the area. Dust every three days or weekly in the field as needed after Blue Mold appears in area. Do not apply within 5 days before transplanting. Avoid direct forced flow application to foliage to prevent physical damage to foliage.

**DANGER** Do not apply to water. Do not apply to water within 50 feet of water. Do not apply to water within 50 feet of water. Do not apply to water within 50 feet of water.

# Shade Tobacco Dust

Parathion 1 — Thiodan® 3 — Zineb 6.5

**ACTIVE INGREDIENTS:**

- Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate) 1.0%
- Endosulfan (Hexachlorohexahydrodromethano-2,4,3-benzodioxathiepin oxide) 3.0%
- Zineb (zinc ethylene bisdithiocarbamate) 6.5%

**INERT INGREDIENT**

89.5%

**TOTAL**

100.0%

© 1968 by G. B. Griffin, Inc. All rights reserved. Trade name of Endosulfan is Thiodan.



**POISON**



**DANGER: Keep Out of Reach of Children**

Be Sure To Read and Understand The Precautionary Statement Before Using


**ATROPINE IS AN ANTIDOTE** Consult Physician for Emergency Supply. Never Give Anything By Mouth To An Unconscious Person.

**FIRST AID** Call a Physician at once in all cases of suspected Parathion Poisoning. Early symptoms or signs of poisoning include blurred vision, abdominal cramps, and distress in the chest. Do not wait for a doctor but give two atropine tablets each 1.000 mg. or 16 mg. milligrams at once. One tablet to children under five years of age. Remove Patient from area where Parathion is present. Remove contaminated clothing and wash the clothes with plenty of soap and water. If swallowed, induce vomiting. Give a tablet and dilute with a glass of warm water. If vomiting does not clear, have victim lie down and keep quiet.

**NOTICE TO PHYSICIAN** Large doses of Atropine are required. Usual doses are 1.000 mg. to 4.000 mg. of Atropine. Preferably by intravenous injection. For information on Atropine, see page 10 of the PAM. Also available for information on the interaction with Atropine.

**DANGER** Do not breathe dust. Avoid contact with eyes, nose, mouth, and skin. U.S. Bureau of Entomology and Plant Quarantine. Do not use in areas where children are occupied by, or where they are likely to be present. Do not use in areas where children are likely to be present.

For information on the interaction with Atropine, see page 10 of the PAM. Also available for information on the interaction with Atropine. Do not use in areas where children are occupied by, or where they are likely to be present. Do not use in areas where children are likely to be present.



**NET CONTENTS**



**DANGER—POISON—PRECAUTIONS**

**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.



# Shade Tobacco Dust

**Parathion 1 — Thiodan® 3 — Zineb 6.5**

**ACTIVE INGREDIENTS:**

Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)	1.0%
*Endosulfan (Hexachlorohexahydromethano-2, 4, 3-benzodioxathiepin oxide)	3.0%
**Zineb (zinc ethylene bisdithiocarbamate)	6.5%
<b>INERT INGREDIENT</b>	<b>89.5%</b>
<b>TOTAL</b>	<b>100.0%</b>

\*Thiodan, U.S. Pat. No. 2,799,685. Thiodan is a registered trademark of Farbwerke Hoechst A.G. \*\* (metallic zinc equivalent 2.54%)



**POISON**



**DANGER: Keep Out of Reach of Children**

Be Sure To Read and Understand The Precautionary Statement Before Using.

**ATROPINE IS AN ANTIDOTE:** Consult Physician for Emergency Supply. Never Give Anything By Mouth To An Unconscious Person.

**FIRST AID:** Call a Physician at once in all cases of Suspected Parathion Poisoning. If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest do not wait for a doctor but give two atropine tablets each 1-100 grain or 0.65 milligrams at once. (One Tablet to children under five years of age.) Remove Patient from area where Parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water. If swallowed, induce vomiting. Give a tablespoonful of salt in a glass of warm water, and repeat until vomit fluid is clear. Have victim lie down and keep quiet.

**NOTICE TO PHYSICIAN:** Large doses of Atropine are required. For adults, give 2.0 mg. to 4.0 mg. of Atropine. Preferably by intravenous injection, repeat every 10 to 25 minutes until pupils dilate. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

**DANGER:** Do not breath dust. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Parathion protection. Do not apply or allow drift to area occupied by unprotected humans or beneficial animals. Do not store near food or feed products.

Bury spillage.  
Do not reuse container.  
Bury container at least 18 inches deep away from water supplies.  
Do not get in eyes, on skin or on clothing.  
Wear natural rubber gloves, protective clothing and goggles.  
Vacated areas should not be reentered until drifting insecticide has dissipated.  
Wash hands, arms and face before eating or smoking. Wash all contaminated clothing with soap and water before reuse.

Wash out container, wash immediately with soap and water.  
Parathion by skin contact, inhalation or swallowing. Rapidly absorbed through skin. Repeated exposure may, without symptoms, be often enough to enter the body.

**DIRECTIONS**

Use contrary to these directions may result in injury to the foliage, in unsatisfactory control or in other unintended consequences.

**TOBACCO—Against Blue Mold, Aphids (Plant Lice), Flea Beetles, Budworms, Thrips, Vegetable Weevils, Slugs, Midge Larvae, and Cutworms,** apply 2 to 4 pounds per 100 square yards in plant beds or use 35 to 40 pounds per acre in the field depending upon plant size and severity of pests. In plant beds begin dusting when plants are the size of a dime and before Blue Mold is first reported in the area. Dust every three days or weekly in the field as needed after Blue Mold appears in area. Do not apply within 5 days before transplanting. Avoid direct forced flow application to foliage to prevent physical damage to foliage.

**DANGER:** Do not apply to tobacco within 5 days of primary harvest. Handlers should wear gloves when applications have been made.

Avoid plant sprays coming in contact with the skin or other parts of the body when engaged in cutting the crop.

Do not use this dust on any food crop.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water.

Do not apply when weather conditions favor drift from treated areas.

Do not apply when runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.

