

NET CONTENTS



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste.



DIRECTIONS

Use contrary to these directions may result in injury to the foliage, in unsatisfactory control or in other unintended consequences.

TOBACCO Against Blue Mold, Aphids (Plant Lice), Flea Beetles, Budworms, Thrips, Vegetable Weevils, Slugs, Midge Larvae, and Cutworms, apply 2 to 4 pounds per 100 square yards in plant beds or use 15 to 20 pounds per acre in the field depending upon plant size and severity of pests. In plant beds begin dusting when plants are the size of a dime and before Blue Mold is first reported in the area. Dust every three days (every two days after Blue Mold appears). Apply in the field weekly or as needed. Do not apply within 5 days before transplanting.

Avoid direct forced flow application to foliage to prevent physical damage to foliage.

DANGER Do not apply to tobacco within 5 days of pruning or 15 days of cutting. Handlers should wear gloves when applications have been made within 3 days of cutting.

Avoid plant pieces coming in contact with the face or other parts of the body. Do not engage in cutting the crop.

Do not use this dust on any food crop.

This product is toxic to fish and wildlife.

Prevent feeding in treated areas of birds and bees.

Keep out of any body of water.

Do not apply when weather conditions favor drift from treated areas.

Do not apply when runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of waste.

Shade Tobacco Dust

Parathion 2 — Thiodan[®] 3 — Zineb 13

ACTIVE INGREDIENTS

Parathion (O, O diethyl O-p-nitrophenyl phosphorothioate)	2.0%
† Endosulfan (Hexachlorohexahydromethano-2, 4, 3-benzodioxathiepin oxide)	3.0%
** Zineb (zinc ethylene bisdithiocarbamate)	13.0%
INERT INGREDIENTS	82.0%

TOTAL **100.0%**

† Thiodan, U.S. Pat. No. 2,799,685. Thiodan is a registered trademark of Farbwerke Hoechst A.G. ** (metallic zinc equivalent 3.25%)



Quality Pesticides



POISON



DANGER: Keep Out of Reach of Children

Be Sure To Read and Understand The Precautionary Statement Before Using

ATROPINE IS AN ANTIDOTE. Consult Physician for Emergency Supply. Never Give Anything By Mouth To An Unconscious Person.

FIRST AID: Call a physician at once in all cases of suspected Parathion poisoning. If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest do not wait for a doctor but give two atropine tablets (each 1-100 grain or 0.65 milligrams) at once. (One tablet to children under five years of age.) Remove patient from area where Parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water. If swallowed, induce vomiting. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet.


NOTICE TO PHYSICIAN: Large doses of Atropine are required. For adults 10 to 20 mg. to 40 mg. of Atropine. Preferably by intravenous injection, repeat every 10 to 25 minutes until pupils dilate. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

DANGER Do not breathe dust. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Parathion protection. Do not apply or allow fall to area occupied by or protected humans or beneficial animals. Do not store in or feed to food products.

- Wear goggles.
- Do not get on your face.
- Buy a container of this dust in a deep recessed area.
- Do not get in eyes, on skin or on clothing.
- Wear natural rubber gloves, protective clothing and glasses.
- Vacated areas should not be reentered until drifting insecticide has dissipated.
- Wash hands, arms and face before eating or drinking. Wash directly in a tub of running water before reentry.

For more information on this product, contact your local distributor.

NET CONTENTS



Shade Tobacco

Parathion 2 — Thiodan 3 — Zineb 13

ACTIVE INGREDIENTS



Parathion (O, O-dimethyl O-p-nitrophenyl phosphorothioate)	2.0
Endosulfan (hexachlorocyclohexene 1,2-dithiolane 3,4-dithiolane 5,6-dithiolane)	3.0
Zineb (zinc dimethyldithiocarbamate)	13.0
INERT INGREDIENTS	82.0

TOTAL

100.0



Quality Pesticides



FORACED