


NET CONTENTS



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product is toxic if swallowed. Even in small amounts, spray, mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes, or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of ponds, bodies of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff likely to occur. Do not contaminate waterways, streams or irrigation canals with drift.

DIRECTIONS

Use contrary to these directions may result in injury to the foliage, in unsatisfactory control or in other unintended consequences. Intended for field applications.

TOBACCO Against Blue Mold, Aphids (Plant Lice), Flea Beetles, Thrips, Vegetable Weevils and Midge Larvae, apply 15 to 20 lbs. per acre. Begin application when disease is first reported in the area. Apply weekly or every three days if Blue Mold appears.

PEAS For control Anthracnose, Downy Mildew, Rust, Aphids (Plant Lice), Flea Beetles and Thrips apply 20 to 25 pounds per acre. Apply when insects first appear or disease first threatens in the area. Repeat as required. Do not apply within 14 days of harvest.

PEAS For control Anthracnose, Downy Mildew, Rust, Aphids (Plant Lice), Flea Beetles and Thrips apply 20 to 25 pounds per acre. Apply when insects first appear or disease first threatens in the area. Repeat as required. Do not apply within 14 days of harvest.

PEAS & TOBACCO DUST

PARATHION 2 — ZINEB 6.5

ACTIVE INGREDIENT(S)

Parathion (O,O-diethyl O-p-nitrophenyl phosphorothioate) 2.0%

Zineb (zinc ethylene bisdithiocarbamate) 6.5%

INERT INGREDIENT(S) 91.5%

TOTAL 100.0%

(metallic zinc equivalent 0.4%)



Quality Pesticides



POISON



DANGER: Keep Out of Reach of Children

Be Sure To Read and Understand The Precautionary Statement Before Using. ATROPINE IS AN ANTIDOTE. Consult Physician. Never Give Anything By Mouth To An Unconscious Person.


FIRST AID: Call a Physician at once. Give nothing by mouth. If swallowed, induce vomiting. If in eyes, flush with water. If on skin, wash with soap and water. If inhaled, get fresh air. If symptoms do not disappear, consult a physician. Have a physician advise you on treatment. Have a physician advise you on treatment.

NOTICE TO PHYSICIAN: Parathion is a potent anticholinergic agent. It is a cholinesterase inhibitor. It is a potent anticholinergic agent. It is a cholinesterase inhibitor. It is a potent anticholinergic agent. It is a cholinesterase inhibitor.

PRECAUTIONS: Do not use in residential areas. Do not use near water. Do not use near children. Do not use near livestock. Do not use near pets. Do not use near birds. Do not use near bees. Do not use near butterflies. Do not use near moths. Do not use near flies. Do not use near mosquitoes. Do not use near ticks. Do not use near fleas. Do not use near mites. Do not use near nematodes. Do not use near fungi. Do not use near bacteria. Do not use near viruses. Do not use near parasites. Do not use near insects. Do not use near plants. Do not use near animals. Do not use near humans.

ACCEPTED

10% SEVIN® - Sulphur Peanut Dust



For use in the control of Leaf Spot and Velvetbean Caterpillar on peanut crops.

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)	10.0%
Sulphur (93% through 325 mesh)	70.0%
INERT INGREDIENTS	20.0%
	<hr/>
	100.0%

CAUTION! Keep Out of Reach of Children.

DIRECTIONS FOR USE

FOR CONTROLLING PEANUT LEAF SPOT apply at the rate of 10 to 15 pounds per acre when first spots appear on basal leaves. Make 3 to 4 applications at 10 to 14 day intervals. If rain occurs within 12 to 24 hours after first application repeat in 7 days.

FOR CONTROLLING VELVETBEAN CATERPILLAR dust at a rate of 10 to 15 pounds per acre when first "shot hole" effect on the leaves is noticed. This give protection for two weeks or longer regardless of rainfall if it has remained on the plants for two hours. Redusting will not be necessary after rains until a new crop of "shot holes" has formed.

Forage crops treated with this material should not be fed to dairy animals or to animals being finished for slaughter within 7 days after treatment.

For protection of honeybees, avoid use if possible, during periods when honeybees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

CAUTION

HARMFUL IF INHALED OR SWALLOWED—Do not breathe dust. Do not take internally. Avoid prolonged or repeated breathing of dust. **Skin contact with any insecticide may be harmful.** Avoid unnecessary contact. Wash hands before eating. Take shower or bath after work. **Wear regular long sleeved work clothing.** Change to clean clothing daily. Do not contaminate feed or food stuffs.

Note for Physician—Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

Toxic to aquatic and animal life. Do not contaminate any waters where shellfish are an important resource.

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose,

expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

Manufactured by
TRIANGLE CHEMICAL COMPANY
MACON, GEORGIA