

DO NOT YOUCH

DANGER-POISON-PRECAUTIONS

POISONOUS IF SWALLOWED

This product our kill of the Andrews Constant Comment for the contract of the contract of أراهم الأنافي المنافية


POISONOUS BY SKIN CONTACT

Figure 18 of thruched by hunds or pailed cois sheet a skin nieses a nie thorse agood goes through cothes

POISONOUS IF BREATHED

Breathing vapors spruv mist or dust may be fotal

POISONOUS TO FISH AND WILDLIFE



the net conforminate water by cleaning of equipment or disposal of wastes.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

If Wear waterproof pants, coat hat ruther brints or ruther over chier 12. Amar sofety gogules 13) West mask or respirator of incred to the Sibureau of Miner, for parathon or test on 4. Wear medity duty not trail rubber gloves.

WORK SAFETY RULES

many and act extensioners and the less sway from the sec-Free transfer of the state of the

with the control of the property of the proper the way and not he engine sweet in a director ones into come and the second of the second o and the second of the first of the first of the second of

the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of th



POISON SIGNS (Symptoms)

The second of th the compact doubt might be properly as a consistency of the

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

2-3 TOBACCO DUST 3% METHYL 2% ETHYL

ACTIVE INGREDIENTS: INERT INGREDIENTS ACCURTIO 17111 FIRST AID TREATMENT

th breathing has etipsic and a con-

come of marie

The second second second second the transfer of the the free er and a construction was enter

NOT FOR HOME USE

HOTE TO PHYSICIAN

The many and the second of the

POST 1 REATED AREA

CALTION O

DANGER BEFORE USING, READ THIS LABEL CAREFULLY! DIRECTIONS

SING ! TOBALLO Athels (Plant I we) and flea beetles. right destroy as rife of 10 lbs, per acre while plants are should Tater in suspensive application and being to 14 to 16 the per and Application of additionage whom plant to 2019 to eater high, a short is a constant mais light to the differen-A weekly intensify The person of that one explaint . CAUTION Decision apply Parathion to tobacco with the first of which grows and two constitutes When existing the compact to to offer the contract of the company of the contract of

This product is to say to fish and a deliber

Keep out of any body of water

Do not approvided weather conditions (as a fail or sto fron are: !reated.

so other per and the really of the section of the authority of

Apply this product only as specified on this label.

This product is highly to sic to bees exposed to direct teating? or residues on crops. Protection information may be obtained from your Cooperative Agricultural Extension Service.

PARRAMORE & GRIEFIN Valdosta, Georgia

J. P. A. Reg. No. 1812, 198.

WARNING: Keep all perions out of the operating area or vicinity where there may be danger of shift. Vacated arec-In all not be re-entered until the drifting insecticule and color e residues have disposited. Do not a low fields receiving applications of this material to be groved to dairy animals of promotis being finished for staughter. Oc and use on stire near ent rocen flome

Workers entering fields within 24 hours after application should wear protective clothing.

NOTICE: eller makes is a simple, expressed on implied, can erring the ise of the product other than indicated on the ober Buyer was mes in him hase and, or handling of this esteral when as however in hondling is contrary to label to tracts to

The many with the second of the second phosphory greater that with premise an hand perated or knapsack type survivers. The implementation to be used as an insecticide - As with addution

CAUTION TO LINE 1 to a play that to there were not as The end of the relation of the second of the in threat the toleration besidues or cripro Prize tive of 10000 m

DESTROY CONTAINER WHEN EMPTY

The Flying the roughly with water in some location where flush water on be run off harmlessly. Then punch container full so of holes of crush so that it cannot be used again for any purpose. Take to city dump or some other type location where no attempt will be made to solvage for any use whatsoever.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.

LY WHEN WEARING THE FOLLOWING SCTIVE EQUIPMENT AND CLOTHING

pterproof pants, coat, hat, rubber boots or rubber overpar safety goggles. (3) Wear mask or respirator approved be Bureau of Mines for parathion protection. (4) Wear matural rubber gloves.

WORK SAFETY RULES

ATHE

protected persons and children away from treated area area is danger of drift.

eyes or mouth with hands. If you feel sick in any way, and get help right away. Call a doctor (physician), clinic—immediately. Explain that the victim has been exposed and describe his condition. After first aid is given (see reatment Section) and if a doctor cannot rome, take nic or hospital.

F! Before removing gloves, wash them with soap and ys wash hands, face and arms with soap and water ing, eating or drinking

RK, take off all work clothes and shoes. Shower, using ster. Wear only clean clothes when leaving job. Do not ninated clothing. Wash protective clothing and protecent with soop and water after each use. Respirator leaned and filter replaced according to instructions interspirator

POISON SIGNS (Symptoms)

a very dangerous poison it rapidly enters the body on all skin surfaces and eyes. Clothing wet with this ist be removed immediately. Exposed persons must retinedical treatment or they may die.

signs and symptoms of poisoning are: Headache, nuusea, amps, weakness, blurred vision, pin-point pupils, tight st, labored breathing, nervousness, sweating, watering poling or frothing of mouth and nose, muscle spasms

2 /0 LIIIL

ACTIVE INGREDIENTS:
Parathion [O, O-Diethyl O-p-nitrophenyl phosphorothioate]....

ACCEPTED

MAY 141973

FOR THE FEDERAL INSECTION.

FURGINISE A D RODLING HIDE ALT

FUR THE FEDERAL INSECTION.

FUR THE FEDERA

FIRST AID TREATMENT +

physician) clinic or hospital immediately.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition

If breathing has stopped, start artificial respiration immediately and maintain until acctor sees victim

If swallowed and victim is awake (conscicus) make him vomit quickly induce vomiting by sticking finger down throat or by giving suapy or strong salty water to drink Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim be down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated atothing and shoes. See doctor immediately

Methyl Parathion is a cholinesterase inhibitor and treatment of evere poisoning should include the use of atropine, Toxaphene produces central nervous system excitation which responds to the larbituric acid derivatives. We would feel that these treatments to not conflict with one another but that a physician with the information listed above, and especially if he has the information intoined in the booklet entitled "Clinical Handbook on Economic Frisions," should be able to treat a patient suffering simultaneously from both M. Parathion and Toxaphene paisoning. This booklet was prepared by the U. Disportment of Health, Education, and Assiture, Public Health Cervice. Communicable Disease. Center, Atrania. Georgia

NOT FOR HOME USE

TOTAL 100%

MILLILL

NOTE TO PHYSICIAN

Antidote--administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome Repeat at 5 to 10 minute intervals until signs of atropinization appear 2 PAM chloride is also antidotal and may be administered in conjunction with atropine DO INOT GIVE MORPHINE OR TRAN. QUILLIZERS Parathion is a strong cholinesterase inhibitor affecting the central and per pheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental exygen and treated symptomatically. Continued absorpt in of the poison may occur and fatal relapses have been reported after initial improvement, VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS TREAT SYMPTOMATICALLY.

POST TREATED AREA

Consult vour State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CAUTION: Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops or couse residues in excess of official tolerances.

Apply this pro This product is or residues on from your Coo

PARRAMOR

WARNING: K

vicinity where

should not be volatile residue applications of animals being heat or open f Workers enter should wear pr

NOTICE:Seller cerning the use label. Buyer ass material when sinstructions.

Do not mix or

phates. Not suit sprayers. This withour dilution. CAUTION: The direct treatment may be obtained Service.

DES1

Flush out thorowater can be roof holes or crupurpose. Take to no attempt will