

FEB 4 1993

L. Vernon White
Griffin Corporation
P.O. Box 1847
Valdosta, GA 31603

Dear Mr. White:

Subject: Amended Terms and Conditions of Registration and Amended Labeling
Super Tin 4L
EPA Registration No. 1812-244 ✓
Duter in Water Soluble Bags
EPA Registration No. 1812-275
Duter WP
EPA Registration No. 1812-276
Duter Flowable 30
EPA Registration No. 1812-277
Super Tin 80WSP
EPA Registration No. 1812-350
Pro-tex
EPA Registration No. 1812-351
Your Submissions Dated January 12, 1993

This letter grants your request to amend the terms and conditions of the above-referenced product registrations as set forth in your letter of January 12, 1993.

The amended labeling for Super Tin 4L, EPA Registration No. 1812-244 and Pro-tex, EPA Registration No. 1812-351, referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. A skull and crossbones must appear in close proximity to the Signal Word DANGER on the front panel. POISON must appear in the color red.

2011

b. According to PR Notice 82-1, the Tank Mix directions for SUPER SIX must include statements similar to the following:

This product can be mixed with _____ (chemical name, including percentage of active ingredient and type of formulation, or specific product name, or both) for use on _____ (Crops/sites) in accordance with the more (most) restrictive of label limitations and precautions. No label dosage rates should be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing.

c. In order to be consistent with Super Tin 4L, EPA Registration No. 1812-244, the label for Pro-tex, EPA Registration No. 1812-351, for Ground application to Sugar Beets and Potato must specify:

(Closed Cabs Only)

d. The instruction for chemigation must specify that posted signs remain in place for the duration of the restricted entry interval.

e. Modify the reentry statements to read as follows:

Do not enter treated areas without appropriate protective clothing equivalent to that worn by the applicator (see Label Precautionary Statement) for 24 hours after treatment.

f. Proof read the label. In the reentry section there is a misplaced parenthesis.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

Griffin must submit label amendments for Duter WP, EPA Registration No. 1812-276 and Duter Flowable 30, EPA Registration No. 1812-277, reflecting the amended terms and conditions of registration or voluntarily cancel these registrations.

Griffin may not sell or distribute, except for the purpose of a recall, any TPTH end-use products after October 1, 1993, unless products are in water soluble packages or bear labeling requiring the use of mechanical transfer systems for all mixing and loading.

Failure to comply with any terms and conditions contained in the amended registration could result in issuance of a Notice of Intent to Cancel pursuant to the terms of the amended registration.

30/11

-3-

A stamped copy of the label is enclosed for your records.

Sincerely yours,

CS

Cynthia Giles-Parker
Product Manger (22)
Fungicide Herbicide Branch
Registration Division (H7505C)

Enclosure

cc: Margaret Rice
Special Review Branch
Special Review and Reregistration Division (H7508W)

1812-244
4011

RESTRICTED USE PESTICIDE

Because of the high acute toxicity of triphenyltin hydroxide and its potential for affecting fetal development, this product may be applied only by certified applicators or persons directly under their supervision.

Super Tin 4L[®]

Triphenyltin Hydroxide Flowable Fungicide

Active Ingredient:	
Triphenyltin hydroxide	40.0%
Inert Ingredients	60.0%
Total:	100.0%

ACCEPTED
with COMMENTS
In EPA Letter Dated:

Contains 4 pounds triphenyltin hydroxide per gallon.

FEB 4 1993

**KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO
POISON**



Under the Federal Insecticide
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

1812-244

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician or Poison Control Center.

PRECAACION AL USUARIO: Si usted no lee ingles no use este producto hasta que la etiqueta haya sido explicado ampliamente.

See Additional Precautionary Statements.

Net Contents 2 1/2 gallons

GRIFFIN CORPORATION
Valdosta, Georgia 31601

EPA Reg. No. 1812-244
EPA Reg. No. 1812-GA-3

BEST AVAILABLE COPY

5011

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER - PELIGRO

DANGER: Fatal if inhaled. Corrosive, causes irreversible eye damage and skin burns. May be fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. When handling either products containing triphenyltin hydroxide or spray-diluted mixtures, wear protective clothing: cotton coveralls over long pants, long sleeved shirt, chemical resistant gloves (including neoprene-coated, butyl rubber and nitrile rubber), hat, boots, goggles, face shield or safety glasses and a pesticide respirator jointly approved by the Mine Safety and Health Administration (MSHA - formerly the Mining Enforcement and Safety Administration) and the National Institute for Occupational Safety and Health. Goggles, face shield, or safety glasses must be worn when applying this product not just when handling the concentrate. When handling the concentrated products, wear a chemical resistant apron and a face shield. Where completely enclosed cab tractors with positive pressure filtration systems or enclosed cockpit aircraft are used, long sleeved shirts, long pants, socks and shoes may be the only clothing items necessary for the applicator. Chemical resistant gloves must be available in the cab or cockpit and worn upon exiting. The cab or cockpit must be equipped with a sealable container for glove storage to prevent contamination of the inside of the cab or cockpit. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Do not enter treated areas without protective clothing for at least 24 hours after treatment. During aerial application human flaggers are prohibited unless in totally enclosed vehicles. ✓

The United States Environmental Protection Agency has determined that triphenyltin hydroxide, the active ingredient of this product, affects fetal development in laboratory animals. Exposure to this product during pregnancy should be avoided.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover or incorporate spills. Do not contaminate water while disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

BEST AVAILABLE COPY

60811

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment and appropriate actions to take in case of accidental exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: DANGER. Area treated with Super Tin 4L on (date of application). Do not enter treated areas without appropriate protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment. In case of accidental exposure, see Statement of Practical Treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

DIRECTIONS FOR USE AS A SPRAY

Super Tin 4L is a non-flammable, flowable fungicide.

BEST AVAILABLE COPY

Super Tin 4L fungicide can be applied as a ground or aerial spray to control fungal infestations on listed crops. A mechanical transfer system is required for all mixing and/or loading of this product. A "mechanical transfer system" is defined as a mechanism capable of removing the pesticide from the shipping container and transferring the pesticide into mixing tanks and/or application equipment to prevent worker exposure to the pesticide. A closed system is required

not same as
concept 11/7/93

?

per call
with Murray
line

for aerial applications. The closed system for mixing and/or loading this product must be capable of removing the pesticide from the shipping container, rinsing the container and transferring the pesticide and rinsate into mixing tanks and/or application equipment. Protective clothing and equipment, specified in the pesticide labeling, must also be used when mixing and/or loading this pesticide. Application rates are for general use and must not be exceeded. The state agricultural extension or agricultural experiment station specialist should be consulted for specific applications and timing recommendations. With any spray application, thorough coverage is essential for good control. Do not apply this product through any type of irrigation system except on potatoes.

During aerial application human flaggers are prohibited unless in totally enclosed vehicles.

Apply this product only as specified on this label.

GENERAL CHEMIGATION INSTRUCTIONS

Do not apply this product through any type of irrigation system on crops other than potatoes. Apply this product only through one or more of the following types of systems: sprinkler including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, or hand move irrigation system. Do not apply this product through any other type of irrigation system.

Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

For specific information about calibration, contact State Extension Service specialists, equipment manufacturers or other irrigation experts.

Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

Posting of areas to be chemigated is required when 1) any part of a treated area is within 300 feet of sensitive areas such as residential areas, labor camps, businesses, day care centers, hospitals, in-patient clinics, nursing homes or any public areas such as schools, parks, playgrounds, or other public facilities not including public roads, or 2) when the chemigated area is open to the public.

Posting must conform to the following requirements. Treated areas may not be reentered without protective clothing equivalent to that worn by the applicator for 24 hours after treatment. Treated areas shall be posted with signs at all usual points of entry and along likely routes of

approach from the listed sensitive areas. When there are no usual points of entry, signs must be posted in the corners of the treated areas and in any location affording maximum visibility to sensitive areas. The printed side of the sign should face away from the treated area towards the sensitive area. The signs shall be printed in English. Signs must be posted prior to application and must remain posted until foliage has dried and soil surface water has disappeared. Signs may remain in place indefinitely as long as they are composed of materials to prevent deterioration and maintain legibility for the duration of the posting period.

All words shall consist of letters at least 2 1/2 inches tall, and all letters and the symbol shall be a color which sharply contrasts with their immediate background. At the top of the sign shall be the words KEEP OUT, followed by an octagonal stop sign symbol at least 8 inches in diameter containing the word STOP. Below the symbol shall be the words PESTICIDES IN IRRIGATION WATER.

SPRINKLER CHEMIGATION

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment.

When mixing, pour label-recommended amount of Super Tin 4L into mixing tank nearly filled with water and mix thoroughly or pre-mix in a bucket before pouring into mixing tank. Keep agitator running during filling.

Super Tin 4L should be added through a traveling irrigation system continuously or at the last 30 minutes of solid set or hand moved irrigation systems. Agitation is recommended.

PRECAUTIONS

hand mix

Super Tin 4L fungicide can be applied in combination with SUPER SIX for additional fungicidal control. Do not add surfactants, spreaders, stickers or buffers. Combinations with some pesticides, micro-nutrients, spreaders, stickers, surfactants or buffering agents can increase phytotoxicity. Phytotoxicity may be severe. Emulsifiable concentrate insecticides can be especially injurious in combination. We do not recommend mixture with the above unless testing or prior experience has shown the mixture to be non-phytotoxic to the crop. Do not graze dairy or meat animals in treated areas.

GENERAL INSTRUCTIONS FOR APPLICATION

CROP	DISEASE	RATE/ ACRE	USE DIRECTIONS
Sugar Beets	Cercospora Leafspot	4-8 fl oz	<p>Ground (Closed Cabs Only): Apply in at least 15 gallons of water. Full coverage of the foliage is necessary for best results.</p> <p>Aerial (helicopter or fixed wing aircraft): Apply in 5-10 gallons of water.</p> <p>Diluted spray should be directed uniformly to all parts of the plant. Use lower gallonage when plants are small and increase volume with plant size. Use the lower rate for protective sprays and the higher rates later in the season or during high infection periods. Application should begin when leafspot conditions appear or when the disease is in the area and repeated at 10 to 14 day intervals. Do not exceed 24.0 fluid ounces per acre per season. Do not treat within 21 days of harvest. Do not graze or feed beet tops to livestock.</p>
Potato	Early & Late Blight, Suppression of Colorado Potato	4-6 fl oz*	<p>Ground (Closed Cabs Only): Apply in at least 15 gallons of water. Full coverage of the foliage is necessary for best results. A spray pressure of less than 200 psi is</p>

BEST AVAILABLE COPY

Beetle

recommended.

Aerial: Apply in 3-10 gallons of water. For helicopter application, fly high enough so as not to whip the vines.

Diluted spray should be directed uniformly to all parts of the plant and the gallowage increased according to the size of the plants. Application should begin with the appearance of blight weather conditions and continue as needed. The lower rate of application should be used early in the season and the high rate mid to late season or when blight infection is in the area. Do not exceed 24.0 fluid ounces per acre per season. Do not treat within 21 days of harvest.

PEST MANAGEMENT SYSTEMS. When used in combination with another fungicide registered for disease control on potatoes, a 3.0 fluid ounce rate may be employed.

CHEMIGATION: Do not apply this product through any type of irrigation system on crops other than potatoes. Refer to **CHEMIGATION INFORMATION** section for complete instructions.

Pecan Scab, Brown Leafspot, Downy Spot, Powdery Mildew, Liver Spot, Sooty Mold, Leaf Blotch 8-12 fl oz

Ground (Closed Cabs Only): Apply in sufficient water to provide for full coverage.

Aerial: Apply in a minimum of 20 gallons of water.

Diluted spray should be directed to all parts of the tree. Application should begin at pre-anthesis stages when the young leaves are unfolding, and a second application made when the small nuts are forming. Apply a maximum of 20 treatments during a single growing season

BEST AVAILABLE COPY

110711

at 2-4 week intervals as needed to maintain control. Use the lower rate for the first two applications or until the disease becomes severe, or during dry weather. Use the higher rate during wet weather or during severe scab, powdery mildew, or other disease infections. Do not apply after shucks have started to open.

WARRANTY STATEMENT

GRIFFIN CORPORATION warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of GRIFFIN. In no case shall GRIFFIN be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. GRIFFIN MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

BEST AVAILABLE COPY