

COMPATIBILITY

SAVIT 4F when diluted with an equal volume of water is compatible with a wide range of spray products including spray oils. It is not compatible with diesel fuel, kerosene, fuel oil or aromatic solvents. If compatibility of SAVIT 4F with another product and the resulting crop response is unknown, it should be tested on a small scale. Girdling, precipitation, greening, layer formation or increased viscosity are symptoms of incompatibility. **AVOID PREPARING COMBINATION SPRAYS. FIRST ADD SAVIT 4F TO AT LEAST AN EQUAL VOLUME OF WATER, MIX THOROUGHLY, AND THEN ADD COMBINATION PRODUCTS TO THE MIXTURE. DO NOT APPLY TANK MIX COMBINATIONS UNLESS YOUR PREVIOUS EXPERIENCE INDICATES THE MIXTURE IS EFFECTIVE AND WILL NOT RESULT IN APPLICATION PROBLEMS, EXCESSIVE RESIDUES OR PLANT INJURY.**

Unstable under highly alkaline conditions. Not effective if used with alkaline materials such as Bordeaux, lime sulfur and casein lime sprayers.

APPLICATION

May be applied undiluted to cotton. On other crops, use sufficient gallonage to obtain thorough and uniform coverage.

Calibrate spray equipment to deliver the required volume. The flow rate of SAVIT 4F diluted 1:1 with water is equivalent to water.

Use 50 mesh sifted strainers in spray system and filter nozzles.

Avoid applications just before rainfall as poor weathering may result.

To clean spray system after use, drain and flush with water.

Refer to the Storage and Disposal sections for proper handling of unused spray mixture or trash.

INSECT CONTROL

Apply when insects or their damage appears. To maintain control, repeat at 7 to 14 day intervals or as necessary unless a shorter interval is specified below. Where a dosage range is indicated, a lower rate may be used on early instars and higher rate on mature plants, advanced instars and adults. Thorough and uniform spray coverage is essential for effective control.

SAVIT 4F does not control spider mites. If spider mites are a problem, use a registered miticide.

FORAGE; FIELD AND VEGETABLE CROPS

Faint, mostly illegible text, likely a technical manual or label for the product, containing various instructions and specifications.

74

savit 4F

CARBARYL FLOWABLE

This product contains 4 pounds Carbaryl per gallon

ACTIVE INGREDIENT

Carbaryl (1-naphthyl methylcarbamate)

40.38%

INERT INGREDIENTS

59.62%

TOTAL 100%

ACCEPTED
DEC 12 1979
Office of Pesticide Registration
U.S. Dept. of Agriculture

CAUTION:

KEEP OUT OF REACH OF CHILDREN

GRIFFIN CORPORATION



Faint, illegible text scattered across the page, likely bleed-through from the reverse side. The text is too light to transcribe accurately but appears to be organized into several columns.

