

## CHAPTER 16—BALANCE STATEMENTS

## HAZARD ASSESSMENT FOR ANESTHETIC ANIMALS

- 11 -

## APPENDIX A: GLOSSARY OF TERMS

EQUIPMENT

## **ISNA-0001-46 - 10% Manebat CT Tank-Mix Combination for Weed Control in Corn**

## **STORAGE AND DISPOSAL**

## DATA ANALYSIS

• 100

*Journal of Clinical Endocrinology and Metabolism*, Vol. 103, No. 3, March 1994, pp. 673-678.

10. The following table shows the number of hours worked by each employee in a company.

Figure 1. A schematic diagram of the experimental setup used to measure the effect of the magnetic field on the absorption coefficient of the sample.



## SIMAZINE FLOWABLE HERBICIDE

### ACTIVE INGREDIENT

Simazine (2-Chloro-4-(E)-butenylamino)

### INERT INGREDIENTS

TOTAL

Rates Per Acre  
Estimated

## CAUTION:

KEEP OUT OF REACH OF CHILDREN

### STATEMENT OF PRACTICALITY

- Follow label directions for mixing, applying, timing, nozzle selection, and cleanup by rinsing.
- If inhalation or eye contact occurs, seek medical attention.
- Do not drink alcohol or tobacco products.
- Do not eat or drink.

### Mix Combination for Weed

Insecticide: None  
Weeds listed: All broadleaf weeds  
of pasture, lawn, and  
crop areas.

Rates Per Acre  
Estimated

# Griffin

GRIFFIN CORPORATION

100 TROY GALLON SIMAZINE 4L Tank Mix Combi  
culation Form

