

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS & DOMESTIC ANIMALS**

DANGER — PELIGRO

DANGER: Fatal if inhaled. Corrosive, causes irreversible eye damage. May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, or on skin. Do not breathe dust, vapor, or spray mist. When handling either products containing TPTH or spray-dusted mixtures, wear protective clothing (long pants, long sleeve shirt, impermeable gloves, hat, boots, and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health.) When handling the concentrated products, wear a face shield. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Do not enter treated areas for at least 24 hours after treatment.

The United States Environmental Protection Agency has determined that triphenyltin hydroxide causes birth defects in laboratory animals. Exposure to triphenyltin hydroxide during pregnancy should be avoided.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water or wetlands. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

DANGER: Do not enter treated areas without appropriate protective clothing for 24 hours after application. In case of accidental exposure, contact your nearest Poison Control Center.

PATROL® is a non-flammable, flowable fungicide.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GRIFFIN PATROL® Fungicide can be applied as a ground or aerial spray to control fungal infestations on listed crops. Application rates are for general use. The state agricultural extension or agricultural experiment station specialists should be consulted for specific applications and timing recommendations. With any spray application thorough coverage is essential for good control.

Apply this product only as specified on this label.

RESTRICTED USE PESTICIDE

Because of the high acute toxicity of triphenyltin hydroxide and its potential for creating teratogenic effects, this product may be applied only by certified applicators or persons directly under their supervision.



SULFUR-TIN

FLOWABLE FUNGICIDE

ACTIVE INGREDIENT:

Sulfur 40.9%
Triphenyltin hydroxide 5.1%

INERT INGREDIENTS: 54.0%

TOTAL 100.0%

Contains 9 ounces Triphenyltin hydroxide per gallon.

Contains 4 1/2 pounds Elemental Sulfur per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER — PELIGRO



POISON

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician or Poison Control Center.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

See Side Panel For Additional Precautionary Statements.



GRIFFIN CORPORATION

VALDOSTA, GEORGIA 31601

NET CONTENTS 1 Gallon

EPA Reg. No. 1812-252
EPA Est. No. 1812-GA-3

PRECAUTIONS:

Do not add surfactants, spreaders, or stickers. Do not graze dairy or meat animals in treated areas.

BEST AVAILABLE COPY

ACCEPTED

JUN 26 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1812-252

GENERAL INSTRUCTIONS FOR APPLICATION

PEANUTS: Cercospora Leafspot and Rust

Ground application, apply 2 - 3 1/2 pints per acre in 10 - 100 gallons of water. Aerial application, apply 2 - 3 1/2 pints per acre in 3 - 10 gallons of water. Use lower rate when leafspot is light, increasing as disease pressure increases.

Apply in sufficient water for uniform, full coverage of foliage. Use lower gallonage in early season when plants are small and increase spray volume as plant size increases. Application should begin approximately six (6) weeks after planting or as soon as first sign of leafspot appear. Spray application should continue on a 10 - 14 day schedule. Do not apply within 14 days of harvest. Do not allow hogs to feed on peanuts in treated fields. Hulls from treated peanuts may be used in feed for livestock. Do not use vines for feed.

WARRANTY STATEMENT

GRIFFIN warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of GRIFFIN. In no case shall GRIFFIN be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. GRIFFIN MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

CPC 1187
GCN 41385

1875

Patrol S/L

3/14/85

1-100/

K (SP)