127

United States Environmental Protection Agency Washington, D.C. 20460

Office of Prevention, Pesticides and Toxic Substances

OCT 8 1993

James Yowell GRIFFIN CORPORATION BOX 1847 VALDOSTA GA 31603

Subject: Label Amendment Submission of 06/15/93

in Compliance with WPS Labeling Requirements

BPA Reg No. 1812-301

KOCIDE SD

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped "Accepted with comments" is attached. Make any required changes described in the attached and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)

Office of Pesticide Programs (H-7504C)
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460-0001

• "

Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL) Room 266A Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling the "Agricultural Use Requirements" text must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely,

GRIFFIN CORPORATION
KOCIDE SD
1812-301 06/15/93
Original Submission

You omitted the Personal Protective Equipment heading.
User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.
The Agricultural Use Requirements section must either be placed in a box or printed on the label in a contrasting color from the surrounding text.

KOCIDE® SD

ACCEPTED
with COMMENTS
In EPA Letter Dated

OCT 8 1993

Under the Federal Insecticide, Fundicide, and Redestable Ast as amended, for the posticide registered under EPA Reg. No. 19/2-20/

SEED DRESSING AGRICULTURAL FUNGICIDE

Contains 3.2 Lbs. Cupric Hydroxide Per Gallon (Metallic Copper Equivalent 19.4%)

KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

de el freió el libroció el mondificació de la coloció d O la coloció el másico de la comició de la coloció de l

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with water for 15 minutes. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Call a physician or Poison Control Center.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate use of gastric lavage.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

2 1/2 Gallons

Griffin Corporation Valdosta, Georgia 31601

EPA Reg. No. 1812-301 EPA Est. No. 8901-TX-1

U.S. Patent No. 3,428,731



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) DANGER - PELIGRO

Corrosive. Causes irreversible eye damage. Harmful or fatal if swallowed. Harmful if absorbed through skin or inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, skin or clothing. Avoid breathing vapors. Wear goggles or face shields. Wash thoroughly with soep and water after handling. Remove contaminated clothing and wash before reuse.





ikas sisika Rasangalahan

Wash hands before eating directory, they mereuns warm to bacco or using the totale.

ekenoveelolimetimmedialelvit medialelvit medesektiliside. Etilet valhting odelik and privor elem Gallina

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

GENERAL INSTRUCTIONS

Kocide SD should be used as described below. Kocide SD is specially formulated for use as a seed protectant. It is compatible with many fungicides and other materials commonly used as seed disinfectants. Because of the wide number of combinations possible with other pesticides, it is recommended that specific mixtures be evaluated before use with this product.

The following specific instructions are based on general applications. the recommendations of State Agricultural Experiment Stations should be closely followed.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



Kantematra enamán aracastr





BEST AVAILABLE COPT

WORKER PROTECTION STATEMENT: Do not apply this product in a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

CROP	DISEASE	RATE/100 LBS OF SEED	USE INSTRUCTIONS
Rice	Water Mold & Seed Rot	4-8 ounces	For ease of handling and when using a seed treating machine, dilute KOCIDE SD with an equal amount of water. Maintain continuous agitation of the mixture throughout the operation. (Phytotoxicity may occur in drill-seeded rice. Consult State Agricultural Experiment Station regarding specific recommendations for your area.)
Wheat & Barley	Bacterial Leaf Blight, Bacterial Leaf Streak, & Common Bunt	4 ounces	It should be diluted with equal parts of water before applying.

Treated seed should not be used for food, feed or oil purposes.

WARRANTY STATEMENT

GRIFFIN warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of GRIFFIN. In no case shall GRIFFIN be liable for consequential, special or indirect damages resulting from the use or handling of this product. GRIFFIN MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

