

PH 22 1812-350 Jacket Copy 1 of 9



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
1812-350

Date of Issuance:
NOV 10 1992

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:
Conditional

Name of Pesticide Product:
Super Tir. 60WSP

Name and Address of Registrant (include ZIP Code):

Griffin Corporation
P.O. Box 1847
Valdosta, GA 31603-1847

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes listed below before you release the product for shipment:
 - a. Add the phrase, "EPA Reg. No. 1812-350".
 - b. In the precautionary statement delete "harmful or".

Signature of Approving Official:

Date:

20/9

c. Revise the precautionary statements to include the following statements:

Wear goggles, face shield, or safety glasses.

Goggles, face shield, or safety glasses must be worn when applying this product not just when handling the concentrate.

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

4. Submit within 6 months from the date of this Notice of Registration any product chemistry data conducted in accordance with Guideline Reference Series 61, 62 or 63 if the data are found deficient in our review of your October 20, 1992 submission.

5. Submit within 12 months from the date of this Notice of Registration a Eye Irritation Study conducted in accordance with Guideline Reference Number 81-4 if our review denies your request for waiver of this data requirement.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Cynthia Giles-Parker
Product Manager (22)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

cc: Margaret Rice, Special Review Branch
Eric Ferris, Reregistration Branch
Special Review and Registration Division (H7508W)

1812-350

April 11 1970
to comment on label

RESTRICTED USE PESTICIDE

Because of the high acute toxicity of triphenyltin hydroxide and its potential for affecting fetal development, this product may be applied only by certified applicators or persons directly under their supervision.

Super Tin™ 80WSP

**Wettable Powder
in Water Soluble Pack**

Active Ingredient:

| | |
|----------------------------------|--------|
| Triphenyltin hydroxide | 80% |
| Inert Ingredients | 20% |
| Total: | 100.0% |

Contains 1.87 lbs triphenyltin hydroxide per pack

ACCEPTED
with COMMENTS
In EPA Letter Dated:

**KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO**



(Red)

POISON

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1812-350

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician or Poison Control Center. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUCION AL USUARIO: Si usted no lee ingles no use este producto hasta que le etiqueta haya sido explicado ampliamente.

GRIFFIN CORPORATION
Valdosta, Georgia 31601

EPA Reg. No. 1812-GLN
EPA Reg. No. 1812-GA-3

Net Contents 2.34 lbs

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER - PELIGRO

DANGER: Fatal if inhaled. Corrosive, causes irreversible eye damage and skin burns. May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor, or spray mist. When handling either products containing triphenyltin hydroxide or spray-diluted mixtures, wear protective clothing: cotton coveralls over long pants, long sleeved shirt, chemical resistant gloves (including neoprene-coated, butyl rubber and nitrile rubber), hat, boots, goggles or a face shield and a pesticide respirator jointly approved by the Mine Safety and Health Administration (MSHA - formerly the Mining Enforcement and Safety Administration) and the National Institute for Occupational Safety and Health. When handling the concentrated products, wear a face shield. Where completely enclosed cab tractors with positive pressure filtration systems or enclosed cockpit aircraft are used, long sleeved shirts, long pants, socks, and shoes may be the only clothing items necessary for the applicator. Chemical resistant gloves must be available in the cab or cockpit and worn upon exiting. The cab or cockpit must be equipped with a sealable container for glove storage to prevent contamination of the inside of the cab or cockpit. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Do not enter treated areas without protective clothing for 24 hours after treatment. During aerial application human flaggers are prohibited unless in totally enclosed vehicles.

The United States Environmental Protection Agency has determined that triphenyltin hydroxide, the active ingredient of this product, affects fetal development in laboratory animals. Exposure to this product during pregnancy should be avoided.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover or incorporate spills. Do not contaminate water while disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons:

BEST AVAILABLE COPY

5097

Do not enter treated areas without protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment, and appropriate actions to take in case of accidental exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: DANGER. Area treated with Super Tin 80WSP on (date of application). Do not enter treated areas without appropriate protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment. In case of accidental exposure, see Statement of Practical Treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Completely empty outer bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

APPLICATION DIRECTIONS

GROUND AND AERIAL APPLICATION: Super Tin 80WSP Fungicide can be applied as a ground or aerial spray to control fungal infestations on listed crops. Application rates are for general use and must not be exceeded. The state agricultural extension or agricultural experiment station specialist should be consulted for specific applications and timing recommendations. With any spray application, thorough coverage is essential for good control. Do not apply this product through any type of irrigation system except on potatoes.

During aerial application human flaggers are prohibited unless in totally enclosed vehicles.

Apply this product only as specified on this label.

BEST AVAILABLE COPY

MIXING PROCEDURES: Open outer bag and place the entire water soluble pack into the filled spray tank and close tank immediately. Do not open water soluble pack.

GENERAL CHEMIGATION INSTRUCTIONS

Do not apply this product through any type of irrigation system on crops other than potatoes. Apply this product only through one or more of the following types of systems: sprinkler including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, or hand move irrigation system. Do not apply this product through any other type of irrigation system.

Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

For specific information about calibration, contact State Extension Service specialists, equipment manufacturers or other irrigation experts.

Do not connect an irrigation system used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

Posting of areas to be chemigated is required when 1) any part of a treated area is within 300 feet of sensitive areas such as residential areas, labor camps, businesses, day care centers, hospitals, in-patient clinics, nursing homes or any public areas such as schools, parks, playgrounds, or other public facilities not including public roads, or 2) when the chemigated area is open to the public such as golf courses or retail greenhouses.

Posting must conform to the following requirement. Treated areas may not be reentered without protective clothing equivalent to that worn by the applicator for 24 hours after treatment. Treated areas shall be posted with signs at all usual points of entry and along likely routes of approach from the listed sensitive areas. When there are no usual points of entry, signs must be posted in the corners of the treated areas and in any location affording maximum visibility to sensitive areas. The printed side of the sign should face away from the treated area towards the sensitive area. The signs shall be printed in English. Signs must be posted prior to application. Signs may remain in place indefinitely as long as they are composed of materials to prevent deterioration and maintain legibility for the duration of the posting period.

All words shall consist of letters at least 2 1/2 inches tall, and all letters and the symbol shall be a color which sharply contrasts with their immediate background. At the top of the sign shall be the words KEEP OUT, followed by an octagonal stop sign symbol at least 8 inches in diameter containing the word STOP. Below the symbol shall be the words PESTICIDES IN IRRIGATION WATER.

BEST AVAILABLE COPY

SPRINKLER CHEMIGATION

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.


Do not apply when wind speed favors drift beyond the area intended for treatment.

Before adding Super Tin 80WSP to the spray tank, fill with water. Add the entire water soluble pack and close tank immediately. Continuous agitation within the spray tank is essential. If used in combination with a liquid (see below, PRECAUTION statement on emulsifiable concentrate insecticides) or wettable powder fungicide or insecticide, add the proper amount of product, according to product label recommendations, in partially filled tank, complete filling the tank with water and place the entire water soluble pack in the filled spray tank and close lid immediately.

Super Tin 80WSP should be added through a traveling irrigation system continuously or at the last 30 minutes of solid set or hand moved irrigation systems. Agitation is recommended.

PRECAUTIONS

Do not add surfactants, spreaders, stickers, or buffers. Combinations with some pesticides, micro-nutrients, spreaders, stickers, surfactants, or buffering agents can increase phytotoxicity. Phytotoxicity may be severe. Emulsifiable concentrate insecticides can be especially injurious in combination. We do not recommend mixture with the above unless testing or prior experience has shown the mixture to be non-phytotoxic to the crop. Do not graze dairy or meat animals in treated areas.



8-41

GENERAL INSTRUCTIONS FOR APPLICATION

| CROP | DISEASE | DRY OZ/ ACRE | USE DIRECTIONS |
|----------------|--|--|---|
| Sugar Beets | Cercospora Leafspot | 2.5 - 5.0 (15 - 7.5 acres/pack) | <p>Ground (Closed Cabs Only): Apply in at least 15 gallons of water. Full coverage of the foliage is necessary for best results.</p> <p>Aerial (helicopter or fixed wing aircraft): Apply in 5-10 gallons of water.</p> <p>Diluted spray should be directed uniformly to all parts of the plant. Use lower gallonage when plants are small and increase volume with plant size. Use the lower rate for protective sprays and the higher rates later in the season or during high infection periods. Application should begin when leafspot conditions appear or when the disease is in the area and repeated at 10 to 14 day intervals. Do not exceed 15 oz/acre per season. Do not treat within 21 days of harvest. Do not graze or feed beet tops to livestock.</p> |
| Potato | Early & Late B l i g h t , Suppression of Colorado Potato Beetle | 2.5 - 3.75* (15 - 10 acres/pack) | <p>Ground (Closed Cabs Only): Apply in at least 15 gallons of water. Full coverage of the foliage is necessary for best results. A spray pressure of less than 200 psi is recommended.</p> <p>Aerial: Apply in 3-10 gallons of water. For helicopter application, fly high enough so as not to whip the vines.</p> <p>Diluted spray should be directed uniformly to all parts of the plant and the gallonage increased according to the size of the plants. Application should begin with the appearance of blight weather conditions and continue on a 7 day schedule. Do not treat within 21 days of harvest. Do not exceed 15 oz/acre per season. The lower rate of application should be used early in the season and the high rate mid to late</p> |

BEST AVAILABLE COPY

| | | |
|-------|---|--|
| Pecan | Scab, Brown Leafspot, Downy Spot, Powdery Mildew, Liver Spot, Sooty Mold, Leaf Blotch | 5.0 - 7.5 (7.5 - 5 acres/pack) |
|-------|---|--|

season or when blight infection is in the area.

***PEST MANAGEMENT SYSTEMS.**
When used in combination with another fungicide registered for disease control on potatoes, a 1.87 oz/acre rate may be employed.

Ground (Closed Cabs Only): Apply in sufficient water to provide for full coverage.

Aerial: Apply in a minimum of 20 gallons of water.

Diluted spray should be directed to all parts of the tree. Application should begin at pre-pollination stages when the young leaves are unfolding, and a second application made when the small nuts are forming. Apply a maximum of 10 treatments during a single growing season at 2-4 week intervals as needed to maintain control. Use the lower rate for the first two applications or until the disease becomes severe, or during dry weather. Use the higher rate during wet weather or during severe scab, powdery mildew, or other disease infections. Do not apply after shucks have started to open.

WARRANTY STATEMENT

GRIFFIN CORPORATION warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of GRIFFIN. In no case shall GRIFFIN be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. GRIFFIN MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

Super Tin 80WSP is a trademark of Griffin Corporation

BEST AVAILABLE COPY