

Reg # 1812-350

PM-22

File

1910  
9

United States Environmental Protection Agency  
Washington, D.C. 20460

Office of  
Prevention, Pesticides and  
Toxic Substances

OCT 13 1993

L Vernon White  
GRIFFIN CORPORATION  
BOX 1847  
VALDOSTA GA 31603

Subject: Label Amendment Submission of 06/14/93  
in Compliance with WPS Labeling Requirements  
EPA Reg No. 1812-350  
SUPER TIN 80WSP

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped "Accepted with comments" is attached. Make any required changes described in the attached and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)

2910

Office of Pesticide Programs (H-7504C)  
U.S. Environmental Protection Agency  
401 M Street SW  
Washington, DC 20460-0001


Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL)  
Room 266A Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling the "Agricultural Use Requirements" text must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely,

  
James Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)

3710  
7

GRIFFIN CORPORATION  
SUPER TIN 80WSP  
1812-350 06/14/93  
Original Submission

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.  
The Agricultural Use Requirements section must either be placed in a box or printed on the label in a contrasting color from the surrounding text.

4910

**RESTRICTED USE PESTICIDE**

Because of the high acute toxicity of triphenyltin hydroxide and its potential for affecting fetal development, this product may be applied only by certified applicators or persons directly under their supervision.

**Super Tin™ 80WP**

**Wettable Powder  
in Water Soluble Pack**

**Active Ingredient:**

Triphenyltin hydroxide .....	80%
Inert Ingredients .....	20%
Total: .....	100.0%

Contains 1.87 lbs triphenyltin hydroxide per pack

**KEEP OUT OF REACH OF CHILDREN  
DANGER - PELIGRO**

**POISON**

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

**OCT 13 1993**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
1812-350



**STATEMENT OF PRACTICAL TREATMENT**

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF IN EYES:** Flush with plenty of water. Call a physician.

**IF SWALLOWED:** Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician or Poison Control Center. Avoid alcohol.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

~~**PRECAUFIACION AL USUARIO:** Si usted no lee ingles no use este producto hasta que le etiqueta haya sido explicado ampliamente.~~

**GRIFFIN CORPORATION  
Valdosta, Georgia 31601**

**EPA Reg. No. 1812-350  
EPA Reg. No. 1812-GA-3**

**Net Contents 2.34 lbs**

**BEST AVAILABLE COPY**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
DANGER - PELIGRO**

~~...~~ Fatal if inhaled. Corrosive, causes irreversible eye damage and skin burns. May be fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor, or spray mist. ~~When handling either products containing triphenyltin hydroxide or spray diluted mixtures, wear protective clothing: cotton coveralls over long pants, long sleeved shirt, chemical resistant gloves (including neoprene-coated, butyl rubber and nitrile rubber), hat, boots, goggles, face shield or safety glasses and a pesticide respirator jointly approved by the Mine Safety and Health Administration (MSHA - formerly the Mining Enforcement and Safety Administration) and the National Institute for Occupational Safety and Health. Goggles, face shield, or safety glasses must be worn when applying this product not just when handling the concentrate. Where completely enclosed cab tractors with positive pressure filtration systems or enclosed cockpit aircraft are used, long sleeved shirts, long pants, socks, and shoes may be the only clothing items necessary for the applicator. Chemical resistant gloves must be available in the cab or cockpit and worn upon exiting. The cab or cockpit must be equipped with a sealable container for glove storage to prevent contamination of the inside of the cab or cockpit. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Do not enter treated areas without protective clothing for 24 hours after treatment. During aerial application human flaggers are prohibited unless in totally enclosed vehicles.~~

**PERSONAL PROTECTIVE EQUIPMENT**

~~Applicators and other handlers must wear coveralls over long-sleeved shirt and long pants, waterproof gloves, chemical resistant footwear plus socks, protective eyewear.~~

~~Chemical resistant headgear for overhead exposure. Chemical resistant apron when cleaning equipment, mixing, or loading.~~

~~MSHA/NIOSH approval number (MSHA/NIOSH approval number prefix TC-24C)~~

~~MSHA/NIOSH approval number (MSHA/NIOSH approval number prefix TC-24C) for an approved for pesticides (MSHA/NIOSH approval number prefix TC-24C) for an approved for pesticides (MSHA/NIOSH approval number prefix TC-14C)~~

~~...~~

~~...~~

**BEST AVAILABLE COPY**

[REDACTED]

[REDACTED]

[REDACTED]

**USE INSTRUCTIONS**

[REDACTED]

[REDACTED] before eating, drinking, or operating machinery.

[REDACTED] immediately after use.

[REDACTED] immediately after use.

The United States Environmental Protection Agency has determined that triphenyltin hydroxide, the active ingredient of this product, affects fetal development in laboratory animals. Exposure to this product during pregnancy should be avoided.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover or incorporate spills. Do not contaminate water while disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[REDACTED]

**RE-ENTRY STATEMENT**

~~Do not apply this product in such a manner as to directly or through drift expose workers or~~

**BEST AVAILABLE COPY**

~~other persons. The area being treated must be vacated by unprotected persons.~~

~~Do not enter treated areas without protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.~~

~~Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment, and appropriate actions to take in case of accidental exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: DANGER. Area treated with Super Tin 80WP on (date of application). Do not enter treated areas without appropriate protective clothing equivalent to that worn by the applicator (see Precautionary Statement) for 24 hours after treatment. In case of accidental exposure, see Statement of Practical Treatment.~~

**AGRICULTURAL USER REQUIREMENTS**

~~This product is only meant to be used in accordance with the Worker Protection Standard (WPS) of 29 CFR 155. This Standard contains requirements for protection of agricultural workers in farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and protective equipment. It also contains requirements for notification to workers and restricted entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.~~

~~Do not allow worker entry into treated areas during the restricted entry interval (REI) of this product.~~

~~PEP required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water.~~

~~Wear full cover long sleeved shirt and long pants~~

~~Wear long gloves~~

~~Wear long socks~~

~~Wear shoes~~

~~Wear a hat~~

~~Wash hands and face thoroughly with soap and water before eating, drinking, or using the toilet.~~

**BEST AVAILABLE COPY**

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**CONTAINER DISPOSAL:** Completely empty outer bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### APPLICATION DIRECTIONS

**GROUND AND AERIAL APPLICATION:** Super Tin 80WP Fungicide can be applied as a ground or aerial spray to control fungal infestations on listed crops. Application rates are for general use and must not be exceeded. The state agricultural extension or agricultural experiment station specialist should be consulted for specific applications and timing recommendations. With any spray application, thorough coverage is essential for good control. Do not apply this product through any type of irrigation system except on potatoes. ~~During aerial application human flaggers are prohibited unless in totally enclosed vehicles.~~ Apply this product only as specified on this label.

**MIXING PROCEDURES:** When using Super Tin 80WP alone open outer bag and place the entire water soluble pack into the filled spray tank and close tank immediately. Do not open water soluble pack.

If boron or other micronutrients, fertilizers or other crop protection chemicals are to be used, fill spray tank  $\frac{3}{4}$  full, with agitation running add Super Tin 80WP and close lid. Do not open water soluble pack. Allow approximately 10 minutes for the water soluble package to dissolve. After package has dissolved, add other products and remaining water. Continue agitation during sprayout. See PRECAUTION statement below on emulsifiable concentrate insecticides.

### GENERAL CHEMIGATION INSTRUCTIONS

Do not apply this product through any type of irrigation system on crops other than potatoes. Apply this product only through one or more of the following types of systems: sprinkler including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, or hand move irrigation system. Do not apply this product through any other type of irrigation system.

Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.



For specific information about calibration, contact State Extension Service specialists, equipment manufacturers or other irrigation experts.

Do not connect an irrigation system used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

~~This sign is in addition to any sign posted to comply with the Worker Protection Standard~~

Posting of areas to be chemigated is required when 1) any part of a treated area is within 300 feet of sensitive areas such as residential areas, labor camps, businesses, day care centers, hospitals, in-patient clinics, nursing homes or any public areas such as schools, parks, playgrounds, or other public facilities not including public roads, or 2) when the chemigated area is open to the public such as golf courses or retail greenhouses.

Posting must conform to the following requirement. ~~Treated areas may not be reentered without protective clothing equivalent to that worn by the applicator for 24 hours after treatment.~~ Treated areas shall be posted with signs at all usual points of entry and along likely routes of approach from the listed sensitive areas. When there are no usual points of entry, signs must be posted in the corners of the treated areas and in any location affording maximum visibility to sensitive areas. The printed side of the sign should face away from the treated area towards the sensitive area. The signs shall be printed in English. Signs must be posted prior to application. Signs may remain in place indefinitely as long as they are composed of materials to prevent deterioration and maintain legibility for the duration of the posting period.

All words shall consist of letters at least 2 1/2 inches tall, and all letters and the symbol shall be a color which sharply contrasts with their immediate background. At the top of the sign shall be the words KEEP OUT, followed by an octagonal stop sign symbol at least 8 inches in diameter containing the word STOP. Below the symbol shall be the words PESTICIDES IN IRRIGATION WATER.

**BEST AVAILABLE COPY**

10 9 / 10

closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must contain a functional, normally closed, solenoid operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment.

Super Tin 80WP should be added through a traveling irrigation system continuously or at the last 30 minutes of solid set or hand moved irrigation systems. Agitation is recommended.

### PRECAUTIONS

Do not add surfactants, spreaders, stickers, or buffers. Combinations with some pesticides, micro-nutrients, spreaders, stickers, surfactants, or buffering agents can increase phytotoxicity. Phytotoxicity may be severe. Emulsifiable concentrate insecticides can be especially injurious in combination. We do not recommend mixture with the above unless testing or prior experience has shown the mixture to be non-phytotoxic to the crop. Do not graze dairy or meat animals in treated areas.

### SPRINKLER CHEMIGATION

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-

### GENERAL INSTRUCTIONS FOR APPLICATION

CROP	DISEASE	DRY OZ/ACRE	USE DIRECTIONS
Sugar Beets	Cercospora Leafspot	2.5-5.0 (15-7.5 acres/ pack)	Ground (Closed Cabs Only): Apply in at least 15 gallons of water. Full coverage of the foliage is necessary for best results. Aerial (helicopter or fixed wing aircraft): Apply in 5-10 gallons of water. Diluted spray should be directed uniformly to all parts of the plant. Use lower gallonage when plants are small and increase volume with plant size. Use the lower rate for protective sprays and the higher rates later in the season or during high infection periods. Application should begin when leafspot conditions appear or when the disease is in the area and repeated at 10 to 14 day intervals. Do not exceed 15 oz/acre per season. Do not treat within 21 days of harvest. Do not graze or feed beet tops to livestock.
Potatoes	Early & Late Blight, Suppression of Colorado Potato Beetle	2.5-3.75* (15-10 acres/pack)	Ground (Closed Cabs Only): Apply in at least 15 gallons of water. Full coverage of the foliage is necessary for best results. A spray pressure of less than 200 psi is recommended. Aerial: Apply in 3-10 gallons of water. For helicopter application, fly high enough so as not to whip the vines. Diluted spray should be directed uniformly to all parts of the plant and the gallonage increased according to the size of the plants. Application should begin with the appearance of blight weather conditions and continue on a 7 day schedule. Do not treat within 21 days of harvest. Do not exceed 15 oz/acre per season. The lower rate of application should be used early in the season and the high rate mid to late season or when blight infection is in the area. *PEST MANAGEMENT SYSTEMS. When used in combination with another fungicide registered for disease control on potatoes, a 1.87 oz/acre rate may be employed.
Pecan	Scab, Brown Leafspot, Downy Spot, Powdery Mildew, Liver Spot, Sooty Mold, Leaf Blotch	5.0-7.5 (7.5-5 acres/pack)	Ground (Closed Cabs Only): Apply in sufficient water to provide for full coverage. Aerial: Apply in a minimum of 20 gallons of water. Diluted spray should be directed to all parts of the tree. Application should begin at pre-pollination stages when the young leaves are unfolding, and a second application made when the small nuts are forming. Apply a maximum of 10 treatments during a single growing season at 2-4 week intervals as needed to maintain control. Use the lower rate for the first two applications or until the disease becomes severe, or during dry weather. Use the higher rate during wet weather or during severe scab, powdery mildew, or other disease infections. Do not apply after shucks have started to open.

### WARRANTY STATEMENT

GRIFFIN CORPORATION warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of GRIFFIN. In no case shall GRIFFIN be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. GRIFFIN MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

Super Tin is a registered trademark of Griffin Corporation.

BEST AVAILABLE COPY