

1812-358

5/22/2003

Page 181

12/19/02

Supplemental Labeling

g358s02a

**ACCEPTED**  
MAY 22 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1812-358

**KOCIDE® 2000**  
EPA Reg. No. 1812-358

**USE ON CORN AND OKRA**

**Directions for Use:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<u>Crop</u>	<u>Disease</u>	<u>Rate/Acre</u>	<u>Use Instructions</u>
Corn (Field Corn, Popcorn, Sweet Corn)	Bacterial Stalk Rot	1-3 lbs.	Begin treatment when disease first appears and repeat every 7 to 10 days or as needed. Use the higher rates and shorter spray intervals when conditions favor disease.
Okra	Anthrachnose, Bacterial Leaf Spot, Leaf Spots, Pod Spot, Powdery Mildew	1.5-3 lbs.	Begin treatment when disease first threatens and repeat every 5 to 10 days or as needed depending on disease severity. Use the higher rates and shorter spray intervals when conditions favor disease.

**NOTE:** All applicable directions, restrictions, and precautions on the Kocide 2000 package label are to be followed. This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label. Read and carefully observe precautionary statements and all other information appearing on the product label. This labeling must be in the possession of the user at the time of pesticide application.

*[Griffin proposes to add the directions for use on corn and okra to the container label at the next printing. The note above is for use only on the supplemental label and will not be added to the container label.]*