

PLEASE NOTE

This image contains more than one label approved for this product on this date.



1812-437

3/14/2002

Page 181

**SUPPLEMENTAL LABELING FOR CONTROL OF DISEASES
ON ASPARAGUS
FOR USE IN ALL STATES EXCEPT CALIFORNIA AND ARIZONA**

Equus™ 720 Fungicide

EPA REG. NO. 1812-437

ACTIVE INGREDIENTS:	BY WEIGHT
Chlorothalonil (tetrachloroisophthalonitrile)	54.0%
INERT INGREDIENTS	46.0%
TOTAL	100.0%

Contains 6.0 Pounds of Active Ingredient per Gallon (720 grams per liter).

**KEEP OUT OF REACH OF CHILDREN
WARNING-AVISO**


Directions For Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See package label for additional use directions.

Diseases Controlled	Rate (Pints/acre)	Application Directions
Rust, Purple spot, Cercospora leaf blight	2.0 to 4.0	Begin applications after harvest of spears, when conditions favor disease development on ferns, generally when leaf wetness occurs. Repeat applications at 2 to 4 week intervals until ferns are no longer productive. Use high rate and shortest application interval when conditions favor disease development. Do not apply within 190 days before harvest. Do not apply more than 12.0 pints/acre (9.0 lb active ingredient/acre) per growing season.


IMPORTANT: All applicable directions, restrictions, and precautions on the Equus 720 package label are to be followed. This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label. Follow the instructions carefully.

Note: This labeling must be in the possession of the user at the time of pesticide application.

Expiration date: This supplemental labeling expires on December 31, 2002. These directions for Equus 720 will appear on package labels in 2002.

Equus is a trademark of Griffin L.L.C. 
Griffin and Design are a registered trademark of Griffin Corporation

© 2001
Griffin L.L.C.
Valdosta, GA 31601



ACCEPTED
MAR 14 2002
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1812-437

GSL 102401

NEXT

LABEL



SUPPLEMENTAL LABELING FOR CONTROL OF DISEASES ON FILBERTS (HAZELNUTS) FOR USE IN OREGON

Equus™ 720 Fungicide

EPA REG. NO. 1812-437

Table with 2 columns: ACTIVE INGREDIENTS, INERT INGREDIENTS, TOTAL and BY WEIGHT. Rows include Chlorothalonil (tetrachloroisophthalonitrile) at 54.0%, INERT INGREDIENTS at 46.0%, and TOTAL at 100.0%.

Contains 6.0 Pounds of Active Ingredient per Gallon (720 grams per liter).

KEEP OUT OF REACH OF CHILDREN WARNING-AVISO

Directions For Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See package label for additional use directions.

Table with 4 columns: Diseases Controlled, Rate (Pints/acre), Spray Volume (gallons/acre), and Application Directions. Row 1: Eastern Filbert Blight, Rate 4.0, Spray Volume 20 (concentrate) to 400 (full dilute), Application Directions: Begin applications at leaf bud break and repeat applications at 2 to 4 week intervals. Based on available residue data, use of this product on filberts is restricted to Oregon. Do not apply within a week before or after an oil application or a tank-mix containing oil-based pesticides. Do not apply within 120 days before harvest. Do not apply more than 12.0 pints/acre (9.0 lb active ingredient/acre) per growing season.

IMPORTANT: All applicable directions, restrictions, and precautions on the Equus 720 package label are to be followed. This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label. Follow the instructions carefully.

Note: This labeling must be in the possession of the user at the time of pesticide application.

Expiration date: This supplemental labeling expires on December 31, 2002. These directions for Equus 720 will appear on package labels in 2002.

Equus is a trademark of Griffin L.L.C. Griffin and Design are a registered trademark of Griffin Corporation

© 2001 Griffin L.L.C. Valdosta, GA 31601

ACCEPTED MAR 14 2002 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1812-437 GSL 102401

NEXT

LABEL



SUPPLEMENTAL LABELING FOR CONTROL OF DISEASES ON BLUEBERRY FOR ALL STATES EXCEPT CALIFORNIA AND ARIZONA

Equus™ 720 Fungicide

EPA REG. NO. 1812-437

Table with 2 columns: ACTIVE INGREDIENTS, INERT INGREDIENTS, TOTAL and BY WEIGHT. Rows include Chlorothalonil (54.0%), INERT INGREDIENTS (46.0%), and TOTAL (100.0%).

Contains 6.0 Pounds of Active Ingredient per Gallon (720 grams per liter).

KEEP OUT OF REACH OF CHILDREN WARNING-AVISO

Directions For Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See package label for additional use directions.

Table with 4 columns: Diseases Controlled, Rate (Pints/acre), Spray Volume (gallons/acre), and Application Directions. Row 1: Mummy Berry, Anthracnose; Rate: 3 to 4; Spray Volume: 20 (concentrate) to 100 (full dilute); Application Directions: Begin applications at budbreak (green tip). Repeat applications until early bloom at 10 day intervals. DO NOT APPLY AFTER EARLY BLOOM, otherwise phytotoxicity may occur to developing fruit. Do not apply within a week before or after an oil application or a tank-mix containing oil-based pesticides. Do not apply within 42 days before harvest. Do not apply more than 12.0 pints/acre (9.0 lb active ingredient/acre) per growing season.

IMPORTANT: All applicable directions, restrictions, and precautions on the Equus 720 package label are to be followed. This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label. Follow the instructions carefully.

Note: This labeling must be in the possession of the user at the time of pesticide application.

Expiration date: This supplemental labeling expires on December 31, 2002. These directions for Equus 720 will appear on package labels later in 2002.

Equus is a trademark of Griffin L.L.C. Griffin and Design are a registered trademark of Griffin Corporation

© 2001 Griffin L.L.C. Valdosta, GA 31601

