

PLEASE NOTE

**This image contains more than one label
approved for this product on this date.**



1812-440

3/14/2002

Page 1 of 1

**SUPPLEMENTAL LABELING FOR CONTROL OF DISEASES
ON ASPARAGUS
FOR USE IN ALL STATES EXCEPT CALIFORNIA AND ARIZONA**

Equus™ DF Fungicide

EPA REG. NO. 1812-440

ACTIVE INGREDIENTS:	BY WEIGHT
Chlorothalonil (tetrachloroisophthalonitrile)	82.50%
INERT INGREDIENTS	17.50%
TOTAL	100.00%

Contains 0.825 Pound of Active Ingredient per 1.0 Pound of Product.

**KEEP OUT OF REACH OF CHILDREN
WARNING-AVISO**

Directions For Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See package label for additional use directions.

Diseases Controlled	Rate (Pounds/acre)	Application Directions
Rust, Purple spot, Cercospora leaf spot	1.8 to 3.6	Begin applications after harvest of spears, when conditions favor disease development on ferns, generally when leaf wetness occurs. Repeat applications at 2 to 4 week intervals until ferns are no longer productive. Use high rate and shortest application interval when conditions favor disease development. Do not apply within 190 days before harvest. Do not apply more than 10.9 pounds/acre (9.0 lb active ingredient/acre) per growing season.

IMPORTANT: All applicable directions, restrictions, and precautions on the Equus DF package label are to be followed. This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label. Follow the instructions carefully.

Note: This labeling must be in the possession of the user at the time of pesticide application.

Expiration date: This supplemental labeling expires on December 31, 2002. These directions for Equus DF will appear on package labels in 2002.

Equus is a trademark of Griffin L.L.C.

Griffin and Design are a registered trademark of Griffin Corporation

© 2001

Griffin L.L.C.

Valdosta, GA 31601

ACCEPTED

MAR 14 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 1812-440

CSU 102401

NEXT

LABEL



1812-440

3/14/2002

Page 181

**SUPPLEMENTAL LABELING FOR CONTROL OF DISEASES
ON FILBERTS (HAZELNUTS)
FOR USE IN OREGON**

Equus™ DF Fungicide

EPA REG. NO. 1812-440

ACTIVE INGREDIENTS:		BY WEIGHT
Chlorothalonil (tetrachloroisophthalonitrile)	82.50%
INERT INGREDIENTS	17.50%
TOTAL	100.00%

Contains 0.825 Pound of Active Ingredient per 1.0 Pound of Product.

**KEEP OUT OF REACH OF CHILDREN
WARNING-AVISO**

Directions For Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See package label for additional use directions.

Diseases Controlled	Rate (Pounds/acre)	Spray Volume (gallons/acre)	Application Directions
Eastern Filbert Blight	4.0	20 (concentrate)	Begin applications at leaf bud break and repeat applications at 2 to 4 week intervals.
		to 400 (full dilute)	Based on available residue data, use of this product on filberts is restricted to Oregon. Do not apply within a week before or after an oil application or a tank-mix containing oil-based pesticides. Do not apply within 120 days before harvest. Do not apply more than 10.9 pounds/acre (9.0 lb active ingredient/acre) per growing season.

IMPORTANT: All applicable directions, restrictions, and precautions on the Equus DF package label are to be followed. This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label. Follow the instructions carefully.

Note: This labeling must be in the possession of the user at the time of pesticide application.

Expiration date: This supplemental labeling expires on December 31, 2002.


Equus is a trademark of Griffin L.L.C.

Griffin and Design are a registered trademark of Griffin Corporation

© 2001

Griffin L.L.C.

Valdosta, GA 31601



NEXT

LABEL

18/2-440 3/14/2002

Page 1 of 1



EPA

11 5:01

**SUPPLEMENTAL LABELING FOR CONTROL OF DISEASES
ON BLUEBERRY IN ALL STATES EXCEPT CALIFORNIA AND ARIZONA**

Equus™ DF Fungicide

EPA REG. NO. 1812-440

ACTIVE INGREDIENTS:**BY WEIGHT**

Chlorothalonil (tetrachloroisophthalonitrile) 82.50%

INERT INGREDIENTS 17.50%

TOTAL 100.00%

Contains 0.825 Pound of Active Ingredient per 1.0 Pound of Product.

**KEEP OUT OF REACH OF CHILDREN
WARNING-AVISO**

Directions For Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See package label for additional use directions.

Diseases Controlled	Rate (Pounds/acre)	Spray Volume (gallons/acre)	Application Directions
Mummy berry, Anthracnose	2.7 to 3.6	20 (concentrate) to 40 (full dilute)	Begin applications at budbreak (green tip). Repeat applications to early bloom at 10 day intervals. DO NOT APPLY AFTER EARLY BLOOM , otherwise phytotoxicity may occur to the developing fruit. Do not apply within a week before or after an oil application or a tank-mix containing oil-based pesticides. Do not apply within 42 days before harvest. Do not apply more than 10.9 pounds/acre (9.0 lb active ingredient/acre) per growing season.

IMPORTANT: All applicable directions, restrictions, and precautions on the Equus DF package label are to be followed. This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label. Follow the instructions carefully.

Note: This labeling must be in the possession of the user at the time of pesticide application.

Expiration date: This supplemental labeling expires on December 31, 2002. These directions for Equus DF will appear on package labels later in 2002.


Equus is a trademark of Griffin L.L.C.

Griffin and Design are a registered trademark of Griffin Corporation

© 2001

Griffin L.L.C.

Valdosta, GA 31601



102401