

CONTROL
Free Release Aerosol

INSECT GRENADE

**KILLS EXPOSED ROACHES
 AND SILVERFISH**

ACTIVE INGREDIENTS
 DETAILED LISTING OF INGREDIENTS
 PERCENTAGE OF EACH INGREDIENT
 TOTAL WEIGHT
 NET WEIGHT
 NET CONTENTS
 DETAILED LISTING OF INGREDIENTS
 PERCENTAGE OF EACH INGREDIENT
 TOTAL WEIGHT
 NET WEIGHT
 NET CONTENTS
 DETAILED LISTING OF INGREDIENTS
 PERCENTAGE OF EACH INGREDIENT
 TOTAL WEIGHT
 NET WEIGHT
 NET CONTENTS

DANGER: KEEP OUT OF REACH OF CHILDREN

Do not expose to heat or
 flames above 120°F






AERO-SPRAY

Total Release Aerosol

FOR INDUSTRIAL USE ONLY IN TRUCKS, RAILROAD CARS, WAREHOUSES,
RESTAURANTS, FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS



U.S. PAT. OFF. REG. DES. 2,814-59

**TO BE USED BY
PEST CONTROL OPERATORS ONLY.**

DIRECTIONS FOR USE:

Use one 6 oz. unit per 5000 cu. ft. During fogging and to release contents, use a respirator approved by U.S.D.A. for DDVP application.

Remove occupants and place container in center of area to be treated. Press button forward and snap clip over lip of container. Leave area at once. The entire contents will release automatically. Treated area should not be occupied for at least one hour after treatment.

Ventilate thoroughly after application.

WARNING:

May be fatal if swallowed, inhaled, or absorbed through the skin or eyes. If swallowed, induce vomiting and get medical attention. Atropine is antidotal. Do not breathe spray mist. Keep all unprotected persons out of operational area. Wash all contaminated clothing with soap and hot water before reuse. Cover or remove fish tanks. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. Unwrapped foods should be removed before treatment. Do not apply in food processing areas when the plant is in operation. Food handling equipment, dishes, or other equipment which contacts food should be covered before treatment or washed after treatment.



**KILLS EXPOSED ROACHES
AND SILVERFISH**

ACTIVE INGREDIENTS

Pyrethrins25%
Technical Piperonyl Butoxide (Equivalent to 0.40% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.10% related compounds)50%
N-Octyl Bicycloheptene Dicarboximide75%
2, 2-Dichlorovinyl Dimethyl Phosphate (Equivalent to 2.32% DDVP and 0.18% related compounds)	2.50%
1, 1, 1-Trichloroethane	6.50%
Petroleum Distillate	9.50%
INERT INGREDIENTS	80.00%

DANGER: KEEP OUT OF REACH OF CHILDREN

Contents under pressure. Do not expose to heat or store at temperatures above 120°F.

Net Contents 6 oz. by weight.

FUMOL CORPORATION LONG ISLAND CITY, N.Y. 11101

U.S.D.A Reg. No. 1814-29

**TO BE USED BY
PEST CONTROL OPERATORS ONLY.**

DIRECTIONS FOR USE:

Use one 6 oz. unit per 5000 cu. ft. During filling and to release contents use a respirator approved by U.S.D.A. for DDVP application.

Remove occupants and place container in center of area to be treated. Press button forward and snap clip over lip of container. Leave area at once. The entire contents will release automatically. Treated area should not be occupied for at least one hour after treatment.

Ventilate thoroughly after application.

WARNING:

May be fatal if swallowed, inhaled, or absorbed through the skin or eyes. If swallowed, induce vomiting and get medical attention. Atropine is antidotal. Do not breathe spray mist. Keep all unprotected persons out of operational area. Wash all contaminated clothing with soap and hot water before reuse. Cover or remove fish tanks. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. Unwrapped foods should be removed before treatment. Do not apply in food processing areas when the plant is in operation. Food handling equipment, dishes, or other equipment which contacts food should be covered before treatment or washed after treatment.