

**ACCEPTED**  
3415  
UNDER THE FEDERAL INSECTICIDE  
AND RODENTICIDE ACT  
ECONOMIC POISON REGISTERED  
EPA REG. NO. 1333-4

**CONTINUATION OF  
DIRECTIONS FOR USE**

concrete to four parts of water. Apply to base-board areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

**To kill Cockroaches, Ants, Crickets, Silverfish, Spiders and Sowbugs:** Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators and cabinets, and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Repeat as necessary.

**To kill Brown Dog Ticks and Fleas:** Thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment. **Do not spray pets with this product.**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

May be harmful if swallowed, inhaled or absorbed through skin. Avoid inhalation of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes and clothing should be avoided. Wash thoroughly with soap and water after handling. Avoid contamination of food and utensils and food preparation areas. If poisoning occurs, get prompt medical aid.

Remove pets and cover fish bowls before spraying.

**Note to Physician:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Do not spray in air in room or use on plants. **Apply as a surface spray only as specified on this label.**

Do not allow children or pets to contact treated surfaces until spray has dried.

This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not re-use empty container. Destroy when empty and discard in a safe place.

Keep container closed. Do not store, pour or spill near heat or open flame.

# TRIANGLE

CHEMICALS

## 25% PARATHION E. C.

BEFORE USE

POISON DANGER



KEEP OUT OF REACH  
OF CHILDREN

See Side Panel for  
Antidote &  
Precautions

DO NOT USE POUR SPIEL  
SEARCH FOR OPEN

ACTIVE	
INGREDIENTS:	
Parathion (O,O-diethyl 0-methyl-4-phenyl Phosphorothioate)	25.0%
Xylene	70.0%
INERT	
INGREDIENTS	5.0%
	<hr/>
	100.0%

Contains: 2 lbs. Ethyl Parathion  
Per Gallon

Manufactured by **TRIANGLE CHEMICAL COMPANY** Macon, Ga.

### PRECAUTIONS

**POISONOUS IF SWALLOWED** This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

**POISONOUS BY SKIN CONTACT** Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

**POISONOUS IF BREATHED** Breathing vapors or spray mist may be fatal.

#### DANGER

Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to ethyl parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or they may die. Do not contaminate feed and foodstuffs.

#### POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

#### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear airtight rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when mixing or applying this product. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration, formerly the U.S. Bureau of Mines, and by the National Institute for Occupational Safety and Health under the name of NIOSH Part H.

#### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. **IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

#### CONTAINER DISPOSAL

Do not reuse empty containers. Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning. (Keep out of smoke.)

#### NOTICE OF WARRANTY

Triangle warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of such use.

# TRIANGLE

CHEMICALS

## 25% PARATHION E. C.

STOP - READ LABEL BEFORE USING

**POISON**

**DANGER**



**KEEP OUT OF REACH  
OF CHILDREN**

See Side Panels for  
Antidote &  
Precautions

**NOT FOR  
HOME  
USE**

**DO NOT USE, POUR, SPILL OR STORE  
NEAR HEAT OR OPEN FLAME**

EPA Est. No. 1842 GA. 1  
EPA Reg. No. 1842.53

**CONTENTS:**

25% (O,O-diethyl phosphorothioate)	25.0%
70% (Ethyl Parathion)	70.0%
5% (Inert)	5.0%
<b>TOTAL</b>	<b>100.0%</b>

2 lbs. Ethyl Parathion  
Per Gallon

Manufactured by **TRIANGLE CHEMICAL COMPANY** Macon, Ga.

Net Contents      Gals

**WARNING:** ...  
...  
**SYMPTOMS:** ...  
...  
**TREATMENT:** ...  
If swallowed, induce vomiting ...  
...  
**PHYSICIANS NOTE:** Ethyl Parathion exerts an acetylcholinesterase inhibition ...  
...  
Refer to "Clinical Handbook On Economic Poisons"

**Directions For Use:**  
For ground application, use ...  
...  
Application should be made only by experienced personnel using approved protection equipment

**MIXING DIRECTIONS**  
1. Add about one half total amount of water to be used.  
2. Start agitation and add 5% Parathion.  
3. Continue to mix and add remaining water.  
**DANGER**

Before using, study safety directions. Consult your physician about obtaining an adequate supply of 1-100 gr. Atropine tablets for emergency use.  
**WHEAT, OATS, BARLEY:** For control of green bug apply 1 pint in sufficient water for good coverage per acre. Do not apply within 15 days of harvest.  
**PEAS, VETCH:** For control of Aphids apply 1 pint in sufficient water for good coverage per acre at first sign of infestation. Do not apply within 15 days of harvest.  
**CORN:** For control of corn borer apply 1 quart in sufficient water for good coverage per acre after 20 egg masses are counted in 100 stalk samples and first one ...