


# ONYX



BTC 776 is a cationic germicide.

BTC 776 in recommended use dilutions is non-corrosive to inanimate surfaces.

## FISH & WILDLIFE PRECAUTIONS.

This product is toxic to fish. Keep out of lakes, streams or ponds.

Do not contaminate water by cleaning of equipment or disposal of waste.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

**DO NOT MIX WITH SOAP OR ANIONIC MATERIALS.**

**DO NOT MIX WITH SOAP OR ANIONIC MATERIALS.**

Formulators are responsible for any additional registration data which may be required.

Jun 1975

# BTC

# 776

FOR FORMULATING USE ONLY AS AN ALGAECIDE

Active ingredients:

n-Alkyl (60% C , 30% C , 5% C , 5% C ) dimethyl benzyl ammonium chlorides	42%
n-Dialkyl (60% C , 30% C , 5% C , 5% C ) methyl benzyl ammonium chlorides	8%

Inert ingredients	50%
-------------------	-----

Net Contents:	TOTAL	100%
---------------	-------	------

EPA Reg. No. 1839-18

EPA EST. No. 1839-NJ01

ONYX CHEMICAL COMPANY

Division of Millmaster Onyx Corporation

190 WARREN STREET

Jersey City, New Jersey 07307

## DANGER

Keep Out of Reach of Children. See right panel for additional precautionary and first aid statements.

## DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

[ACCEPTED]



**BTC**

**776**

FOR FORMULATING USE ONLY AS AN  
ALGAECIDE

**Active ingredients:**

n-Alkyl (60% C <sub>12</sub> , 30% C <sub>14</sub> , 5% C <sub>16</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	42%
n-Dialkyl (60% C <sub>12</sub> , 30% C <sub>14</sub> , 5% C <sub>16</sub> , 5% C <sub>18</sub> ) methyl benzyl ammonium chlorides	8%
Inert ingredients	50%

Net Contents:           **TOTAL           100%**


EPA Reg. No. 1839-18

EPA EST. No. 1839-NJ01

ONYX CHEMICAL COMPANY  
Division of Millmaster Onyx Corporation  
190 WARREN STREET  
Jersey City, New Jersey 07302

**DANGER**

Keep Out of Reach of Children. See right panel for additional precautionary and first aid statements.



ACCEPTED WITH COMMENTS

**ACCEPTED**