

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For formulation into antimicrobial products for use in metal-working cutting fluids, gas/oil drilling muds/packer fluids (off-shore and terrestrial), gas/oil recovery injection water systems, and gas/oil fracturing fluid systems. Formulators using this product are responsible for providing data for the EPA registration of their formulated products.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. May be fatal if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

You may also contact 1-800-228-5625 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

ONYXIDE® 200

For the formulation into antimicrobial products.

ACTIVE INGREDIENT:

Hexahydro-1,3,5-tris (2-hydroxyethyl)

s-triazine.....78.5%

INERT INGREDIENTS.....21.5%

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panels for additional precautionary statements.

FOR FORMULATING/MANUFACTURING USE ONLY

EPA Reg. No. 1839-59
EPA Est. No. 1839-GA-01

STEPAN COMPANY
22 West Frontage Road
Northfield, IL 60093 USA

NET CONTENTS

CHEMICAL HAZARDS

Do not store with or mix with strong oxidizing agents or strong (concentrated) acids. In case of contamination, do not reseal container. If possible, isolate container in open air or well-ventilated area. Fumes caused by contamination may be hazardous.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.


STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Do not store above 100°F (38°C) Store in a dry place. Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water. Offer empty plastic containers for recycling if available. Return metal drum or offer for reconditioning or recycling (if available) or puncture and dispose of in a sanitary landfill, or by other procedures approved by State or local authorities. Plastic containers may be punctured and disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke.



Amend 05/17/2001

1839-59

06/06/2001

1/1