

ONYX



UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
EPA UNDER NO. 1839-66

September 18, 1973

BTC

2565

*435 lbs
Net 55 gallons*

CONCENTRATE FOR THE
MANUFACTURE OF ALGAECIDES.
MUST BE DILUTED BEFORE USING

Active Ingredients:

n-Alkyl (60% C₁₂, 25% C₁₄, 15% C₁₆)
dimethyl benzyl ammonium
chlorides 50%

Inert Ingredients 50%
Total 100%

Net Contents

EPA Reg. No. 1839-66


ONYX CHEMICAL COMPANY

Div. of Millmaster-Onyx Corp.
190 Warren St. Jersey City, N.J.

DANGER

Keep Out of Reach of Children. See right
panel for additional precautionary
statements and first aid.

ONYX



ONYX 2565 is a cationic

WILDLIFE PRECAUTIONS.

This product is toxic to fish. Keep out of lakes, streams or ponds.

Do not contaminate water by cleaning of equipment or disposal of waste.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burning in a safe place.

DANGER
**DO NOT MIX WITH
SULFUR OR ANIONIC
MATERIALS.**

MAY 1973

BTC

2565

CONCENTRATE FOR THE
MANUFACTURE OF ALGAECIDES.
MUST BE DILUTED BEFORE USING

Active Ingredients:

n-Alkyl (60% C₁₄, 25% C₁₂, 15% C₁₀)
dimethyl benzyl ammonium
chlorides 50%

Inert Ingredients 50%
Total 100%

Net Contents

EPA Reg. No. 1839-66

ONYX CHEMICAL COMPANY

Div. of Millmaster-Onyx Corp.
190 Warren St. Jersey City, N.J.

DANGER

Keep Out of Reach of Children. See right
panel for additional precautionary
statements and first aid.

DANGER

Keep out of reach of children.
This product is extremely
toxic. It is a strong irritant
to the eyes, skin and
respiratory tract. It is
also a strong irritant to
the mucous membranes of
the mouth and throat. It
is also a strong irritant to
the lungs. Avoid contact with
skin and eyes.

FIRST AID

In case of contact, immediately
flush eyes or skin with plenty
of water for at least 15 minutes.
For eyes, call a physician. Re-
move and wash contaminated
clothing before reuse.

If swallowed, drink promptly a
large quantity of milk, egg
white, gelatin solution or if
these are not available, drink
large quantities of water. Avoid
alcohol. Call a physician im-
mediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may
contraindicate the use of gas-
tric lavage. Measures against
circulatory shock as well as
oxygen and measures to sup-
port breathing manually or
mechanically may be needed.
If persistent, convulsions may
be controlled by the cautious
intravenous injection of a short-
acting barbiturate drug.