DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a m inconsistent with its labeling.

Onyx NP 3.2 detergent/disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime important.

DISINFECTION- To disinfect hard inanimate surfaces (such as Qualla . T floors; table tops), apply solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and than let air dry. DILUTION RATES: General Disinfection - Add 2 ounces NP 3.2 per gallon of water. Hospital Disinfection - Add 3 ounces NP 3-2 per gallon of water.

To disinfect toilet bowls, flush toilet, add 2 ounce NP 3.2 detergent disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is recommended. Prepare a fresh solution for each use.

MILDEWSTAT-To control mold and mildew on hard non-porous surfaces (such as floors, walls, table tops), clean surfaces then add 2 ounce NP 3.2 per gallon of water. Apply with a cloth, mop or sponge to surfaces to be treated making sure to wet thoroughly. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when milder growth reappears.

SANITIZATION-To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200ppm active quaternary NP 3.2 solution by adding 4 ounces NP 3.2 to 5 gallons of water.

To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200ppm NP 3.2 solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at lesst 60 seconds. Let air dry. Prepare a fresh solution for each use.

To sanitize mobile items (such as drinking plasses, eating utensils), immerse in 200ppm NP 3.2 solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

> PRECAUTIONARY STATEMENTS Hazard to Human and Domestic Animals WARNING

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, skin or on clothing. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT la case or contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Nemove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN Probable sucosal damage may contraindicate the use astric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

## tergent/disinfectant

er Dete gent Deodorizer Sanitizer

Q.

Fungicide (against Pathogenic fungi) Virucide\* Mildewstat (on hard inanimate surfaces)

ACTIVE INGREDIENTS: n-Alkyl (60XC<sub>14</sub>, 30XC<sub>16</sub>, 5XC<sub>12</sub>, 5XC<sub>18</sub>) dimethyl benzyl ammonium chlorides ...... n-Alkyl (68%C12. 32%C14) dimethyl ethylbenryl ammonium INERT INGREDIENTS:.....96.80%

TOTAL 100.00%

EPA REG. NO. 1839-78 EPA EST. NO. 1839-NJ-01

**KEEP OUT OF REACH OF CHILDREN** 

See side panels for additional precautionary and first aid statements.

Onyx chemical company
MILLMASTER ONYX GROUP

100 WARREN STREET MRSEY CITY, N. J. 07302

... Ony NP 3.2 is a p designed for generand light industri is of prime import contamination. Whe disinfect inanimat toilet bowls, tabl steh es patient es designed to provid

In addition, Onyx hard to keep fresh garbage bins and c prone to odors cau

DISINFECTION-At 2 effective disinfec

Enterohacter ser Escherichia coli Klebsiella pneug Salmonella schut Salmonella chole

At 3 ounces per g. disinfectant and Pseudomonas aerug

Virucidal\* Activit hard surfaces at virucidal\* acti the common flu vy blisters and mono upper respiratory the pox virus grou

Efficacy tests hav tericide, fungicid (5% blood serum).

Mold and Mildewsta dew and the odors 2 ounces per gallo

JANITIZATION- When equipment or food At this level NO P

NP 3.2 is an effec hardness (CaCO3).

Pesticide Disposa processed should or buried in a sa Container Disposa incinerator or 1

in a sate place.



Samitizer

recommended. Prepare

e bowl completely

to get under the rim.

on-porous surfaces
ices then add 2
loth, mop or sponge
croughly. Let air
eat application at

rinsed non-porous aternary NP 3.2 of water.

ping blocks, counter on or apply with a completely for at colution for each use.

nes, eating utensils), 50 seconds making hry. Prepare a fresh parent.

Animals

e and skin on clothing.

TREATMENT in with plenty of physician. Remove . If swallowed, drink are not available,

use astric

surfaces)

Mildewstat (on hard insnimate

Virucide\*

TOTAL 100.002

EPA REG. NO. 1839-78 EPA EST. NO. 1839-NJ-01

KEEP OUT OF REACH OF CHILDREN

## WARNING

See side panels for additional precautionary and first aid statements.

onyx chemical company
MILMASTER ONYX GROUP

190 WARREN STREET JERSEY CITY, M. J. 07302

HET COMPENTS 132

Only, NP 3.2 is a phosphate free cleanser disinfectant and sanitizer designed for general houshold use, schools, food processing plants and light industrials and hospital applications where housekeeping is of prime importance in controlling the hazard of cross contamination. When used as directed, Onyx 3.2 is formulated to disinfect inanimate hard surfaces (such as walls, floors, sink tops, toilet bowls, tables, chairs and telephones). For larger areas, such as patient care facilities and restrooms, the product is designed to provide both general cleaning and disinfecting.

In addition, Onyx NP 3.2 decodorizes those areas which generally are hard to keep fresh swelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and any other areas which are prone to odors caused by microorganisms.

<u>DISINFECTION</u>-At 2 ounces per gallon dilution, Onyx NP 3.2 exhibits effective disinfectant activity against the following:

Enterobacter aerogenes
Escherichia coli
Klebsiella pneumoniae
Salmonella schuttmuelleri
Salmonella choleraesuis

Brevibacterium ammoniagenes Streptococcus faecalis Shigella dysenteriae Staphylococcus aureus

At 3 ounces per gallon dilution, Onyx 3.2 is an effective hospital disinfectant and demonstrates disinfectant activity against Pseudomonas aeruginosa in addition to the above microorganisms.

<u>Virucidal\* Activity</u>: The product when used on environmental inanimate hard surfaces at 2 ounces per gallon of water exhibits effective virucidal\* activity against Influenza  $A_2$  - Asian (representative of the common flu virus), Herpes simplex (causative agent of fever blisters and mononucleosis), Adeno virus type 2 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pox virus group).

Efficacy tests have demonstrated that NP 3.2 is an effective bactericide, fungicide, and virucide\* in the presence of organic soil (5% blood serum).

Mold and Mildewstat- Onyx NP 3.2 prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces at 2 ounces per gallon dilution.

SANITIZATION- When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaries to 200ppm. At this level NO POTABLE WATER RINSE is required.

RP 3.2 is an effective sanitizer when diluted in water up to 250ppm hardness ( $CaCO_3$ ).

STORAGE AND DISPOSAL

- DO NOT CONTANINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

- OPEN DUMPING IS PROHIBITED

- DO NOT REUSE EMPTY CONTAINER

<u>Pesticide Disposal</u>- Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide

or buried in a safe place.

<u>Container Disposal</u>— Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

133