

001839-00079-112889

Printed: 12:48:44 Friday, 21 May, 1999 # 13 / 2879

Systems Integration Group, Inc.

NP 4.5 Detergent/Disinfectant is a phosphate free formulation designed to provide effective cleaning, deodorizing, sanitization and disinfection specifically for nospitats, nursing homes, schools, food processing plants, food service establishments and other institutions where housekeeping is of prime importance in controlling the hazard of cross contamination.

NP 4.5 Detergent/Disinfectant, when used as directed, is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones, and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, this product is designed to provide both general cleaning and disinfecting.

NP 4.5 Detergent/Disinfectant deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and other areas which are prone to odors caused by microorganisms.

In addition, NP 45 Detergent/Disinfectant sanitizes previously cleaned and rinsed neoporous food contact surfaces such as tanks, chopping blocks, counter tops, drinking glasses and eating utensils.

DISINFECTION — To disinfect finanimate, hard surfaces add 2 ounces NP 4.5 Detergent/Disinfectant per gallon of water. Apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid.

For heavily solled areas, a pre-cleaning step is required. Prepare a fresh solution for each use

To disinfect toilet bowls, flush toilet, add 2 ounces NP 4.5 Detergent/ Disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

SANITIZATION — To sanitize previously cleaned and rinsed non-porous food contact surfaces prepare a 200 ppm active quaternary solution by adding 2 ounces NP 4.5 Detergent/Disinfectant to 3.5 gallons of water.

To sanitize immobile items such as tanks, chopping blocks and counter tops, flood the area with a 200 ppm active gualernary solution or apply with a cloth or sponge making sure to wet all surfaces completely for at least 60 seconds. Let air dry. Prepare a fresh solution for each use.

To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200 ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

When used for sanitization of previously cleaned food equipment or food contact tierns, limit active quaternaries to 200 ppm. At this level NO POTABLE WATER RINSE IS REQUIRED NP 4.5 Detergent/Disinfectant is an effective sanitizer when diluted in water up to 250 ppm hardness (CaCOs).

BACTERICIDAL ACTIVITY — When diluted at the rate of 2 ounces per gation of water, NP 4.5 Detergent/Disintectant exhibits effective disinfectant activity against the organisms: Pseudomonas aeruginosa PRD 10, Escherichia cofi, Klebsiella pneumoniae, Salmonella schottmuelleri, Salmonella choleraesuis, Streptococcus salivarius, Brevibacterium ammoniagenes, Streptococcus faecalis, Siligela dysentariae. Enterobacter aerugenes and Staphylococcus aureus and meets all requirements for hospital use.

MILDEWSTAT — To control mold and mildew on pre-cleaned, hard, non-porous surfaces add 2 ounces of NP 4.5 Detergent/Disinfectant per gallon of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

At the 2 punces per gallon dilution NP 4.5 Detergent/Disinfectant is also lungicidal against the pathogenic fungi, Trichophyton mentagrophytes.

EFFICACY TESTS HAVE DEMONSTRATED THAT NP 4.5 DETERGENTIDISINFECTANT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM.)

★VIRUCIDAL ACTIVITY — NP 4.5 Detergent/Disinfectant when used on environmental inaminate hard surfaces at 2 ounces per gallon of water exhibits effective virucidal activity against influenza A2Uapan (representative of the commol flu virus), Herpes Simplex Type 1 (causative agent of lever blisters), Adenovirus Type 2 (causative agent of upper respiratory infections), and Vaccinta virus (representative of the pox virus group).

# Stepan

Stepan Company Northfield, IL 60093

## NP 4.5 Detergent/Disinfectant

CLEANER DETERGENT DEODORIZER SANITIZER DISINFECTANT
FUNGICIDE (against
Pathogenic fungi)
VIRUCIDE\*

MILDEWSTAT (on hard inanimate sufaces)

#### **ACTIVE INGREDIENTS**

> > NOV 28 1989

KEEP OUT OF REACH OF CHILDREN

DANGER

See sidh panels for additional precautionary statements
NET CONTENTS

KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiting of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS.)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling Items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or ever coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of NP 4.5 Detergent/Disinfectant.

CONTACT TIME: Allow surface to remain wet for 10 minutes. DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

### PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

#### DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Remove and wash contaminated clothing.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.  $% \label{eq:contraction}%$ 

#### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE AND/OR DISPOSAL.

STORAGE — Store in a dry place no lower in temperature than 50 °F or higher than 120 °F.

CONTAINER DISPOSAL — Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned stay out of smoke.

PESTICIDE DISPOSAL — Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

 $\omega$ 

Dφ

w

9