

AEROSOL SURFACE DISINFECTANT

DISINFECTANT

MILDEWSTAT (on hard non-porous inanimate surfaces)

DEODORANT

AIR REFRESHENER

Kills 99.9% of Bacteria (*Staphylococcus aureus*, *Salmonella choleraesuis*,
Pseudomonas aeruginosa)

ACTIVE INGREDIENTS


Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , % C ₁₈) dimethyl benzyl ammonium chlorides.....	0.1%
Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides.....	0.1%
Isopropanol	53.0%
INERT INGREDIENTS	46.8%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panels for additional precautionary statements.


EPA REG. NO. 1839-85
EPA EST. NO. 1839-IL-01



STEPAN COMPANY
22 West Frontage Road
Northfield, IL 60093

NET CONTENTS

(Center Panel)



Amerfl 05/01/03

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Aerosol Surface Disinfectant is designed for use in hospitals, nursing homes, hotels, schools, and homes, where disinfection and deodorization is of prime importance. When used as directed, this product is formulated to disinfect clean, inanimate, non-porous, hard surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, cabinets, tables, chairs, bed springs, door knobs, linen carts, hampers, wheel chairs, garbage pails, and telephones.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, pet areas and any other areas which are prone to odors caused by microorganisms.

This product can also be used as a room air deodorizer and refreshener.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

or

This product is not for use on medical device surfaces.



SURFACE DISINFECTION AND DEODORIZATION - For disinfection, first remove soil deposits from surface to be treated. Hold container six (6) inches from surface and spray area until completely wet, allowing the surface to remain wet for 10 minutes.

AIR DEODORIZER AND AIR REFRESHENER - Spray upwards to center of room for three (3) seconds.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

BACTERICIDAL ACTIVITY - When used as directed, this product exhibits effective disinfectant activity against the organisms: Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa and meets all requirements for hospital use. This product kills 99.9% of bacteria on hard, non-porous inanimate surfaces.

FUNGICIDAL ACTIVITY - This product is fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (Athlete's Foot Fungus), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, or other clean, non-porous, hard surfaces commonly contacted by bare feet.



Stepan Company
Northfield, IL 60093
EPA Reg. No. 1839-85

(Left Panel)

Amend 05/C1/03

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

KEEP OUT OF REACH OF CHILDREN. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment.

(Optional) You may contact xxx/xxx-xxxx for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS



Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER DISPOSAL - Replace cap and dispose of container in trash. Do not incinerate or puncture.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.



Stepan Company
Northfield, IL 60093
EPA Reg. No. 1839-85

(Right Panel)

Amend 05/01/03