Neese read instructions on reverse before completing form: 1839-86 Form Approved, OMB No. 2070-0060, Approvel expires 2-28-9	
United States	Registration OPP Identifier Number
Environmental Protection Active Washington, DC 20460	Amendment 227210 Other
Application for Pesticide - Section I	
1. Company/Product Number 1839 - 86	2. EPA Product Manager Marion Johnson 3. Proposed Classification
4. Company/Product (Name) BTC 2/25 M 10% Solv tion	PM# 3/
5. Name and Address of Applicant (Include ZIP Code) STEPAN COMPANY 22. West Frontage Road Northfield, IL. 60093 Check if this is a new address	6. Expedited Review. In accordance with FiFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name
Section - II	
Amendment - Explain below. Resubmission in response to Agency letter dated	
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Add term Contains no phosphorus MAR 2 1 1996	
Section - III	
1. Material This Product Will Be Packaged In:	
Child-Resistant Packaging Unit Packaging Wat Yes* No No No	er Soluble Packaging 2. Type of Container Yes No Metal Plastic Glass
* Certification must be submitted If "Yes" No. per Unit Packaging wgt. container Packaging wgt.	'es" No. per Paper Other (Specify)
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product X Lithograph Other Stenciled X Ste	
Section - IV	
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)	
Name LEO DRINGOLI Pro	Manager Telephone No. (include Area Code) duct Registration 847-501-2333
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete, I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 3. Date Application 3. Date Application (Stamped)	
Tro Com Pro	Manager duct Registration
4. Typed Name 5. Date LEO DRINGOLI	13 Feb 96
FPA Form 8570-1 (Rev. S-94) Previous editions are obsolete. White - EPA File Conv. (original)	

2944

BTC 2125[®]M 10% Solution

DISINFECTANT SANITIZER
DEODORIZER * VIRUCIDE
MILDEWSTAT (on hard, inanimate surfaces)

ACTIVE INGREDIENTS

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panels for additional precautionary statements.

EPA REG. NO. 1839-86 EPA EST. NO. 1839-IL-01

STEPAN COMPANY
22 West Frontage Road • Northfield, IL 60093

NET CONTENTS

(Middle Panel)

02/13/96N

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BTC 2125 M 10% Solution is designed specifically for hospitals, food processing plants, dairies, restaurants, bars, animal quarters, kennels and institutions where disinfection, sanitization and deodorization is of prime importance. When used as directed, this product is formulated to disinfect precleaned inanimate, hard non porous surfaces such as walls, floors, sink tops, tables, chairs, telephones, and bed frames.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage

areas, empty garbage bins and cans, pet areas and any other areas which are prone to odors caused by microorganisms.

In addition, this product can also be used for sanitization of shell eggs intended for food in shell egg and egg

product processing plants.

DISINFECTION - To disinfect pre-cleaned, inanimate, hard non porous surfaces apply this product with mop, cloth, sponge or hand-pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

GENERAL DISINFECTION - Add 3 ounces of this product per 5 gallons of water for disinfection against Staphylococcus aureus, Salmonella choleraesuis, Listeria monocytogenes, and Yersinia enterocolitica.

HOSPITAL DISINFECTION - Add 31/2 ounces of this product per 5 gallons of water for disinfection against

Pseudomonas aeruginosa.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

OTHER USES:

For disinfection of pre-cleaned poultry equipment (brooders, watering founts, feeding equipment), animal quarters and kennels, apply a solution of $3^{1}/_{2}$ ounces of this product per 5 gallons of water. Small utensils should be immersed in this solution. Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate building, coops, and other closed spaces. Do not house poultry, other animals or

employ equipment until treatment has been absorbed, set or dried.

ALL TREATED EQUIPMENT THAT WILL CONTACT FEED OR DRINKING WATER MUST BE RINSED WITH POTABLE WATER BEFORE REUSE.

*VIRUCIDAL ACTIVITY - This product, when used on environmental inanimate hard surfaces at 3½ ounces per 5 gallons of water exhibits effective virucidal activity against Influenza A₂/Japan (representative of the common flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus Type 5 (causative agent of upper respiratory infections), Vaccinia virus (representative of the pox virus group), Avian Influenza A/Turkey/Wisconsin (causative agent of an acute avian lower respiratory tract infection), and HIV-1 (Human Immunodeficiency Virus Type 1).

SANITIZATION - Recommended for use in restaurants, dairies, food processing plants, and bars. When used as

directed this product is an effective sanitizer against Escherichia coli and Staphylococcus aureus.

Remove all gross food particles and soil from areas which are to be sanitized with a good detergent, pre-flush, pre-soak or pre-scrape treatment. Rinse with a potable water rinse. To sanitize pre-cleaned and potable water-rinsed, non-porous, food contact surfaces, prepare a 200 ppm active quaternary solution by adding 1 ounce of this product to 4 gallons of water, 21/2 ounces to 10 gallons of water, or 5 ounces to 20 gallons of water.

To sanitize <u>immobile</u> items such as tanks, chopping blocks and counter tops, apply sufficient product by hand pump trigger sprayer, mop, sponge or cloth to flood the area with a 200 ppm active quaternary solution for at least 60 seconds making sure to wet all surfaces completely. Remove, drain the use solution from the surface and air

dry. Prepare a fresh solution daily or more frequently as soil is apparent.

To sanitize <u>mobile</u> items such as drinking glasses and eating utensils, immerse in a 200 ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove, drain the use solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

When used for sanitization of previously cleaned food equipment or food contact items, limit the active quoternary to 200 ppm. NO POTABLE WATER RINSE IS REQUIRED. This product is an effective sanitizer when diluted in

water up to 750 ppm hardness (CaCO₃).

To sanitize previously cleaned food-grade eggs in shell egg and egg product processing plants, spray, with a solution of 1 cunce of this product in 4 gallons of warm water (200 ppm quat). The solution should be warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall; be subjected to a potable water rinse only if they are broken immediately for use in the manufacture of egg, products. Eggs should be reasonably dry before casing or breaking. The solution should not be reused for sanitizing eggs.

Stepan Company Northfield, IL 60093 EPA Reg. No. 1839-86

(Left Panel)

02/13/96N

HALL

KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED

WITH BLOOD/BODY FLUIDS in health care settings (hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

DEODORIZATION - To deodorize, apply this product as indicated under the heading GENERAL DISINFECTION.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces add 3 ounces of this product per 5 gallons of water. Apply solution with a cloth, mop, sponge, or hand pump trigger sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. If swallowed, drink egg whites or gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage my contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Contains no phosphorus.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL - Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfull, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke.

For containers 1 gallon or less: Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Stepan Company

Northfield, IL 60093 EPA Reg. No. 1839-86

(Right Panel)

02/13/96N