

ONYX



ACCEPTED
with COMMENTS
1839-SS
MAR 17 1983
EPA

DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Onyx 10% BTC 776 Industrial Water Cooling Tower Algaecide is designed to prevent algal growth in cooling tower systems.

Initial Dose: 1.3 quarts 10% BTC 776 per 1000 gallons of water contained in the system. Repeat until algal growth is controlled.

Periodic Dose: 1.3 quarts 10% BTC 776 per 1000 gallons of water contained in the system every 7 days or when visible growth appears. For best results, treat heavily contaminated systems before treatment with this product. An anionic detergent is used to clean thoroughly before treating with 10% BTC 776. Apply 10% BTC 776 at a point in the system where uniform mixing will take place.

Do not be alarmed with the sudden appearance of debris in the system during the first weeks of operation. This debris is a good indication that the BTC 776 has effectively penetrated and dislodged dead organic matter which tenaciously adheres to metal and wooden surfaces causing matter. This debris should be removed from the system to avoid clogging of screens and pipes.

When 10% BTC 776 is used as directed it will not corrode metal and/or prevent the development of unsatisfactory conditions which are usually produced by aggressive acids. are often the cause of equipment breakdown. 10% BTC 776 is compatible with virtually all corrosion-inhibitor additives but should not be used in the presence of soap or other anionic detergents. 10% BTC 776 at use dilution is non-corrosive to inanimate hard surfaces.

10% BTC 776 Industrial Water Cooling Tower Algaecide

Concentrated Algaecide for use in industrial water cooling towers. Helps keep water clean and flowing. Kills algae and other growth.

ACTIVE INGREDIENTS

1,1,1-Trichloro-2,2,2-trifluoroethane 4
1,1,1-Trichloro-2,2,2-trifluoroethane 4
1,1,1-Trichloro-2,2,2-trifluoroethane 4
1,1,1-Trichloro-2,2,2-trifluoroethane 4
1,1,1-Trichloro-2,2,2-trifluoroethane 4

INERT INGREDIENTS

ESTABLISHED NAME
EPA REG. NO. 100-100000

ONLY FOR SALE TO USE AND
STORAGE BY SERVICE PERSONS

KEEP OUT OF REACH OF CHILDREN

DANGER

onyx chemical company

MILLMASTER ONYX GROUP

190 Warren Street
Jersey City, N.J. 07302

NET CONTENTS

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye irritation. Do not get in eyes, on skin or on clothing. Wear protective clothing and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove clothing and launder before reuse. If swallowed, drink promptly a large quantity of milk or egg whites. If skin is irritated and these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable myocardial infarction may contraindicate the use of gastric lavage measures against circulatory shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARDS FISH AND WILDLIFE PRECAUTIONS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters. Do not contaminate water by cleaning, maintenance or disposal of waste.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

-OPEN DUMPING IS PROHIBITED

-DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL: Pesticides that cannot be used or are no longer needed should be disposed of in a landfill approved for pesticides. Do not burn or incinerate.

CONTAINER DISPOSAL: In the case of an empty container, and before reuse, the container should be disposed of in a landfill approved for pesticide containers or by incineration.

BEST DOCUMENT AVAILABLE

ONYX
CHEMICAL
COMPANY



**ONYX 10% BTC 776
Industrial Water Cooling Tower Algaecide
(EPA #1839-88)**

Onyx 10% BTC 776 Industrial Water Cooling Tower Algaecide is a concentrated algaecide used for industrial recirculating water cooling towers. 10% BTC 776 helps keep water cooling tower system clear and free of visible algae slimes. When 10% BTC 776 is used as directed it aids in control and/or prevention of the development of unsanitary slime conditions which are unsightly, produce foul odors and which are often the cause of equipment breakdown.

FORMULATION

BTC 776 (50%)	20.0%
Water	80.0%
TOTAL 100%	

SUMMARY

- Effective algaecide in cooling towers
- Controls algae slimes

WARRANTY

ONYX CHEMICAL COMPANY
MILLMASTER ONYX GROUP



190 WARREN STREET, JERSEY CITY, NEW JERSEY 07302
TEL. 201-434-1111

EPA Form 1320-1 (4-81)

DATE	SUBJECT	DATE	SUBJECT	DATE	SUBJECT	DATE	SUBJECT

CONTRACTS

OFFICIAL FILE COPY

Enclosure

95-7070-1.1.BB:DCR-03002:MMW-24040:gmh:KAVON:479-2013:2/3/03

John H. Doe
Product Manager (31)
Pesticide Branch
Registration Division (1-D-70/C)

[Signature]
Sincerely yours,

acceptable. A stamped copy is enclosed for your records.
under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is
The labeling referred to above, submitted in connection with registration
Subject: Onyx 100 R/C 17.5 Industrial Water Cooling
Lower Viscosity
EPA Registration No. 1000-03
Your Application Dated January 11, 1993

Gentlemen:
Attention: Leslie Buchanan
Onyx Chemical Co.
130 Warren Street
Jersey City, NJ 07302

17 MAR 1993