DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Onyxide 200 Metalworking Preservative has been primarily designed for use as a preservative in emulsifiable or soluble outting oils and synthetic chemical coolant formulations. It is readily incorporated into cutting oil formulations by addition to the concentrate, coupled with moderate agitation. This product should be added to the concentrate to provide 1000-1500 ppm of product as is in the final use emulsion.

Dilution Rates: Add 0.10-0.15% of this product (or 0.8-1.2 pints per 100 gallons of diluted cutting fluid) to use dilution.

For the make-up fluid, 0.10-0.15% of this product should be added to the use dilution.

This product, at the recommended use dilution, is non-corrosive to inanimate surfaces.

This product is a long lasting broad spectrum bacteriostat and fungistat for the preservation of soluble cutting oil, semi-synthetic and synthetic type metalworking fluids, hydraulic fluids, and chemical coolants. When used as directed, this product prolongs fluid life and reduces the incidence of slime and odor formation.

This product is effective against aerobic, anaerobic and the odors they cause.

ACCEPTED

FEB 2 5 1998

Under the Federal Inscelbide, Fungiciae, and RodenBoldu Act as amended, for the preficide, registered under EPA Roy To 1839–99

ONYXIDE® 200

METALWORKING PRESERVATIVE

Highly Active Bacteriostat and Fungistat for use as a Metalworking Fluid Preservative.

ACTIVE INGREDIENT

KEEP OUT OF REACH OF CHILDREN DANGER

See side panels for additional precautionary statements.

EPA Reg. No. 1839-99 EPA Est. No. 1839-GA-01

STEPAN COMPANY
22 West Frontage Road • Northfield, IL 60093

NET CONTENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER - CORROSIVE

KEEP OUT OF REACH OF CHILDREN. Causes severe eye and skin clamage. Do not get in eyes, skin or on clothing. Harmful or fatal if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

If swallowed, drink promptly large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE - Store in a dry place no lower in temperature that 50°F or higher than 120°F.

CONTAINER DISPOSAL - Do not reuse empty container. Triple rinse empty container with water. Return metal drum or offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning, if burned stay out of smoke.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Amend 20Nov97

1839

W

2/25/98

Fr.