## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with

CD 1.8 (DBF) Detergent/Disinfectant has been designed to provide effective clearing, desilorizing, and distribution specifically for hospitats, nursing homes, households, echools, food processing plants, food service establishments and other institutions where houseteeping is of prime importance in controlling the hezant of cross contemination.

CD 1.8 (DBF) Dytergent/Disinfectant, when used as directed, is tormulated to disinfest transmete hard surfaces such as walls, floors, sink tops, to-let bowls, tables, shalls, telephones, and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, this product is designed to provide both heavy duty cleaning and disinfection. When used as directed, CD 1.8 (D&F) Detergent/Disinfectant will remove most household dirt in a single application.

CO 1.8 (DSF) Detergent/Disinfectant decoorizes those areas which generally are hard to been fresh smalling, such as gerbage storage areas, empty garbage bins and cars, tollet books and other areas which are prone to odors caused by microorganisms.

DIBMFECTION - To distribut hard inanimate surfaces apply solution with a map, clath, sponge or mechanical sprayer so as to set all surfaces thoroughly. Allow to remain set for 10 minutes and then let air dry.

GENERAL DIGNIFECTION - Add 47 ounces CD 1.0 (DEF) Detergent / Disunfectant per gation of water.
HOSPITAL DISINFECTION - Add 6 ounces CD 1.6 (D&F) Detergent/Disinfectant

per gallen of water.

For heavily solled areas, a pre-cleaning step is required. Prepare a fresh solution for rach use.

To disinfect total bonds, flush toilet, add 4½ ounces CD 1.6 (O&F) Detergent/ Disinfectant directly to the bond water. Such the bond completely using a scrub brush or tollet mop, making sure to get under the rim. Let stand for 10 minutes and Rush.

BACTERICIDAL ACTIVITY - When diluted at the rate of 4% ounces per gallon of water, CD 1.8 (DEF) Detergent/Distributant exhibits distributant activity against the organisms: Balmonella cholorassule, Staphylococcus aureus and Escherichia

When diluted at the rate of 8 ounces per gallon of water, CD 1.6 (D&F) Datergent/ Distributional exhibits effective distributions activity against Pseudomones saruginose in addition to the above microorganisms and meets all requirements for hospital use.

MILDEWSTAT - To control mold and mildew and the odors they cause on precleaned, hard, non-porous surfaces add 4% ounces of CD 1.9 (D&F) Driesgent/Districtions per gallon of water. Apply solution with a cloth, mop or sponge making sure to wat all surfaces completely. Let se dry. Prepare a fresh solution for each use. Repeat application at weeth, intervals or when mildew growth appears.

At the 4% ounces per gallon dilution CD 1.8 (D&F) Detergent/Disinfectant is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes.

EFFICAL "TESTS HAVE DEMONSTRATED THAT CD 1.8 (DAF) DETERGENT/ SIGNIFS. IT IS AN EFFECTIVE BACTERICIDE AND PUMOICIDE IN THE PRESENCE UT ORGANIC BOIL 15% BLOCK SERVING.

# Stepan 5 Stepan Company Northfield, IL 60093

## CD 1.6 (D&F) **Detergent/Disinfectant**

CLEANER DETERGENT MILDEWSTAT (on hard inanimate surfaces)


DISINFECTANT FUNGICIDE (egainst Pathi genic fungi)

ACTIV. INGREDIENTS n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>is</sub>) dimethyl benzyl ammonium chlorides . . n-Alkyl (60% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl INERT INGREDIENTS ..... 98.40% Total 100.06%

> EPA REG. NO. 1839-101 EPA EST. NO. 1830-IL-01

KEEP OUT OF REACH OF CHILDREN

DANGER



\$00 side panels for additional precautionary statements.

NET CONTENTS

### PRECAUTIONARY STATE HAZARD TO HUMANS AND DOMESTIC

#### DANGER

KEEP OUT OF REACH OF CHILDREN. Cau and skin damage. Do not get in eyes, on skir Wear goggles or face shield and rubber handling, Harmful or fatal if swallowed. Avoid of food.

#### STATEMENT OF PRACTICAL TREA

in case of contact, immediately flush eyes or of water for at least 15 minutes. For eyes, c Remove and wash contaminated clothing be

Y swallowed, drink egg whites or gelatin solu are not available, drink large quantities of aicohol. Call a physician immediately.

#### NOTE TO PHYSICIAIL

Probable mucosal damage may contraindic gastric lavage. Measures against pro respiratory decression, and convulsion may

## STORAGE AND DISPO

DO NOT CONTAMINATE WATER, FOOD, STORAGE OR DISPOSAL

STORAGE - Store in a dry place no lower in te 50°F or higher than 120°F

CONTAINER DISPOSAL - Do not reuse er Triple rinse empty container with water. Retthen offer for reconditioning or puncture and sanitary landfili, or by other precedures app and local authorities. Plastic containers may in a sanitary landfill incinerated, or if all authorities, by burning. If burned stay out o

PESTICIDE DISPOSAL - Pesticide waste hazardous. Improper Disposal of excess p mixture, or rinsate is a violation of Federal wastes cannot be disposed of by use acc instructions contact your State Pesticide or Control Agency, or the Hazardous Waste rapri nearest EPA Regional Office for guidance.