Feg # 1839-101

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CD 1.6 (D&F) Detergent/Disinfectant has been designed to provide effective cleaning, deodorizing, and disinfection specifically for hospitals, nursing homes, households, schools, food processing plants, food service establishments and other institutions where housekeeping is of prime importance in controlling the hazard of cross contamination.

CD 1.6 (D&F) Detergent/Disinfectant, when used as directed, is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones, and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, this product is designed to provide both heavy duty cleaning and disinfection. When used as directed, CD 1.6 (D&F) Detergent/Disinfectant will remove most household dirt in a single application.

CD 1.6 (D&F) Detergent/Disinfectant deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and other areas which are prone to odors caused by microorganisms.

DISINFECTION - To disinfect hard inanimate surfaces apply solution with a mop, cloth, sponge or hand-pump trigger sprayer so as to set all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

GENERAL DISINFECTION - Add 4% ounces CD 1.6 (D&F) Detergent/Disinfectant per gallon of water.

HOSPITAL DISINFECTION - Add 6 ounces CD 1.6 (D&F) Detergent/Disinfectant per gallon of water.

For heavily solled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

To disinfect toilet bowls, flush toilet, add 4½ ounces CD 1.6 (D&F) Detergent/ Disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush. BACTERICIDAL ACTIVITY - When diluted at the rate of 4½ ounces per gallon of water, CD 1.6 (D&F) Detergent/Disinfectant exhibits disinfectant activity against the organisms: Salmonetla choleraesuis, Staphylococcus aureus and Escherichia coli.

When diluted at the rate of 6 ounces per gallon of water, CD 1.6 (D&F) Detergent/Disinfectant exhibits effective disinfectant activity against Pseudomonas aeruginosa in addition to the above microorganisms and meets all requirements for hospital use.

MILDEWSTAT - To control molif and mildew and the odors they cause on pre-cluaned, Lard, non-purous surfaces add 4% ounces of CD 1.6 (D&F) Detergent/Disinfectant per gallon of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

At the 4% punces per gallon dilution CD 1.6 (D&F) Detergent/Disinfectant is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes.

EFFICACY TESTS HAVE DEMONSTRATED THAT CD 1.6 (D&F) DETERGENT/ DISINFECTANT IS AN EFFECTIVE BACTERICIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

PM- 31 Stepanccepte Stepan Company Northfield, IL 60093nder the Federal Insecticide, Fungicide, and Rodenticide Lot as amended, for the pesticide registered under

# CD 1.6 (D&F) Detergent/Disinfectant

CLEANER DETERGENT MILDEWSTAT (on hard inanimate surfaces) DISINFECTANT FUNGICIDE (against Pathogenic fungi)

 ACTIVE INGREDIENTS

 n-Alkyl (60% C14, 30% C16, 5% C12, 5% C12, 5% C12)

 ammonium chlorides
 0.80%

 n-Alkyl (68% C12, 32% C14)

 dimethyl ethylbenzyl

 ammonium chlorides

 0.80%

 Intertional and the state

 0.80%

 INERT INGREDIENTS

 Total

EPA REG. NO. 1839-101 EPA EST. NO. 1839-IL-01

# KEEP OUT OF REACH OF CHILDREN DANGER

See side panels for additional precautionary statements.

NET CONTENTS



PRECAUTIONARY STATEMENTS

DANGER EEP OUT OF REACH OF CHILDREN. CORROSIVE. auses severe eye and skin damage. Do not get in eyes, in skin or on clothing. Wear goggles or face shield and ubber gloves when handling. Harmful or fatal if swallowed. void contamination of food. Remove and wash contaminated clothing. Wash thoroughly with soap and water after handling.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink egg whites or gelatin solution or if these are not available, drink large quantities of water. Call physician immediately.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

## STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

**STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL - Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned stay out of smoke.

PESTICIDE DISPOSAL - Pesticide wasted are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.