DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Onyx CD 3.2 detergent/disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants, and other institutions where housekeeping is of prime importance.


DISINFECTION - To disinfect hard inanimate surfaces (such as walls, floors, table tops), apply solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

DILUTION RATES: General Disinfection-add 2 ounces CD 3.2 per gallon of water, Hospital Disinfection-add 3 ounces 3.2 per gallons of water.

To disinfect toilet bowls, flush toilet, add 2 ounces CD 3.2 detergent/ disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or follet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled area, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAT: To control mold and mildew on hard non-porous surfaces (such as floors, walls, table tops) clean surfaces then add 2 ounces CD 3.2 per gallon of water. Apply with a cloth, mop or aponge to surfaces to be treated making sure to wet thoroughly. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth





CD 3.2 (D & F) Detergent/Disinfectant

CLEANER DETERGENT DEODORIZER

DISINFECTANT FUNCICIDE (scains) Pathogenic fungi)

Total 100.00%

MILDEWSTAT (on hard insminate eurfaces)

ACTIVE INGREDIENTS

n-Alkyl (60%C14, 30%C18, 5%C12,	
5%C18) dimethyl benzyl ammonlum	
chlorides	1.60%
n-Alkyl (68%C12, 32%C14)	
dimethyl ethylbenzyl ammonium	
chlorides	1.80%
INERT INGREDIENTS:	96.80%

EPA REG. NO. 1839-103 EPA EST. NO. 1839-NJ-01

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

KEEP OUT OF REACH OF CHILDREN DANGER

see side panels for additional precautionary statements

onyx chemical company A DIVISION OF MILLMASTER ONYX GROUP, INC. 190 Warren Street Jersey City, N.J. 07302

NET CONTENTS

STORAGE AND DISPOSAL

DOSIBLING INC Reviewed were

Unvx UD 3.2 is a cleaner disintectant.

cholerassula and Staphylococus aureus.

GANIC SOIL (5% BLOOD SERUM).

Trichophyton mentagrophytes.

2 ounces per gallon dilution.

and disinfecting.

by microorganisms.

in schools, food processing plants and light industrial and hospital applicalions where housekeeping is of prime Importance in controlling the hazard of

cross contamination. When used as directed, Onyx CD 3.2 is formulated to

disinfect inanimate hard surfaces (such as walls, floors, sink tops, tolet bowls, tables, chairs and telephones). For larger areas, such as patient care

facilities and restrooms, the product is designed for both general cleaning

In addition, Onyx CD 3.2 decodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins

and cane, tollet bowls and any other areas which are prone to odors caused

DISINFECTION --- At 2 ounces per gallon dilution. Onyx CD 3.2 exhibits

effective disinfectant activity against the organisms: Salmonella

At this level the product is also fungicidal against the Pathogenic fungi.

At 3 ounces per gallon of dilution, Onyx CD 3.2 is an effective hospital

disinfectant and demonstrates disinfectant activity against Pseudomonas

EFFICACY TESTS HAVE DEMONSTRATED THAT CD 3.2 IS AN EF-

FECTIVE BACTERICIDE, AND FUNGICIDE IN THE PRESENCE OF OR-

MOLD AND MILDEWSTAT -- Onyx CO 3.2 prevents and controls mold and

mildew and the odors they cause on hard non-porous insnimate surfaces at

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE AND DISPOSAL.

STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL — Do not reuse empty container. Triple rinse empty container with water. Return metal drum than offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary fandfill, incinerated or, if allowed by local authorities, by burning. If burned, slay out of smoke.

PESTICIDE DISPOSAL - Pesticide wastes are acutaly hazardous, improper disposal of excess posticide, spray mixture, or dissate is a violation of Federal Law, if these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Reglonal Office for guidance.

PRECAUTIONARY STATEMENTS Hazard to Human and Domestic Animals

DANGER

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, skin or on clothing. Harmful if swellowed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately livish eyes or skin with planty of water for at least 15 migutes? Edit eyes coar a physician. Flar. ove and wash all contaminated dictiving before reuse. If a vallowed, skink milk, agg. whites, gelatin solution or if these are not available, Jrink laige guantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, rampiratory depression. and convulsion may be needed.