1839-104

£

11/4/2004

Household/Light Industrial Type Germicidal Acid Bowl Cleaner

THICKENED LIQUID (if using the alternate thickened formula)

Kills Staphylococcus aureus (Staph) Salmonella choleraesuis (Salmonella), and Pseudomonas aeruginosa (Pseudomonas)

CLEANS DISINFECTS DEODORIZES REMOVES RUST

ACTI	VE	IN	GRE	DI	EN	TS	
			_			-	

Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chloride	0.50%
Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl	•••
ethylbenzyl ammonium chloride	0.50% ••••
Hydrogen chloride	
INERT INGREDIENTS	91.00% ^{•••••}
	00.00%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panels for additional precautionary statements.

EPA REG. NO. 1839-104 EPA EST. NO. 1839-IL-01

STEPAN COMPANY

22 West Frontage Road Northfield, IL 60093 (phone number – optional)

NOV - 4 2004 Under the Federal Insections, Fungande, and Rodensiciae Act as amended, in the pesticide, regionere EPA Rog. No.

NET CONTENTS

1/5

(Use this page for a consumer type label) DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Cleans, disinfects and deodorizes for a complete clean

With all the news about germs and bacteria, just <u>looking</u> clean isn't good enough. This product does it all – cleans, disinfects and deodorizes, even under the rim. This effective one-step disinfectant cleaner kills many germs and effectively eliminates toilet rings, hard water stains, mineral deposits, and rust stains, plus leaves a light fresh scent.

Kills common household germs such as Staphylococcus aureus (Staph), Salmonella choleraesuis (Salmonella), and Pseudomonas aeruginosa (Pseudomonas), while preventing odors caused by microorganisms.

This product is a combination of cleaners, plus antibacterial disinfectants, so you can be sure your bowl is <u>completely</u> clean.

This product is designed to clean, disinfect and deodorize toilet bowls and urinals. When used as directed, this formulation exhibits effective disinfection against Salmonella choleraesuis, Staphylococcus aureus and Pseudomonas aeruginosa in addition to preventing odors caused by microorganisms.

TO CLEAN AND DISINFECT: For heavy soil, a pre-cleaning step is required prior to disinfecting.

- 1. To disinfect toilet bowls, flush toilet and remove heavy soil before disinfecting. Add 4 ounces of this product directly to the bowl water. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand 10 minutes and flush. Rinse scrub brush or toilet mop in fresh water after each use.
- 2. To disinfect urinals, add 2 ounces of this product to 48 ounces (1¹/₂ quarts) of water. Flush usinal and apply solution with brush or toilet mop to urinal surfaces, making sure to scrub completely and under the rim. Let stand for 10 minutes and flush.
- 3. For badly stained toilet bowls, flush toilet and use toilet mop to push water from the bowl over the trap. Press swab mop against bowl to remove excess water then saturate mop with 2 ounces of this product while holding bottle and applicator over bowl. Swab bowl completely making sure to get under the rim. Let stand 10 minutes then flush. Rinse applicator completely.

This product has been specially formulated for use only in the toilet bowl. It should not be used or placed on toilet bowl lids, wood toilet seats, vanities, sinks, bathtubs, cabinets, countertops, or rugs. Clean spills immediately.

DO NOT MIX WITH CHLORINE BLEACH, AMMONIA CLEANERS OR OTHER HOUSEHOLD CHEMICALS.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

(

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER

CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed, absorbed through skin, or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or spray mist. Wear coveralls over long-sleeved shirt and long pants, socks and chemical resistant footwear, goggles or face shield, and chemical resistant gloves (such as barrier laminate or butyl rubber, nitrile rubber, neoprene rubber, PVC or viton), Wash hands before eating, drinking, chewing gurn, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless told by a poison control center or doctor.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

(Optional) HOTLINE NUMBER You may contact xxx/xxx-xxxx for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

PESTICIDE STORAGE - Store in tightly closed, original container in a secure area inaccessible to children.

CONTAINER DISPOSAL - Securely wrap original container in several layers of newspaper and discard in trash.

1

(Use this page for an industrial type label)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


Household/Light Industrial Type Germicidal Acid Bowl Cleaner is designed to clean, disinfect and deodorize toilet bowls and urinals. When used as directed, this formulation exhibits effective disinfection against Salmonella choleraesuis, Staphylococcus aureus and Pseudomonas aeruginosa in addition to preventing odors caused by microorganisms.

DISINFECTION – For gross fifth or heavy soil, a pre-cleaning step is required for disinfecting.

- To disinfect toilet bowls, flush toilet and add 4 ounces of this product directly to the bowl water. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand 10 minutes and flush.
- 2. To disinfect urinals, add 2 ounces of this product to 48 ounces (1½ quarts) of water. Flush urinal and apply solution with brush or toilet mop to urinal surfaces, making sure to scrub completely and under the rim. Let stand for 10 minutes and flush.
- 3. For badly stained toilet bowls, flush toilet and use toilet mop to push water from the bowl over the trap. Press swab mop against bowl to remove excess water then saturate mop with 2 ounces of this product while holding bottle and applicator over bowl. Swab bowl completely making sure to get under the rim. Let stand 10 minutes then flush. Rinse applicator completely.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

Household/Light Industrial Type Germicidal Acid Bowl Cleaner contains no phosphates.



(Use this page for an industrial type label)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER

CORRESTIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed, absorbed through skin, or immaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or spray mist. Wear coverails over long-sleeved shirt and long pants, socks and chemical resistant footwear, goggles or face shield, area chemical resistant gloves (such as barrier laminate or butyl rubber, nitrile rubber, neoprene rubber. PrvC or viton), Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

Have the coroduct container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if coresent, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for careatment advice.

If on skin cor clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sig a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. Do not induce vormiting unless told by a poison control center or doctor.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artifical respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

(Optional) You may contact xxx/xxx-xxxx for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticuide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, bonds, estuaries. coceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

DO NOT CIONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental control Agency, or-the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Do not reuse empty container. Triple rinse empty container with water. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If tourned, stay out of smoke.

For contairmers 1 gallon or less: Do not reuse empty container (bottle, can, bucket). Wrap container and put in tras-

This product contains no phosphates.

ł