



ONYX



SOSAN HOUSEHOLD FABRIC SOFTENER SANITIZER

Fabric Softener Concentrate, Residual Bacteriostatic And Residual Self-Sanitizer Under Conditions of High Relative Humidity Or Wet Contamination for prevention of odors.

ACTIVE INGREDIENTS:
n-Alkyl (60% C₁₄, 30% C₁₆, 10% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides.....0.8%
n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides.....0.8%
INERT INGREDIENTS:.....98.4%

TOTAL 100.00%

EP 1839-107
EP 1839-NJ-01

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for additional precautionary and practical treatment statements.

onyx chemical company
MILLMASTER ONYX GROUP

100 WARREN STREET
JERSEY CITY, N. J. 07302

NET CONTENTS

EPA
2001

DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SoSan Household Fabric Softener Sanitizer is designed for use in Household laundry operations.

Add 2 ounces Fabric Softener Sanitizer per 10 pounds of dry laundry in the final rinse cycle.

Fabric treated as directed will develop residual bacteriostatic activity and residual self-sanitizing activity against odor-causing Gram positive and Gram negative organisms under conditions of high relative humidity or wet contamination. Sofan Household Fabric Softener Sanitizer inhibits the growth of ammonia producing organisms which act on urine in the diapers to produce ammonia.

SoSan Household Fabric Softener Sanitizer softens clothes, thus eliminating chafing "Static Cling" out of nylons and other synthetics. Improves ironing time. For use in commercial laundry operations.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

STORAGE OR DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL

Consult Federal, State or Local disposal authorities for approved alternate procedures such as limited open burning.

ACCEPTED
FEB 17 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg No. 1839-107

24