


DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

So/San Commercial Fabric Softener/Sanitizer is a concentrated formulation designed for use in commercial laundry operation. When added in the final rinse cycle at the rate of 5 ounces per 100 pounds of dry laundry, this formulation provides fabric with residual self-sanitizing activity and residual bacteriostatic activity against odor-causing Gram positive and Gram negative organisms under conditions of high relative humidity or wet contamination.

So/San Commercial Fabric Softener/Sanitizer inhibits the growth of organisms which act on urine to produce ammonia in diapers and wet bed linens. It also softens clothes, thereby eliminating chafing and "static cling" from nylons and other synthetic fabrics. The use of this product will also help to improve ironing time.



Stepan



Stepan Company
Northfield, IL 60093

SO/SAN® Commercial Fabric Softener/Sanitizer

Fabric Softener Concentrate, Residual Bacteriostatic and Residual Self-Sanitizer under conditions of high humidity or wet contamination for prevention of odors.

ACTIVE INGREDIENTS

n-Alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₆ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	3.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	3.25%

INERT INGREDIENTS 93.5%

Total 100.0%

EPA REG. NO. 1839-108
EPA EST. NO. 1839-IL-01

KEEP OUT OF REACH OF CHILDREN

DANGER

see side panels for additional precautionary statements

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Remove and wash contaminated clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink egg whites or gelatin solution, or if these are not available, drink large quantities of water. Call physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE — Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL — Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned stay out of smoke.

PESTICIDE DISPOSAL — Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

NET CONTENTS