DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BTC 2125N Powdered Fabric Softener Sanitizer is designed for use in commercial laundry applications.

Add 2 ounces BTC 2125M Powdered Fabric Softener Sanitizer per 100 pounds of dry laundry in the final rinse cycle.

Fabric treated as directed will develop residual bacteriostatic activity and residual self-sanitizing activity against odor-causing Gram positive and Gram negative organisms under condition of high relative humidity or wet contamination. BTC 2125M Powdered Fabric Doftener Sanitizer inhibits the growth of ammonia producing organisms which act on urine in the diapers to produce ammonia.

BTC 2125M Powdered Fabric Softener Sanitizer inhibits the growth of Gram positive and Gram negative odor-causing organisms on wet bed linens of incomtingut persons.

BrC 2125M Powdered Fabric Softener Sanitizer softens clothes, thus eliminating chafing. "Static Cling" out of hylons and other Lynthetics. Improves ironing time. For use in commercial laundry operations.

ACCEPTED

JUL 1 7 1981

Under the Feder d in counte, Funding out and had his, to Ach as amounted to the parameter testing of the following testing of the following testing testing the following testing testing the following testing te

ONYX



20% ACTIVE POWDER COMMERCIAL

FABRIC SOFTENER SANITIZER

Fabric Softener Concentrate, Residual Bacteriostatic And Residual Self-Sanitizer Under Conditions of High Relative Humidity Or Wet Contamination for prevention of odors.

TOTAL 100,00%

EPA SEC. NO. 1839-110 CPA SEL. NO. 1809-81-01

DANGER

See side panel for additional precautionary and practical treatment statements

onyx chemical company
MILLMASTER ONYX GROUP

190 WARREN STREET JERSEY CITY, N J 07302

NET CONTENTS

PRECAUTIONARY STATEMENTS
ANZARDS TO HUMANS AND
DOMESTIC ANIMALS

Keep out of Reach of Children. Corrosive. Causes severe eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

TPST_410

ar skin with plenty of water for at least 15 minutes. For eye, call a physician. Hemove and wash contaminated clothing before reme. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avery alcehol. Tall a physician immediately.

PHYSICIAN

In saile nacesal damage may contraindicate the use of dastric lavage. Measures against curvalatory shock, tespiratory depression and convulsion may be needed.

- STORAGE AND DISPOSAL

 DO NOT CONTAMINATE WATER,
 FOOD OR FEED BY STORAGE OR
 DISPOSAL
- OPEN DUMPING IS PROHIBITED - DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

Perturide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for posticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide centainers, or bury in a safe place.

36