

# ONYXIDE<sup>®</sup> 200

## Oil Field Applications Preservative

Highly Active Bacteriostat-Fungistat-Bactericide

### ACTIVE INGREDIENT

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine .... 78.5%

INERT INGREDIENTS..... 21.5%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN


**DANGER**

See side panel for additional precautionary statements.

EPA REG. NO. 1839-115  
EPA EST. NO. 1839-GA-01

Stepan Company  
22 W. Frontage Road  
Northfield, IL 60093

NET CONTENTS



(Center panel)


Arhond 1/6/2000

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ONYXIDE® 200 Oil Field Applications Preservative has been primarily designed for use in oil field applications such as drilling muds, completion fluids, hydraulic fracturing fluids, and enhanced recovery. This product is a long lasting bacteriostat and fungistat and is effective against aerobic, anaerobic and H<sub>2</sub>S producing microorganisms. ONYXIDE® 200 is water soluble and compatible with most fluid components.

**DILUTION RATES:** Add ONYXIDE® 200 to provide a concentration of 0.01%-0.20% of ONYXIDE® 200 (0.6 ounces/ barrel - 12 ounces/barrel) in the final fluid.



Stepan Company  
Northfield, IL 60093  
EPA Reg. No. 1839-115

(Left panel)

Amend 1/6/2000

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER**

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing. Wash thoroughly with soap and water after handling.

**STATEMENT OF PRACTICAL TREATMENT**

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage.

**ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL**

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

**PESTICIDE STORAGE:** Store in a dry place no lower in temperature than 50°F or higher than 20°F.

**CONTAINER DISPOSAL:** Do not reuse empty container. Triple rinse empty container with water.

Metal Containers: Return metal drum or offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Plastic Containers: Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or if allowed, by state and local authorities, by burning. If burned, stay out of smoke.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

