DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Onyx 20% 8TC 99 Industrial Water Cooling Algaecide will inhibit or control slime formation in cooling tower systems.

Initial Dose: 1-2 gattons 20% BTC 99 to each 10,000 gallons of water contained in the system. Repeat until control is evident When system is in control, add:

Periodic Dose: 1-3 quarts 20\$ BTC 99 to each 10,000 gallons of water contained in the system every 7 days or sooner should risible growth appear. For best results, clean heavily contaminated systems before treatment with this product. It soap or anionic detergent is used, rinse thoroughly before charging with 20\$ BTC 99. Apply 20\$ BTC 99 at a point in the system where uniform mixing will take place.

Do not be alarmed with the sudden appearance of organic debris in the system during the first week of operation. This is normal and is a good indication that 20% BTC 99 has effectively penetrated and dislodged dead organic material which ienaclously adheres to metal and wooden surfaces as living matter. This debris whould be removed from the system to avoid clogging of screens and pipes.

When 20\$ BTC 99 Is used as directed, it will aid in controlling and/or preventing the development of \$1 \text{ ime}\$ conditions which are unsightly, produce foul odors and which are often the cause of aquipment breakdown. 20\$ BTC 99 is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap or other anionic detergents. 20\$ BTC 99 at use dilution is non-corrosive to inanimate hard surfaces.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER-CORROSIVE

REEP OUT OF REACH OF CHILDREN. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and hubber gloves when handling. Harmful or latal if swallowed Avoid contamination of food.


STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for p, least 15 minutes. For eyes, cell a physician. Remove and wash contaminated clothing before reuse.

if swallowed, drink promptly a large quantity of milk, egg whites, geletin solution or if these are not available, drink large quantifies of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN ** ...

Probable mucosal damage may contraindosts the tise of gastric isvage Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent convulsions may be controlled by the orutious intravenous injection of a shortacting barbituate 60g.



20% BTC 99 Industrial Water Cooling Tower Algaecide

Concentrated Algaecide for industrial re-circulating water cooling towers. Helps keep water cooling tower systems clear and free of visible algae slimes

ACT:VE INGREDIENT: Didecyl dimethyl ammonium chloride . INERT INGREDIENTS:		20.01
	TOTAL	

EPA REG. NO. 1839-159 EPA EST. NO. 1839-NJ-01

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

DANGER

set side panels for additional precautionary statements

onyx chemical company a division of MILLMASTER ONYX GROUP, INC.

190 Warren Street Jersey City, N.J. 07302

NET CONYENTS

ENVIRONMENTAL HAZARDS

 \mathbf{y}

-

U

÷ ;

(1)

This perticide is texic to fiant and aquatic invertebrates. Do not discharge efficient containing this product into takes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified at addressed in an NPDES permit. Do not discharge efficient containing this product to sewer systems without previously notifying in writing the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZAROS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 120°F.

PESTICIDE DISPOSAL — Pesticide wastes are acutely hazardous. Improper disposal of excess posticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL — Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State or local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, allay out of smoke.