DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NP 5.5 HW (D&F) Detergent/Deinfectant is a phosphate-free formulation designed to provide effective cleaning, decidonizing, non-food contact sanitizing, and disinfection specifically for hospitals, nursing homes, schools, food processing plants, and other institutions where houseleeping is of prime importance in controlling the hazard of cross contamination.

NP 5.5 HW (D&F) Detergent/Distribution, when used as directed, is formulated to distributed finanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones, and bedframes. For larger areas, such as operating rooms, patient care facilities, and restrooms, this product is designed to provide general cleaning, distributions, and sanstizing of non-food contact surfaces.

NP 5.5 HW (DSF) Detergent/Disinfectant deodorizes those areas which generally are hard to taken fresh smelling, such as garbage storage areas, empty garbage bins and cans, toller bowls, and other areas which are prone to odors caused by microorganisms,

EFFICACY TESTS HAVE DEMONSTRATED THAT NP 5.5 MW (D&F) DETENGENT/DISINFECTANT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN WATER UP TO 440 PPM HARDINESS (AS CaCO) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUIN).

DISMIFECTION - To disinfect inanimate, hard surfaces, apply solution with a mop, cloth, asonge or machanical aprayer so as to wat all surfaces thoroughly. Allow to remain wat for 10 minutes, then remove excess liquid. For heavily solled areas, a pre-cler ing step is required. Prepare a fresh solution for each use.

GENERAL DISINFECTION - Add 1% ounces NP 5.5 HW (D&F) Detergent/Disinfectant per gallon of water.

HOBPITAL DISHIFECTION - Add 2 ounces NP 5.5 HW (D&F) Detergent/Disinfectant per pallon of water.

To disinfect loriet bows, flush toriet, add 1½ ounces NP 5.5 HW (D&F) Detergent/Disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toriet mop, making sure to get under the rim. Let stand 10 minutes and

SANITIZATION OF NON-POOD CONTACT BURFACES - To sanitize porous and nonporous environmental surfaces such as floors, walls, tables, add 1 ounce of NP 5.5 HW (D&F) Detergent/Districtant per 2% gallons of water. Apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 80 seconds, then remove excess liquid. For heavily soiled areas, a pre-cleaning step required. Prepare a fresh solution for each use. This product is an effective sanitizer against Staphylococcus aureus and Hobstella pneumoniae.

BACTERCIDAL ACTIVITY - When diluted at the rate of 2 ounces per gallon of water, NP 5.5 HW (D&F) Cetergerl/Distributant exhibits effective distributant activity against the organisms: Eachertichia coli, (Debaintis preumoniae, Salmonella Calmonella Salmonella Salmo

When diluted at the rate of 2 ounces per gallon of water, NP 5.5 HW (D&F). Detergers/Disinfectant exhibits effective deemfectant activity against Pseudomonae seruginose in addition to the above microorganisms and meets all requirements for hospital use.

* VIRUCIDAL ACTIVITY - NP 5.5 HW (DEF) Detergent/Disinfectant when used on environmental inanimate hard surfaces at 1½ ounces per gallon of water exhibits effective structidal activity against influenza A/Brazzi (lower respiratory tract disease).

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces add 1% ounces of NP 5.5 HW (D&F) Detergent/Drainfectant per gallon of water. Apply solution with a cloth, mop or sponge mating sure to wet all surfaces completely. Let an dry. Prepare a fresh solution for each use. Repeat application at weetly intensits or when mildew growth appears.

FUNGICIDAL ACTIVITY - At the 2 ounces per gallon dilution NP 5.5 HW (D&F) Detergers/Desrisciant is fungicidal against the pathogenic fungi, Trichophylon mentagrophyles (sthiele's foot fungiss) when used on hard surfaces in such areas as locter rooms, dressing rooms, shower and bath areas, and in exercise facilities

Stepan 5

Stepan Company Northfield, IL 60093

NP 5.5 HW (D&F) Detergent/Disinfectant

CLEANER
DETERGENT
DEODORIZER
SANITIZER (non-food contact surfaces)
MILDEWSTAT (on hard, inanimate surfaces)

DISINFECTANT FUNGICIDE (Against pathogenic fungi) VIRUCIDE *

ACTIVE INGREDIENTS

Dioctyl dimethyl ammonium chloride	. 0.825% . 0.825%
benzyl ammonium chlorides	2.200% 94.500%
TOTAL	100.000%

EPA REG. No. 1839-144 EPA EST, No. 1839-IL-01

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautionary statements

NET CONTENTS

KILLS MV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY BOILED WITH BLOOD/BODY PLINDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood or boiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be solled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HV-1) (associated with AIDS.) SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH SLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling stems solled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of NP 5.5 HW (D&F) Detergent/Disinfectant. CONTACT TIME: Allow surface to remain well for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious wasts disposal.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food, Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or sion with planty of water for at least 15 minutes. For eyes, call a physician. Remove and wesh contaminated clothing before reuse. If swallowed, drink legs whites or gelatin solution, or if these are not available, drink large quantities of water. Call physician immediately.

NOTE TO PHYSICIAN

Probable muccasil damage may contraindicate the use of gestric levege.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE - Store in a dry place no lower in temperature than $50^{\circ}\mathrm{F}$ or higher than $120^{\circ}\mathrm{F}$.

CONTAINER DISPOSAL - Do not reuse empty container. Triple tines empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sentiary landfill, or by other procedures approved by State and local suthorities. Plastic containers may be deposed of in a sentiary landfill, incinerated, or if allowed by local authorities, by burning. If burned stay out of smotes.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, sprsy mixture, or rineate is a violation of Federal Law. If these wastes cunnot be desposed of by use according to label instructions contact you State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

ACCEPTED

03/23/90

DEC 0 6 1999

: 1837-144