

BTC[®] 885

Thickened Phosphoric Acid Germicidal Bowl Cleaner

CLEANS, DEODORIZES, DISINFECTS

ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride	0.750%
Dioctyl dimethyl ammonium chloride	0.375%
Didecyl dimethyl ammonium chloride	0.375%
Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chlorides	1.000%
Phosphoric acid	8.500%

INERT INGREDIENTS	89.000%
Total	100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panels for additional precautionary statements.

EPA Reg. No. 1839-160
EPA Est. No. 1839-IL-01

STEPAN COMPANY
22 West Frontage Road
Northfield, IL 60093

NET CONTENTS

(center panel)

Amend 04/17/03

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BTC® 885 Thickened Phosphoric Acid Germicidal Bowl Cleaner is designed to clean, disinfect and deodorize toilet bowls and urinals. When used as directed, this formulation exhibits effective disinfection against *Salmonella choleraesuis*, *Staphylococcus aureus* and *Pseudomonas aeruginosa* in addition to preventing odors caused by microorganisms.

DISINFECTION - For gross filth or heavy soil, a pre-cleaning step is required for disinfecting.

To disinfect toilet bowls, flush toilet and direct 4 ounces of this product on to the sides of the bowl and under the rim, letting it run down into the water. Let stand a few minutes, then swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.


For badly stained toilet bowls, flush toilet and use a toilet mop to push water from the bowl over the trap. Press swab mop against bowl to remove excess water. Direct 4 ounces of this thickened product on to the sides of the bowl and under the rim, letting it run down. Allow sufficient time for product to cover entire surface of bowl for maximum cleaning. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

To disinfect urinals, flush urinal and direct 4 ounces of this product on to the sides, allowing enough time for complete coverage of the surfaces. Using a scrub brush or toilet mop, scrub urinal surfaces completely. Let stand for 10 minutes and flush.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE IN WATER UP TO 400 PPM HARDNESS (AS CaCO_3) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

Stepan Company
Northfield, IL 60093
EPA Reg. No. 1839-160

(left panel)



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin irritation. Harmful if absorbed through skin or inhaled. Do not get in eyes, on skin, or on clothing. Wear safety glasses, rubber gloves, and protective clothing. Avoid breathing vapors. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

(Optional) You may contact xxx/xxx-xxxx for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

(Required for products supplied in containers 5 gallons or greater.)

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL - Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke.

For containers 1 gallon or less: Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Stapan Company

Northfield, IL 60093

EPA Reg. No. 1839-160

(right panel)

Amend 04/17/03