

PM 31 1839-167 2-23-98 104  
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 23 1998

Stepan Company  
22 West Frontage Road  
Nothfield, IL 60093

ATTN: Leo Dringoli

SUBJECT: BTC 885 Neutral Disinfectant Cleaner-256


EPA Registration No. 1839-167  
BTC 885 Neutral Disinfectant Cleaner-32  
EPA Registration No. 1839-168  
BTC 885 Neutral Disinfectant Cleaner-64  
EPA Registration No. 1839-169  
Amendments Dated October 10, 1997

Dear Mr. Dringoli:

The submitted referenced data (MRID Nos. 440726-01 to 440726-04 and 442237-01 to 442237-02) are acceptable to support effectiveness of these products as a virucide against HIV-2 virus; disinfectant against Streptococcus pyogenes (Clinical-Flesh Eating Strain BIRD M3), Methicillin resistant Staphylococcus aureus, Vancomycin resistant Enterococcus faecalis; and fungicidal against Trichophyton mentagrophytes, Candida albicans and Aspergillus niger when used at 1:32 dilution (4 oz. Per gallon) on hard, non-porous surfaces in the presence of 5% blood serum for a contact time of 10 minutes at room temperature.

If you have any further questions, please contact Ms. Barbara Pringle at (703)308-6236.

Sincerely,



Velma Noble  
Team Leader 31  
Regulatory Management Branch I  
Communications Division (7510W)

SYMBOL	7510W						
SURNAME	Pringle						
DATE	2-19-98						

2014

# BTC® 885

## Neutral Disinfectant Cleaner-256

CLEANER  
DETERGENT  
DEODORIZER

DISINFECTANT  
FUNGICIDE (against pathogenic fungi)  
\* VIRUCIDE

### ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride.....	6.510%
Dioctyl dimethyl ammonium chloride.....	3.255%
Didecyl dimethyl ammonium chloride.....	3.255%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride.....	8.680%
<b>INERT INGREDIENTS.....</b>	<b>78.300%</b>
<b>Total</b>	<b>100.000%</b>

KEEP OUT OF REACH OF CHILDREN

## DANGER

See side panels for additional precautionary statements.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:  
FEB 23 1998 1998  
EPA - T 11111

EPA REG. NO. 1839-167  
EPA EST. NO. 1839-IL-01

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended by the pesticide  
reform laws of 1972, 1990, and  
1996:  
1839-167

STEPAN COMPANY  
22 West Frontage Road • Northfield, IL 60093

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended by the pesticide  
reform laws of 1972, 1990, and  
1996:

NET CONTENTS

(middle panel)

Amend 2/13/97

304

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BTC® 885 Neutral Disinfectant Cleaner-256 is a phosphate-free formulation designed to provide effective cleaning, deodorizing, and disinfection for hospitals, nursing homes, hotels, schools, restaurants, and other institutions where housekeeping is of prime importance in controlling cross-contamination from treated surfaces. Authorized by USDA for use in federally inspected meat and poultry processing plants.

This product, when used as directed, is formulated to disinfect hard non-porous inanimate environmental surfaces such as floors, walls, metal surfaces, stainless steel surfaces, porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, and cabinets. For larger areas such as operating rooms and patient care facilities, this product is designed to provide both general cleaning and disinfecting.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas which are prone to odors caused by microorganisms.

This product is formulated to a neutral pH and will not dull high-gloss floor finishes with repeated use.

**DISINFECTION** - To disinfect inanimate, hard non porous surfaces add 1/2 ounce of this product per gallon of water. Apply solution with a mop, cloth, sponge, or hand-pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

**TO DISINFECT TOILET BOWLS:** Remove gross filth or soils from surfaces with bowl brush. Add 1/2 ounce of product to the bowl water. Brush or swab the bowl completely using a scrub brush or toilet mop making sure to get under the rim. Let stand for 10 minutes and flush.

**EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE AND VIRUCIDE IN WATER UP TO 400 PPM HARDNESS (AS  $\text{CaCO}_3$ ) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).**

**DEODORIZATION** - To deodorize, apply this product as indicated under the heading DISINFECTION.

**BACTERICIDAL ACTIVITY** - At the 1/2 ounce per gallon dilution, this product demonstrates effective disinfectant activity against the organisms: *Pseudomonas aeruginosa* PRD-10, *Salmonella choleraesuis*, *Staphylococcus aureus*, *Staphylococcus aureus* (clinical isolate), *Bordetella bronchiseptica*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterobacter cloacae*, *Enterobacter cloacae* (clinical isolate), *Enterococcus faecalis*, *Enterococcus faecalis* (clinical isolate), *Escherichia coli*, *Escherichia coli* (clinical isolate), *Fusobacterium necrophorum*, *Klebsiella pneumoniae* subsp. *pneumoniae*, *Lactobacillus casei* subsp. *rhannosus*, *Listeria monocytogenes*, *Pasteurella multocida*, *Proteus vulgaris*, *Proteus mirabilis* ATCC 9921, *Proteus mirabilis* ATCC 25933, *Salmonella choleraesuis* subsp. *choleraesuis* serotype paratyphi B, *Salmonella choleraesuis* subsp. *choleraesuis* serotype typhi, *Salmonella choleraesuis* subsp. *choleraesuis* serotype typhimurium, *Salmonella choleraesuis* subsp. *choleraesuis* serotype pullorum, *Serratia marcescens*, *Shigella sonnei*, *Shigella flexneri* Type 2b, *Shigella dysenteriae*, *Staphylococcus aureus* subsp. *aureus*, Methicillin resistant *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Staphylococcus epidermidis* (clinical isolate), *Streptococcus pyogenes* (Clinical - Flesh Eating Strain BIRD M3), *Streptococcus pyogenes* Group A, *Xanthomonas maltophilia* (clinical isolate), and Vancomycin resistant *Enterococcus faecalis* (ATCC 51575).

**FUNGICIDAL ACTIVITY** - At the 1/2 ounce per gallon dilution, this product demonstrates effective fungicidal activity against the pathogenic fungi *Trichophyton mentagrophytes*, *Candida albicans*, and *Aspergillus niger*.

Stepan Company  
Northfield, IL 60093  
EPA Reg. No. 1839-167

(left panel)

Amend 10/13/97

4044

**VIRUCIDAL ACTIVITY** - This product when used on environmental, inanimate hard non porous surfaces at 1/2 ounce per gallon of water exhibits effective virucidal activity against Herpes Simplex Type 1 (causative agent of fever blisters), Herpes Simplex Type 2 (genital disease), Influenza A<sub>2</sub>/Hong Kong, Vaccinia, Pseudorabies, Bovine Rhinotracheitis, Feline Leukemia, Feline Picornavirus, and Canine Distemper.

**KILLS HIV-1 and HIV-2 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 or Type 2 (HIV-1 or HIV-2) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 and HIV-2 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** Allow surface to remain wet for 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

### **PRECAUTIONARY STATEMENTS**

#### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

**DANGER. KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

#### **STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

If swallowed, drink large quantities of water. Avoid alcohol. Call a physician immediately.

#### **NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage.

### **STORAGE AND DISPOSAL**

**DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.**  
**STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

**CONTAINER DISPOSAL** - Do not reuse empty container. Triple rinse empty container with water. Return metal drum or offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke.

**PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Stepan Company  
Northfield, IL 60093  
EPA Reg. No. 1839-167

(right panel)

Amend 10/13/97