



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

April 14, 2020

Lael Jimenez  
Senior Regulatory Specialist  
Stepan Company  
22 Frontage Road  
Northfield, IL 60093

Subject: Label Amendment: Emerging Viral Pathogens Claim  
Product Name: SC-NDC-128  
EPA Registration Number: 1839-215  
Application Date: 03/10/2020  
Decision Number: 560856

Dear Ms. Jimenez:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Because you have opted to add statements pertaining to emerging viral pathogens to your label as described in the August 19, 2016, Guidance to Registrants: Process For Making Claims Against Emerging Viral Pathogens Not On EPA-Registered Disinfectant Labels ("Guidance"), [https://www.epa.gov/sites/production/files/2016-09/documents/emerging\\_viral\\_pathogen\\_program\\_guidance\\_final\\_8\\_19\\_16\\_001\\_0.pdf](https://www.epa.gov/sites/production/files/2016-09/documents/emerging_viral_pathogen_program_guidance_final_8_19_16_001_0.pdf), you are subject to the following additional terms of registration:

1. You may make statements pertaining to emerging viral pathogens only through the following communications outlets: technical literature distributed exclusively to health care facilities, physicians, nurses and public health officials, "1-800" consumer information services, social media sites and company websites (non-label related). These statements shall not appear on marketed (final print) product labels.

2. Your statements pertaining to emerging viral pathogens must adhere to the format approved on the Agency-accepted master label.
3. You may make statements pertaining to emerging viral pathogens only upon a disease outbreak that meets all the following criteria:
  - a. The causative organism must be a virus that causes an infectious disease that has appeared in a human or animal population in the U.S. for the first time, or that may have existed previously but is rapidly increasing in incidence or geographic range.
    - i. For human disease, the outbreak is listed in one of the following Centers for Disease Control (CDC) publications:
      - A. CDC Current Outbreak List for “U.S. Based Outbreaks” ([www.cdc.gov/outbreaks](http://www.cdc.gov/outbreaks)),
      - B. CDC Current Outbreak List for “Outbreaks Affecting International Travelers” with an “Alert” or “Advisory” classification ([www.cdc.gov/outbreaks](http://www.cdc.gov/outbreaks)) (also released through the CDC’s Health Alert Network (HAN) notification process)
      - C. Healthcare-Associated Infections (HAIs) Outbreaks and Patient Notifications page ([www.cdc.gov/hai/outbreaks](http://www.cdc.gov/hai/outbreaks))
    - ii. For animal disease, the outbreak is identified as an infectious disease outbreak in animals within the U.S. on the World Organization for Animal Health (OIE) Weekly Disease Information page ([www.oie.int/wahis\\_2/public/wahid.php/Diseaseinformation/WI](http://www.oie.int/wahis_2/public/wahid.php/Diseaseinformation/WI)).
  - A. The CDC or OIE has identified the taxonomy, including the viral family and/or species, of the pathogen and provides notice to the public of the identity of the emerging virus that is responsible for an infectious disease outbreak. Based on the taxonomy of the outbreak pathogen identified by the CDC or OEI, the pathogen's viral subgroup is enveloped.
  - B. The virus can be transmitted via environmental surfaces (non-vector transmission), and environmental surface disinfection has been recommended by the CDC, OIE or EPA to control the spread of the pathogen.
4. You may begin communicating statements pertaining to emerging viral pathogens only upon CDC or OIE’s publication per term 3.a. of an outbreak of an emerging viral pathogen meeting all of the criteria of term 3. You must cease and remove all such non-label communications intended for consumers no later than 24 months after the original publication of the outbreak per term 3.a., unless the Agency issue written guidance to the contrary due to continued public health concerns. The emerging pathogen claim language may remain on the master label.

5. Terms from points 1 through 4 above shall become immediately void and ineffective if registration for use against Rotavirus is suspended or cancelled or no longer meets the criteria for a disinfectant claim (see EPA Product Performance Test Guideline 810.2200). In addition, terms B.1 through B.4 above shall become immediately void and ineffective upon your receipt of evidence of ineffectiveness against any pathogen in a less-resistant Spaulding category.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact the disinfectants list at [disinfectantslist@epa.gov](mailto:disinfectantslist@epa.gov).

Sincerely,



Jacqueline Hardy  
Product Manager – Team 34  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

Enclosure: stamped label

# SC-NDC-128

**ACCEPTED**

4/14/2020

Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No. 1839-215

## FRONT PANEL

### ACTIVE INGREDIENTS

Didecyl dimethyl ammonium chloride ..... 6.288%

n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)

dimethyl benzyl ammonium chloride... 4.192%

(OTHER) (INERT) INGREDIENTS ..... 89.52%

Total.....100.000%

NET CONTENTS(:) XXX (oz)(ounces)(gallon(s))(gal(s))

(NET CONTENTS(:) XX (oz)(ounce(s)) per packet)

**KEEP OUT OF REACH OF CHILDREN**

## **DANGER**

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

#### If on Skin or Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call poison control center or doctor for treatment advice.

#### If Swallowed:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

#### If Inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

(HOTLINE NUMBER You may contact (xxx) xxx-xxxx for emergency medical treatment information.)

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

(Note to reviewer: Only one of the following statements is required. Referral to "Directions for Use" is required when directions for use are only found in booklet. Choose applicable statement noted in curly bracket. )

See (side) (back)(s) panel for additional precautionary statements.

or

See booklet for {(complete) (additional)} information (and) (including) (Directions for Use)

## FRONT, BACK OR SIDE PANEL

EPA REG. NO. 1839-215

EPA EST. NO. 1839-IL-01 (XXX-XX-XX)

Page 1 of 27  
Amended 04/10/2020  
EPA Reg. No. 1839-215

Bracketed information is denoted as: { insert as noted }, ( optional text ), [ required qualifier ].

The term "this product" used throughout this document may be replaced with the marketed product brand name.

The term "x" is a place holder for numerical digits.

Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.

Appropriate metric or imperial unit conversion may be added as optional supplemental information.

**STEPAN COMPANY**  
22 West Frontage Road  
Northfield, IL 60093

## **PACKAGING CLAIMS**

- Bonus (pack)(size)
- (Extra) value (pack)(size)
- (Dual)(X) pack
- Twin pack

## **MARKETING CLAIMS**

### **General**

- Clean(er)(ing)
  - Disinfect(ant)(ing)
  - Sanitize(r)
  - Detergent
  - Virucide\*
  - Fungicide [against pathogenic fungi]
  - Mildewcide
  - Mildewstat
  - Deodorize(r)(s)
  - Kills Germs
  - Kills Mold & Mildew
  - pH Neutral
  - Effective cleaning (strength)(power)
  - Concentrate(d)
  - Phosphorous free
  - Free of phosphates
- |                                                                                                            |
|------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Citrus canker control (<i>Not for Use in California</i>)</li></ul> |
|------------------------------------------------------------------------------------------------------------|

- For Home, Hospital, Institutional, and Industrial Use
- This product is for use (in)(on) {insert use site or surface from page 5-7}.
- This product is a phosphate-free, pH neutral formulation designed to provide effective cleaning, deodorizing, and disinfection for {insert use site or surface from page 5-7} (where housekeeping is of prime importance in controlling cross contamination).
- This product saves time, labor, and cost.
- This product is specially formulated to be non-dulling to floor finishes and requires no rinsing.
- Effective in the presence of 5% serum contamination
- (For) indoor/outdoor (use)
- Contains no phosphorous nor nonyl phenol ethoxylate detergents
- Effective in 10 minutes in presence of Hard Water and 5% serum
- This product is formulated to a neutral pH, yet provides effective cleaning strength that will not dull high gloss floor finishes.
- (This product is) an economical concentrate (that can be used with a mop and bucket, trigger sprayers or sponge)
- For automatic dilution
- SC-NDC-128 (This product or product name) is a phosphate-free, pH neutral formulation designed

Page 2 of 27  
Amended 04/10/2020  
EPA Reg. No. 1839-215

Bracketed information is denoted as: { insert as noted }, ( optional text ), [ required qualifier ].  
The term "this product" used throughout this document may be replaced with the marketed product brand name.  
The term "x" is a place holder for numerical digits.  
Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.  
Appropriate metric or imperial unit conversion may be added as optional supplemental information.

to provide effective cleaning, deodorizing, and disinfection for hospitals, nursing homes, schools, households, colleges, veterinary clinics, animal life science laboratories, food processing plants, food service establishments, transportation terminals, office buildings, manufacturing facilities, hotels, lodging establishments, retail business, athletic/recreation facilities, sports stadiums, amphitheaters and convention centers where housekeeping is of prime importance in controlling cross contamination.

- For use in federally inspected meat and poultry plants.
- SC-NDC-128 (this product or product name) for use in:
  - Hospitals, nursing homes, medical and dental offices and clinics, operating rooms, isolation wards, and medical research facilities.
  - Restaurants and bars, cafeterias, institutional kitchens, fast food operations and food storage areas.
  - Supermarkets, convenience stores, retail and wholesale establishments, dressing rooms and laundries.
  - Crime scenes and funeral homes.
  - Institutional facilities, laboratories, factories, business and office buildings, restrooms, hotels and motels and transportation terminals.
  - (Institutional) (household) kitchens and bathrooms.
  - Institutions, schools and colleges, churches, classrooms, athletic facilities and locker rooms.
  - Camp grounds, play grounds, and recreational facilities.
  - Food processing plants, dairy farms, hog farms, poultry and turkey farms and egg processing plants.
  - Veterinary clinics, animal life science laboratories, kennels, breeding and grooming establishments, pet animal quarters, zoos, pet shops, and other animal care facilities.
  - Automotive garages, boats, ships, campers, trailers, mobile homes, cars, buses, trains, taxis and airplanes.
  - Health clubs, spas, tanning spas, massage/facial salons, hair/nail salons, barber/beauty shops, tattoo parlors.
  - (This product or product name) is a one step neutral disinfectant that is effective against a broad spectrum of bacteria, is \*virucidal (including HIV-1, HCV and HBV) and inhibits the growth of mold and mildew and their odors when use as directed.
  - SC-NDC-128 (This product or product name) saves time, labor, and cost. It is especially formulated to be non-dulling to floor finishes and requires no rinsing.
  - SC-NDC-128 (this product or product name) is a broad-spectrum germicidal cleaner and deodorant that is effective at 1:128 (1 ounce per gallon) dilution in the presence of 400 ppm hard water (calculated as  $\text{CaCO}_3$ ) plus 5% organic blood serum.
  - SC-NDC-128 (this product or product name) is a broad-spectrum germicidal cleaner and deodorant that is effective at 1:128 (1 ounce per gallon) (equivalent use dilution) in the presence of 400 ppm hard water (calculated as  $\text{CaCO}_3$ ) plus 5% organic blood serum.
- Efficacy tests have demonstrated that (this product or product name) is an effective bactericide, fungicide, \*Virucide and Mildewcide in water up to 400 ppm hardness (as  $\text{CaCO}_3$ ) in the presence of organic soil (5% blood serum).
- **KILLS HIV-1, HCV and HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (associated with AIDS), Hepatitis C Virus (HCV) and Hepatitis B Virus (HBV).

- (This product or product name) deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas which are prone to odors caused by microorganisms.
- (This product or product name) is a no rinse neutral disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step.
- When used as directed, (this product or product name) will deodorize surfaces in toilet areas, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.
- (This product or product name), when used as directed, is formulated to disinfect hard, non-porous, inanimate, environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, vanity tops, shower stalls, bathtubs, and cabinets.
  - Non-food contact glass, metal, stainless steel, glazed porcelain, glazed ceramic, sealed granite, sealed marble, plastic, chrome and vinyl.
  - Tables, chairs, desks, bed frames, walls, cabinets, doorknobs and garbage cans.
  - Non-wooden picnic tables and outdoor furniture except cushions and wood frames.
  - Telephones.
  - Non-food contact counter tops, sinks, refrigerator exteriors, coolers, freezer exteriors, stovetops, appliances, non-food contact equipment, shelves, racks and carts.
  - Shower stalls, shower doors and curtains, tubs and glazed tiles, toilets, urinals, glazed porcelain tile and restroom fixtures.
  - Kennels and cages.
  - Windows and mirrors.
  - For larger areas such as operating rooms, patient care facilities, and restrooms, (this product or product name) is designed to provide both general cleaning and disinfecting.
  - Large inflatable non-porous plastic (rubber) (advertising) structures: animals, promotional items, moonwalks, slides, obstacle course play equipment, exercise equipment, exercise mats, wrestling mats.
- (This product or product name) deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas which are prone to odors caused by microorganisms.
- (This product or product name) is a no rinse neutral disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step.
- When used as directed, (this product or product name) will deodorize surfaces in toilet areas, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.
- (This product or product name) is formulated to a neutral pH, yet provides effective cleaning strength that will not dull high gloss floor finishes.
- (This product or product name) cleans, shines, deodorizes and disinfects all hard non-porous surfaces listed on the label. It inhibits the growth of mold and mildew, leaving bathrooms and kitchens clean and fresh smelling.
- (This product or product name) will not scratch (showers) (tubs) (shower doors) (fixtures) (and) (toilet bowls).
- (This product or product name) is for use in institutional kitchens and bathrooms.
- (This product or product name) is an economical concentrate that can be used with a mop and bucket, trigger sprayers or sponge.
- Use (this product or product name) to clean and disinfect non-porous personal protective safety equipment, protective headgear, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, hearing protectors and ear muffs. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow

to air dry. (Caution: Cleaning at the 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.)

Use (this product or product name) to disinfect non-porous salon/barber tools and instruments: combs, brushes, razors, clippers, scissors, trimmer blades, and manicure/pedicure instruments.

(This product or product name) is used for Poultry Premise Sanitation (Hatcheries):

|                    |                    |                       |
|--------------------|--------------------|-----------------------|
| Egg Receiving Area | Tray Dumping Area  | Chick Processing Area |
| Egg Holding Area   | Chick Holding Area | Chick Loading Area    |
| Setter Room        | Hatchery Room      | Poultry Buildings     |

(This product or product name) is used for Swine Premise Sanitation:

|                           |                   |            |
|---------------------------|-------------------|------------|
| Farrowing Barns and Areas | Dressing Plants   | Blocks     |
| Waterers and Feeders      | Loading Equipment | Creep Area |
| Hauling Equipment         | Nursery           | Chutes     |

## **DISINFECTION CLAIMS**

- This product is a one step neutral disinfectant that is effective against a broad spectrum of bacteria.
- Formulated for Effective Farm Premise Disinfection
- Formulated for Effective Poultry Premise Disinfection
- Formulated for Effective Swine Premise Disinfection
- Formulated for Effective Veterinary Practice/Animal Care/Animal Laboratory Disinfection
- One-Step Disinfectant, Germicidal Cleaner and Deodorant
- (10)(Ten) minute hospital disinfectant
- Kills 99.9% of bacteria in (just) (10)(ten) minutes
- This product is a 10 minute hospital disinfectant (effective in the presence of hard water and organic serum)
- Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu)
- Kills {insert pathogen from page 10-11}
- Disinfects against {insert pathogen from page 10-11}
- For large areas such as {insert use site or surface from page 7-9} this product is designed to (clean and disinfect)(provide both general cleaning and disinfecting)
- (This product is) a no rinse neutral disinfectant cleaner that disinfects, cleans and deodorizes in one (easy)(labor saving) step.
- Hospital disinfectant
- EFFICACY TESTS HAVE DEMONSTRATED THAT (this product) IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, VIRUCIDE\* AND MILDEWCIDE IN WATER UP TO 400 PPM HARDNESS (AS CaCO<sub>3</sub>) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

### *Optional Influenza Claims*

- Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus. This product (Product Name) is a broad-spectrum hard surface disinfectant that has been shown to be effective against (Influenza A virus tested and listed on the label) and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- This product (Product Name) has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.
- This product (Product Name) has demonstrated effectiveness against (Influenza A virus tested and listed on the label) and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu).

- Kills Pandemic 2009 H1N1 Influenza A virus.

### **SANITIZATION CLAIMS**

- Kills 99.9% of bacteria in (just) 15 seconds
- Mushroom farm sanitization [*Not for Use in California*]
- (Acts as) an effective sanitizer
- Formulated for sanitization
- Sanitizing (formula)(formulation)
- (This product is) a no rinse neutral disinfectant cleaner that sanitizes in one (easy)(labor saving) step.

### **FUNGI / MOLD / MILDEW CLAIMS**

- (Inhibits)(prevents)(stops) the growth of mold and mildew
- Leaves {insert use site or surface from page 7-9} (smelling) clean and fresh)
- (This product ) will not scratch {insert use site or surface from page 7-9}
- Kills 99.9% of (fungus)(fungi)(mildew)(mold) in (just) 10 minutes<sup>#</sup>
- Kills 99.9% of (fungus)(fungi)(mildew)(mold)<sup>#</sup>
- Kills (fungus)(fungi)(mildew)(mold)
- Kills athlete's foot fungus
- Kills fungus causing (ringworm)(ringworm of the foot)<sup>#</sup>
- Kills Trichophyton mentagrophytes(, the cause of (ringworm)(ringworm of the foot))

### **DEODORIZING & CLEANING CLAIMS**

- Deodorizing Formula
- This product inhibits the growth of mold and mildew and their odors ((in)(on) {insert use site or surface from page 7-9}) when use as directed
- This product is a broad-spectrum germicidal cleaner and deodorant that is effective at 1:128 (1 ounces per gallon) dilution in the presence of 400 ppm hard water (calculated as CaCO<sub>3</sub>) plus 5% organic blood serum.
- This product deodorizes areas that are hard to keep (smelling) fresh, such as {insert use site or surface from page 7-9})
- This product deodorizes {insert use site or surface from page 7-9} (,and other areas which are prone to odors caused by microorganisms)
- (When used as directed) this product (deodorizes)(will deodorize) surfaces in toilet areas, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors
- (Effective)(powerful)(quick)(superior) cleaning strength
- Can be used with a (mop and bucket)(trigger sprayer)(or)(sponge)

## **CLAIM QUALIFIERS**

### **BACTERICIDAL ACTIVITY:**

This product is an effective bactericide against Staphylococcus aureus (ATCC 6538), Pseudomonas aeruginosa (ATCC 15442), (and) Salmonella (choleraesuis) enteric (ATCC 10708), { and insert bacteria with 10 minute contact time from Microorganism Table on page 10-11} on hard, non-porous, non-food contact surfaces in 10 minutes.

<<OR>>

Bactericidal in 10 minutes against: Pseudomonas aeruginosa (ATCC 15442), Staphylococcus aureus (ATCC 6538), Salmonella (Choleraesuis) enterica (ATCC 10708) and Enterobacter aerogenes (ATCC 13048).

Bactericidal in 5 minutes against: {insert bacteria with 5 minute contact time from Microorganism Table on page 10-11}

This product (sanitizes in 15 seconds)(is an effective sanitizer) against Staphylococcus aureus (ATCC 6538), {and insert bacteria from the sanitization section on page 10-11} on hard, non-porous, non-food contact surfaces.

### **\*VIRUCIDAL ACTIVITY:**

\*Virucidal in 5 minutes against: {insert viruses with 5 minute contact time from Microorganism Table on page 11}

\*Virucidal in 3 minutes against: {insert virus with 3 minute contact time from Microorganism Table on page 11}

\*Virucidal in 30 seconds against: {insert virus with 30 second contact time from Microorganism Table on page 11}

# This product is an effective fungicide against Trichophyton mentagrophytes and mildewcide against Aspergillus niger in 10 minutes, and Candida albicans in 5 minutes on hard, non-porous, non-food contact surfaces.

<sup>1</sup> Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow to air dry. (Caution: Cleaning at the 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.)

<sup>2</sup> [This product or product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.] or [This product or product is not for use on critical and semi-critical medical device surfaces.]

## **SURFACES & USE SITES**

Not for use as a sanitizer on food contact surfaces.

Product label may list surface or site and/or a graphic depicting the surface/site.

### **Hard, non-porous surfaces:**

|                                            |                                                   |                               |
|--------------------------------------------|---------------------------------------------------|-------------------------------|
| Appliance Exteriors                        | Glazed Porcelain                                  | Restroom Fixtures             |
| (Bath)tubs                                 | Goggles <sup>1</sup>                              | Salad Bar Sneeze Guards       |
| Bed Frames                                 | Half Mask Respirators <sup>1</sup>                | Sealed Granite                |
| Bidets                                     | Hard hats <sup>1</sup>                            | Sealed Marble                 |
| Bins                                       | Inflatable Advertising Structures                 | Shelves                       |
| Cabinets                                   | Inflatable play structures                        | Shower (doors)(curtains)      |
| Cages                                      | Kennels                                           | Shower Stalls                 |
| Cages                                      | Laminate                                          | Sinks (Basins)                |
| Carts                                      | Light Switches                                    | Sports Equipment              |
| Chairs                                     | Litter Boxes                                      | Stainless Steel <sup>2</sup>  |
| Chrome                                     | Metal <sup>2</sup>                                | Stovetops                     |
| Coolers                                    | Metal Blinds                                      | Tables                        |
| Desks                                      | Microwave (oven) exteriors                        | Telephones                    |
| Diaper Pails                               | Mirrors                                           |                               |
| Doorknobs (and pulls)                      | Non-wood Furniture                                | Toilets                       |
| Counters (Countertops)                     | Obstacle Course Play Equipment                    | Tools                         |
| Drinking Fountains                         | Obstacle Course Play Equipment                    | Urinals                       |
| Ear Muffs <sup>1</sup>                     | Outdoor Patio Furniture                           | Vanity Tops                   |
| Exercise Equipment                         | Patient Chairs <sup>2</sup>                       | Vinyl                         |
| Exercise Mats                              | Personal Protective Safety Equipment <sup>1</sup> | (Washable) Walls              |
| Face Shields <sup>1</sup>                  | Plastic                                           | Wheelchairs <sup>2</sup>      |
| Faucets                                    | Plastic Laundry Baskets                           | Whirlpool Interiors           |
| Floors                                     | Plastic Mattress Covers                           | Windows                       |
| Freezer Exteriors                          | Protective Headgear <sup>1</sup>                  | Wrestling Mats                |
| Full Face Breathing Apparatus <sup>1</sup> | Racks                                             | (Barber)(Salon) tools         |
| Garbage(cans)(pails)                       | Recycling Bins                                    | Scissors                      |
| Gas Masks <sup>1</sup>                     | Refrigerator Exteriors                            | Manicure/pedicure instruments |
| Glass                                      | Remote Controls                                   |                               |
| Glazed Ceramic Tile                        |                                                   |                               |

### **Use Sites:**

|                                  |                            |                              |
|----------------------------------|----------------------------|------------------------------|
| Airplanes                        | Food Processing Plants     | Operating Rooms <sup>2</sup> |
| Ampitheatres                     | Food Service Establishment | Pet Animal Quarters          |
| Animal Life Science Laboratories | Funeral Homes              | Pet Shops                    |

Bracketed information is denoted as: { insert as noted }, ( optional text ), [ required qualifier ].

The term "this product" used throughout this document may be replaced with the marketed product brand name.

The term "x" is a place holder for numerical digits.

Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.

Appropriate metric or imperial unit conversion may be added as optional supplemental information.

|                                           |                                          |                                      |
|-------------------------------------------|------------------------------------------|--------------------------------------|
| Athletic Facilities                       | Health Clubs                             | Play Grounds                         |
| Automotive Garages                        | Hog Farms                                | Poultry Farms                        |
| Bars                                      | Hospitals <sup>2</sup>                   | Public Eating Establishments         |
| (Barber)(Beauty)shops                     | Hotels                                   | Recreation(al) Facilities            |
| Bathrooms                                 | Household Bathrooms                      | Restaurants                          |
| Boats                                     | Household Kitchens                       | Restrooms                            |
| (Breeding)(Grooming) Establishments       | Households                               | Retail (Businesses)(Stores)          |
| Busses                                    | Institutional Bathrooms                  | Salons                               |
| Cafeterias                                | Institutional Facilities                 | Schools                              |
| Camp Grounds                              | Institutional Kitchens                   | Ships                                |
| Cars                                      | Isolation Wards                          | Spas                                 |
| Churches                                  | Kennels                                  | Sports Stadiums                      |
| Classrooms                                | Kitchens                                 | Supermarkets                         |
| Colleges                                  | Laboratories                             | Tanning Spas                         |
| Commercial Kitchens                       | Laundries                                | Tattoo Parlors                       |
| Convenience Stores                        | Locker Rooms                             | Taxis                                |
| Convention Centers                        | Lodging Establishments                   | Trailers                             |
| Crime Scenes                              | Manufacturing Facilities                 | Trains                               |
| Dairy Farms                               | Medical Offices <sup>2</sup>             | Transportation Terminals             |
| Dental Offices <sup>2</sup>               | Medical Research Facilities <sup>2</sup> | (Turkey)(poultry)(beef)(swine) Farms |
| Dressing Rooms                            | Mobile Homes                             | Universities                         |
| Egg Processing Plants                     | Motels                                   | Veterinary Clinics                   |
| Factories                                 | Nursing Homes <sup>2</sup>               | Wholesale Stores                     |
| Fast Food Operations                      | Office Buildings                         | Zoos                                 |
| Federally Inspected Meat & Poultry Plants |                                          |                                      |
|                                           |                                          |                                      |
| Hatcheries(:)                             |                                          |                                      |
| Egg Receiving Area                        | Tray Dumping Area                        | Chick Processing Area                |
| Egg Holding Area                          | Chick Holding Area                       | Chick Loading Area                   |
| Setter Room                               | Hatchery Room                            | Poultry Buildings                    |
|                                           |                                          |                                      |
| Swine Premises(:)                         |                                          |                                      |
| Farrowing (Barns)(Areas)                  | Hauling Equipment                        | Creep Area                           |
| Waterers                                  | Dressing Plants                          | Chutes                               |
| Feeders                                   | Blocks                                   | Nursery                              |

Bracketed information is denoted as: { insert as noted }, ( optional text ), [ required qualifier ].  
The term "this product" used throughout this document may be replaced with the marketed product brand name.  
The term "x" is a place holder for numerical digits.  
Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.  
Appropriate metric or imperial unit conversion may be added as optional supplemental information.

## **MICRO-ORGANISMS**

This product has been tested and found to be efficacious against the following micro-organisms on hard, non-porous surfaces:

| <b>DISINFECTION</b>                                                                                                                                                                                                                                                                                                                                          |                |                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------|
| <b>Bacteria</b>                                                                                                                                                                                                                                                                                                                                              |                | <b>Contact Time</b> |
| Enterobacter aerogenes                                                                                                                                                                                                                                                                                                                                       | (ATCC 13048)   | 10 minutes          |
| Staphylococcus aureus                                                                                                                                                                                                                                                                                                                                        | (ATCC 6538)    | 10 minutes          |
| Pseudomonas aeruginosa                                                                                                                                                                                                                                                                                                                                       | (ATCC 15442)   | 10 minutes          |
| Salmonella (choleraesuis) enterica                                                                                                                                                                                                                                                                                                                           | (ATCC 10708)   | 10 minutes          |
| Enterococcus faecium                                                                                                                                                                                                                                                                                                                                         | (ATCC 6569)    | 5 minutes           |
| Escherichia coli                                                                                                                                                                                                                                                                                                                                             | (ATCC 8739)    | 5 minutes           |
| Escherichia coli O157:H7                                                                                                                                                                                                                                                                                                                                     | (ATCC 43895)   | 5 minutes           |
| Klebsiella pneumoniae                                                                                                                                                                                                                                                                                                                                        | (ATCC 13883)   | 5 minutes           |
| Listeria monocytogenes                                                                                                                                                                                                                                                                                                                                       | (ATCC 984)     | 5 minutes           |
| Proteus mirabilis (clinical isolate)                                                                                                                                                                                                                                                                                                                         |                | 5 minutes           |
| Proteus vulgaris                                                                                                                                                                                                                                                                                                                                             | (ATCC 33420)   | 5 minutes           |
| Salmonella (enteritidis) enterica                                                                                                                                                                                                                                                                                                                            | (ATCC 13076)   | 5 minutes           |
| Salmonella (pullorum) enterica                                                                                                                                                                                                                                                                                                                               | (ATCC 9120)    | 5 minutes           |
| Salmonella (typhi) enterica                                                                                                                                                                                                                                                                                                                                  | (ATCC 6539)    | 5 minutes           |
| Salmonella (typhimurium) enterica                                                                                                                                                                                                                                                                                                                            | (ATCC 14028)   | 5 minutes           |
| Serratia marcescens (Industry Isolate)                                                                                                                                                                                                                                                                                                                       |                | 5 minutes           |
| Shigella flexneri                                                                                                                                                                                                                                                                                                                                            | (ATCC 12022)   | 5 minutes           |
| Shigella sonnei                                                                                                                                                                                                                                                                                                                                              | (ATCC 9290)    | 5 minutes           |
| Staphylococcus epidermidis                                                                                                                                                                                                                                                                                                                                   | (ATCC 14990)   | 5 minutes           |
| Streptococcus pyogenes                                                                                                                                                                                                                                                                                                                                       | (ATCC 19615)   | 5 minutes           |
| Yersinia enterocolitica                                                                                                                                                                                                                                                                                                                                      | (ATCC 23715)   | 5 minutes           |
| Antibiotic resistant Enterococcus faecium (clinical isolate)<br>[Antibiotic Resistance to Ciprofloxacin, Penicillin, Vancomycin]                                                                                                                                                                                                                             |                | 5 minutes           |
| Antibiotic resistant Escherichia coli (clinical isolate)<br>[Antibiotic Resistance to Methicillin]                                                                                                                                                                                                                                                           |                | 5 minutes           |
| Antibiotic resistant Klebsiella pneumonia (clinical isolate)<br>[Antibiotic Resistance to Methicillin]                                                                                                                                                                                                                                                       |                | 5 minutes           |
| Antibiotic resistant Staphylococcus epidermidis (clinical isolate)<br>[Antibiotic Resistance to Amoxicillin/CA, Ampicillin/Sulbatam, Cefazolin, Ciprofloxacin, Clindamycin, Erythromycin, Gentamicin, Levofloxacin, Oxacillin, Penicillin, Rifampin, Trimethsulfa]                                                                                           |                | 5 minutes           |
| Extended Spectrum Beta-Lactamase (ESBL)<br>Escherichia coli<br>[Antibiotic Resistance to Ceftazidime, Penicillin]                                                                                                                                                                                                                                            | (ATCC BAA-196) | 5 minutes           |
| Methicillin resistant Staphylococcus aureus (MRSA)                                                                                                                                                                                                                                                                                                           | (ATCC 33591)   | 5 minutes           |
| Multi-Drug Resistant (MDR) Acinetobacter baumannii<br>[Antibiotic Resistance to Amoxicillin/Clavulanic acid, Ampicillin/ Sublactam, Aztreonam, Benzylpenicillin, Cefepime, Cefotaxime, Cefoxitin, Ceftazadime, Ceftriaxone, Cefuroxime, Chloramphenicol, Clindamycin, Daptomycin, Erythromycin, Linezolid, Oxacillin, Penicillin, Quinupristin/Dalfopristin, | (ATCC 19606)   | 5 minutes           |

Bracketed information is denoted as: { insert as noted }, ( optional text ), [ required qualifier ].

The term "this product" used throughout this document may be replaced with the marketed product brand name.

The term "x" is a place holder for numerical digits.

Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.

Appropriate metric or imperial unit conversion may be added as optional supplemental information.

|                                                                                                                                        |               |                     |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------|
| Spectinomycin, Tetracycline, Tigecycline, Trimethoprim/sulfamethoxazole, Vancomycin ]                                                  |               |                     |
| Oxacillin resistant Streptococcus pneumoniae                                                                                           | (ATCC 35088)  | 5 minutes           |
| Vancomycin Resistant Enterococcus faecium (VRE) (clinical isolate)<br>[Antibiotic Resistance to Ciprofloxacin, Penicillin, Vancomycin] |               | 5 minutes           |
| <b>Viruses</b>                                                                                                                         |               | <b>Contact Time</b> |
| Human Immunodeficiency Virus Type 1, (associated with AIDS)                                                                            |               | 30 seconds          |
| Hepatitis B Virus (HBV) (Duck Hepatitis B Virus-DHBV)                                                                                  |               | 3 minutes           |
| Avian Influenza Virus (H9N2)                                                                                                           |               | 5 minutes           |
| Bovine Viral Diarrhea Virus (BVDV)                                                                                                     | (ATCC 534)    | 5 minutes           |
| Hepatitis C Virus (HCV) (Bovine Viral Diarrhea Virus - BVDV)                                                                           |               | 5 minutes           |
| Herpes Simplex Virus Type 1                                                                                                            | (ATCC VR-733) | 5 minutes           |
| Herpes Simplex Virus Type 2                                                                                                            | (ATCC VR-734) | 5 minutes           |
| Influenza Virus Type A2                                                                                                                | (ATCC VR-544) | 5 minutes           |
| Pandemic 2009 H1N1 Influenza A Virus                                                                                                   |               |                     |
| Pseudorabies                                                                                                                           | (ATCC VR-135) | 5 minutes           |
| Respiratory Syncytial Virus (RSV)                                                                                                      | (ATCC VR-26)  | 5 minutes           |
| Rotavirus                                                                                                                              | (ATCC VR-899) | 5 minutes           |
| SARS Associated Coronavirus                                                                                                            |               | 5 minutes           |
| Vaccinia                                                                                                                               | (ATCC VR-119) | 5 minutes           |
| Vancomycin intermediate resistant Staphylococcus aureus (VISA)                                                                         | (ATCC 700699) | 5 minutes           |
| <b>Fungi / Mildew</b>                                                                                                                  |               | <b>Contact Time</b> |
| Trichophyton mentagrophytes (athlete's foot fungus)                                                                                    | (ATCC 9533)   | 10 minutes          |
| Aspergillus niger                                                                                                                      | (ATCC 6275)   | 10 minutes          |
| Candida albicans                                                                                                                       | (ATCC 10231)  | 5 minutes           |
| <b>SANITIZATION - NONFOOD</b>                                                                                                          |               |                     |
| <b>Bacteria</b>                                                                                                                        |               | <b>Contact Time</b> |
| Staphylococcus aureus                                                                                                                  | (ATCC 6538)   | 15 Seconds          |
| Klebsiella pneumoniae                                                                                                                  | (ATCC 4352)   | 15 Seconds          |
| Enterobacter aerogenes                                                                                                                 | (ATCC 13048)  | 15 Seconds          |
| (Pseudomonas aeruginosa                                                                                                                | (ATCC 15442)  | 15 Seconds          |
| Escherichia coli O157:H7                                                                                                               | (ATCC 35150)  | 15 Seconds          |
| Methicillin resistant Staphylococcus aureus (MRSA)                                                                                     | (ATCC 33592)  | 15 Seconds          |
| Salmonella (typhi) enterica                                                                                                            | (ATCC 6539)   | 15 Seconds          |
| Streptococcus pyogenes                                                                                                                 | (ATCC 19615)  | 15 Seconds          |
| Vancomycin resistant Enterococcus faecium (VRE)                                                                                        | (ATCC 51559)  | 15 Seconds          |

Bracketed information is denoted as: { insert as noted }, ( optional text ), [ required qualifier ].  
The term "this product" used throughout this document may be replaced with the marketed product brand name.  
The term "x" is a place holder for numerical digits.  
Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.  
Appropriate metric or imperial unit conversion may be added as optional supplemental information.

## **PRECAUTIONARY STATEMENTS**

### **PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

#### **DANGER**

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if inhaled. Do not breathe spray mist. Harmful if swallowed or absorbed through skin. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

*(for containers 5 gallons or greater)*

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### **STORAGE AND DISPOSAL**

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

**PESTICIDE STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

**PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

| <b>CONTAINER DISPOSAL</b> - <i>(mandatory language - choose applicable directions)</i> |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>For products only with household/residential use sites</i>                          | Nonrefillable container. Do not reuse this container. Triple rinse or equivalent. Then offer for recycling or reconditioning. If not available, dispose in trash                                                                                                                                                                                                                                                                          |
| <i>For products with industrial, institutional, and commercial use sites</i>           | Nonrefillable container. Do not reuse this container. Triple rinse or equivalent.                                                                                                                                                                                                                                                                                                                                                         |
| <i>For reuseable container</i>                                                         | Container can be reused once the container is empty. Empty container of concentrate into dilution dispenser (specific equipment can be named to replace "dilution dispenser"). Dispenser will automatically dilute a disinfectant solution. Remove concentrate label. Refill container with use-dilution of concentrate from the dispenser. Replace cap with spray nozzle provided. Place correct use dilution label on the spray bottle. |
| <i>For containers 5 gallons or less</i>                                                | Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instruction for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill.                                                                             |
| <i>For containers greater than 5 gallons</i>                                           | Triple rinse as follows: Fill container ¼ full with water. Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the                                                                                                                                                                                |

|                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                    | container over onto its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill. |
| <i>For products with industrial, institutional and commercial use sites and containers with a one-way opening for use in automatic dilution/dispensing systems</i> | Nonrefillable container. Do not reuse or refill this container. When container is empty, replace cap and discard in trash.<br><br><b>Note to reviewer:</b> <i>The one-way opening container language is optional language and not required on the in-commerce label</i>                           |

(when applicable)

**PACKET DISPOSAL** – Do not reuse; discard empty container and put in trash.

## **DIRECTIONS FOR USE**

*Note: product packaged in packet form must include Packet Directions for Use in addition to disinfection, sanitization, fungicide, cleaning, and/or site/application-specific directions for use.*

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*(For labels that list medical premises and metal and/or stainless steel surfaces, one of the following statements must be used:)*

(This product or product name) is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

or

(This product or product name) is not for use on critical and semi-critical medical device surfaces.

**DEODORIZATION:** To deodorize, apply (this product or product name) as indicated under the heading DISINFECTION

(or)

To deodorize, apply this product as indicated under the heading DISINFECTION. For heavy duty deodorization dilute this product at 4 to 6 ounces per gallon (or equivalent dilution). and apply as

**GENERAL CLEANING:** Apply (this product or product name) to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. (This product or product name) can be diluted at 1 ounce per gallon (or applied at full strength). Thoroughly wet soiled surface and scrub as necessary.

**TO (CLEAN)(REMOVE) MOLD STAINS and MILDEW STAINS:** This product (product name) can be used at full strength or at a use dilution down to 2 ounces per gallon of water (or equivalent dilution). Apply full strength or diluted solution to surface to be cleaned with a cloth, mop, sponge or hand pump trigger sprayer. Thoroughly wet soiled surface completely and scrub as necessary.

**DISINFECTION:** To disinfect inanimate, hard non-porous surfaces add 1 ounce of this product per gallon of water (or equivalent dilution). Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For sprayer applications, spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist. For heavily soiled areas, a pre-cleaning step is required.

Bracketed information is denoted as: { insert as noted }, ( optional text ), [ required qualifier ].

The term "this product" used throughout this document may be replaced with the marketed product brand name.

The term "x" is a place holder for numerical digits.

Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.

Appropriate metric or imperial unit conversion may be added as optional supplemental information.

Prepare a fresh use-solution daily or more often if the use-solution becomes visibly (dirty), (contaminated) or diluted. All surfaces that come in contact with food must be rinsed with potable water. Do not use on utensils, glasses and dishes.

*(Required if making an HIV claim on the product label)*

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV and HBV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** HIV-1 is inactivated after a thirty (30) second contact time. HBV is inactivated after a three (3) minute contact time. HCV is inactivated after five (5) minute contact time. Use a ten (10) minute contact time for other organisms as stated on the label.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

**SANITIZATION OF NON-FOOD CONTACT SURFACES:** To sanitize non-porous environmental surfaces add 1 ounce of this product per gallon of water (or equivalent dilution). Apply solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 15 seconds, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. This product cannot be used to clean utensils, glasses and dishes. Prepare a fresh solution for each use.

*(or)*

To sanitize non-porous environmental surfaces: floors, walls, tables, add 1 ounce of this product per gallon of water. Apply solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 15 seconds, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use. This product is an effective sanitizer against *Staphylococcus aureus* (ATCC 6538), *Klebsiella pneumoniae* (ATCC 4352), *Pseudomonas aeruginosa* (ATCC 15442), *Enterobacter aerogenes* (ATCC 13048), *Escherichia coli* O157:H7 (ATCC 35150), Vancomycin resistant *Enterococcus faecium* (VRE) (ATCC 51559), Methicillin resistant *Staphylococcus aureus* (MRSA) (ATCC 33592), *Streptococcus pyogenes* (ATCC 19615) and *Salmonella* (typhi) *enterica* (ATCC 6539).

**FUNGICIDE & MILDEWCIDE:**

**(Fungicide) (Fungicidal Activity):** At 1 ounce per gallon dilution (equivalent dilution), this product is fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes* (ATCC 9533) (Athlete's Foot Fungus) (a cause of ringworm) (a cause of ringworm of the foot) and *Candida albicans* (ATCC 10231). Apply this product (solution) with a cloth, sponge or hand pump trigger sprayer to hard, non-porous surface(s) (found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard non-porous surfaces commonly contacted by bare feet). Allow the surface to remain wet for 10 minutes, for *Candida albicans* allow surface to remain wet for 5 minutes, then remove excess liquid. Diluted product must be applied daily or more frequently with heavy facility use.

**(Mildewcide) (Mildewcidal Activity):** At a (1:128) (1 ounce per gallon) (equivalent dilution) dilution 400 ppm hard water (calculated as  $\text{CaCO}_3$ ) and 5% organic blood serum, SC-NDC-128 (this product) (product name) will kill *Aspergillus niger* (ATCC 6275) when applied to hard, non-porous surfaces. Allow surface to remain wet for 10 minutes and let air dry. Repeat when mildew growth returns.

**MILDEWSTAT:** To control mold and mildew (*Aspergillus niger*) and the odors it causes on pre-cleaned, hard, non-porous inanimate surfaces, add 1 (or 2) (or 3) (x) ounces of this product per gallon of water (or equivalent dilution). Apply solution with a cloth, mop, sponge or hand pump trigger sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

## **SITE AND APPLICATION SPECIFIC DIRECTIONS FOR USE**

**Light Duty Cleaning (Directions):** Apply this product to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. This product can be diluted at 1 ounce per gallon or other dilutions up to 3 ounces per gallon. Thoroughly wet soiled surface and scrub as necessary.

**(To) Disinfect Food Processing Premises (Directions):** Before using (this product or product name), food products and packaging materials must be removed from the area or carefully protected. For floors, walls, and storage areas, add 1 ounce of (this product or product name) per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. All surfaces that may come in contact with food must be rinsed with potable water.

**Restaurant Premises Disinfection (Directions):** Before using (this product or product name), food products and packaging materials must be removed from the area or carefully protected. For countertops, appliances, tables, add 1 ounce of (this product or product name) per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid and rinse the surface with potable water. (This product or product name) cannot be used to clean the following food contact surfaces: utensils, glassware and dishes.

**Toilet Bowl Disinfection (Directions):** Prior to disinfection, remove gross filth or soils from surfaces with bowl brush. Add 1 ounce of this product to the bowl water. Brush or swab the bowl completely using a scrub brush or toilet mop making sure to get under the rim. Let stand for 10 minutes and flush.

**Non-Acid Toilet Bowl Disinfection/Cleaner (Directions):** Remove gross filth prior to disinfection.

**From concentrate:** Add 1 ounce per gallon (8 milliliters per liter) to the toilet bowl and mix. Brush thoroughly over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

**From use-solution:** Empty toilet bowl or urinal and apply 1 ounce per gallon (8 milliliters per liter) use-solution to exposed surfaces, brush or swab thoroughly under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

**For heavy duty use:** Empty toilet bowl or urinal and apply 4 ounces per gallon (32 milliliters per liter) use-solution to exposed surfaces, brush or swab thoroughly under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

**Shoe Bath Sanitizer (Directions):** To prevent cross contamination into animal areas, and the packaging and storage areas of food plants, shoe baths containing one inch of freshly made use-solution should be placed at all entrances to buildings, hatcheries and all entrances to the production and packaging rooms. Scrape waterproof shoes and place in 1 ounce of (this product or product name) per gallon of water (or equivalent use dilution) (800 ppm active solution) for 15 seconds prior to entering area. Change use-solution in the bath daily or sooner if use-solution appears dirty.

**Shoe Foam Sanitizer (Directions):** To prevent cross contamination into animal areas, and the packaging and storage areas of food plants, apply a foam layer approximately 0.5 to 2 inches thick made from a solution of 1 to 1.5 ounces per gallon of water (or equivalent use dilution) (800 to 1200 ppm active quaternary) at all entrances to buildings, hatcheries, production and packaging rooms by using a foam generating machine or aerator to apply foam layer. Follow the foaming directions as specified by the manufacturer of the foam generator/aerator. Scrape waterproof shoes. Stand and/or walk through foamed area for 15 seconds prior to entering area. Foam area should be washed and replaced daily or when it appears dirty.

**To Control Mold and Mildew on Large, Inflatable, Non-Porous Plastic and Rubber Structures (animals, promotional items, moonwalk, slides, obstacle course play equipment, exercise equipment, and wrestling mats) (Directions):**

Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 4 ounces of this product (product name) per 4 gallons of water (1 ounce per gallon of water) (or equivalent dilution) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not use equipment until treatment has been absorbed, set or dried.

**Veterinary Practice/Animal Care/Animal Laboratory/Zoos/Pet Shop/Kennels Disinfection**

**(Directions):** For cleaning and disinfecting of the following hard non-porous surfaces: equipment not used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 1 ounce of (this product or product name) per gallon of water (or equivalent dilution) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

**Farm Premise (Poultry) (Swine) (Beef) (Cattle) Disinfection (Directions):** Do not use in milking stalls, milking parlors or milk houses. Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with a use-solution of 1 ounce of (this product or product name) per gallon of water (or equivalent dilution) for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used in removing litter and manure. Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse.

**(Poultry)(and)(Swine) Premise Disinfection (Directions):**

**Site Preparation:** The first step in any on-going disinfection program must be the removal of gross contamination and debris. This will be accomplished by using a shovel, broom, or vacuum depending on the area to be disinfected. The efficacy of even the most efficient germicidal cleaner is reduced in the presence of heavy organic matter. Once the heavy debris is eliminated, thoroughly clean all surfaces with soap or detergent and rinse with water.

**Cleaning And Disinfection:** For all general cleaning and disinfection use 1 ounce of (this product or product name) per gallon of water (or equivalent dilution). Apply (this product or product name) using a cloth, mop, or low pressure coarse sprayer so as to thoroughly wet surface to be disinfected. Allow to remain wet for 10 minutes and then let air dry. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution after each use.

**Hatcheries (Directions):** Use 1 ounce of (this product or product name) per gallon of water to treat the following hard non-porous surfaces: hatchers, setters, trays, racks, carts, sexing tables, delivery trucks and other hard surfaces. All treated surfaces exposed to the use-solution must remain wet for 10 minutes or more. Rinse with potable water before reuse and allow to air dry.

**Vehicles (Directions):** Clean all vehicles including mats, crates, cabs, and wheels with high pressure water. For heavily soiled vehicles use a detergent cleaner or this product at 1 or 2 ounces per gallon. Use 1 ounce per gallon of this product to treat all vehicles. All treated surfaces exposed to the use-solution must remain wet for 10 minutes or more. (Vehicle must air dry prior to entering or re-entering the roadway).

**Dressing Plant Use (Directions):** Disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect offal rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all gross soils. Saturate all surfaces with the use-solution: 1 ounce of (this product or product name) per gallon of water. Scrub to loosen all soils. Allow to soak for 10 minutes and thoroughly rinse all wetted and cleaned surfaces with potable water.

**Ultrasonic Bath Disinfectant (Directions):** Use (this product or product name) to disinfect hard non-porous non-critical objects compatible with Ultrasonic cleaning units. Pour fresh solution at 1 ounce of (this product or product name) per gallon of water (or equivalent dilution) directly into bath chamber. Pre-clean heavily soiled objects. Place objects into unit and operate for a minimum of 10 minutes, according to the manufacturers directions. Remove objects and wash with sterile water (sterile water for injection) or allow to air dry. Prepare fresh solution for each use.

**Disinfection of Hard Non-Porous Surfaces in Whirlpool Unit(s) (Directions):** After using the whirlpool unit, drain and refill with fresh water to just cover the intake valve. Add 1 ounce of (this product or product name) for each gallon of fresh water added (or equivalent dilution). Start the pump to circulate the solution. Wash down the unit sides, seat of the chair, lift and any/all related equipment with a clean swab, brush or sponge. Treated surfaces must remain wet for 10 minutes. After the unit has been thoroughly cleaned, drain the solution from the unit and rinse any/all cleaned surfaces with fresh water. Repeat for heavy soiled units.

**Commercial Florist Use (Directions):** To clean, disinfect and deodorize hard non-porous surfaces in one step, prepare use-solution by adding (mixing) 1 ounce per gallon of water (or equivalent dilution) Remove all leaves, petals, garbage and refuse. Pre-clean surfaces using pressurized water where possible. Apply use-solution to hard (inanimate) non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, brush, sponge or coarse sprayer.

For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse mist pump or trigger sprayer. Spray 6-8 inches from surface; rub with brush, sponge or cloth. Do not breathe spray mist. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Prepare a fresh solution at least daily or sooner if use-solution becomes visibly dirty.

**Disinfection of Barber/Salon Tools (Directions):** Immerse pre-cleaned barber/salon tools (combs, brushes, razors, manicure/pedicure tools, clippers, scissors, trimmer blades) in a use-solution (or equivalent dilution) of 1 ounce of this product per gallon of water for 10 minutes. Rinse instruments thoroughly and dry before reuse. A fresh use-solution must be prepared daily or more often if the use-solution becomes (visibly dirty) (contaminated) (cloudy). **NOTE:** Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed from the use-solution after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged immersion may cause damage to stainless steel or metal instruments.

**(Not for Use in California)**

**Citrus Canker Control (Directions):** For prevention of Citrus Canker Disease through treatment of equipment. This product, when used at a 1:54 dilution (2000 ppm active quaternary) or 2.36 ounces (70 ml) per gallon of water, is effective against *Xanthomonas axonopodis* pathovar *citri* (Citrus Canker). Treat all trucks, vehicles, and equipment thoroughly at the 1:54 dilution. Treatment can be applied to trucks, attached trailers, field harvesting equipment; including cargo area, wheels, tires, under carriage, hood, roof, fenders and any other part of transportation equipment that can be taken into infested areas. To prevent the spread of Citrus Canker by this artificial means of transportation, treatments are made by trigger spraying, dipping or brushing, using the maximum rate of 2000 ppm quaternary. After use, all surfaces which come in contact with food or crop must be rinsed with potable water.

*(Not for Use in California Continued)*

**Mushroom Farm Sanitation (Directions):** This product disinfects, cleans, and deodorizes in one step. Apply

to surfaces which do not come in contact with the crop, compost or casing. Remove gross filth and heavy soil deposits using a shovel, broom or vacuum depending on the area to be disinfected. For heavily soiled areas, a pre-cleaning step is required. Apply this product at 1 ounce per gallon of water dilution (1:128), thoroughly wetting the surfaces with a mop, sponge, cloth, spraying or soaking. Treated surfaces must remain wet for 10 minutes and let air dry. The use-solution is prepared fresh for each use, then discarded. If greater detergency is required, dilute this product at 2 to 4 ounces per gallon of water. **DO NOT APPLY TO MUSHROOM CROP, COMPOST OR CASING.**

**For Foot Dip Of Waterproof Footwear** – Use this product at 1 ounce per gallon of water in foot dip tray. Shoe baths must contain at least 1 inch of freshly made solution and must be placed at the entrances to buildings. Scrape shoes and place in diluted solution for 10 minutes before entering building. Change solution in bath daily or sooner if solution appears dirty.

**BACTERICIDAL ACTIVITY** – When diluted at 1 ounce per gallon, this product demonstrates effective disinfectant activity against the following **mushroom** pathogens: *Pseudomonas tolaasii* (Blotch Disease) and *Pseudomonas* sp. (Mummy Disease).

#### **DIRECTIONS FOR FOGGING DEVICES**

**Directions for Hatchery Rooms Using Fogging Devices:** Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of the room to be treated. Empty all troughs, racks and other feeding and watering appliances. Close room off so fog is confined to room to be treated. Wear a dust mist respirator when mixing the use-solution and pouring it into the fogging apparatus. Mix one part of (this product or product name) to five parts water (1 gallon of (this product or product name) to 5 gallons water). Insert the nozzle of the fogger through a suitable opening into the room. With the setting in maximum output, fog for one minute for each 4000 cubic feet of space in the room. When fogging is completed, ventilate buildings and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed or dried. Thoroughly clean all surfaces with soap or detergent and rinse with water.

**Directions for Incubators and Hatchers using Fogging Devices:** Wear a dust mist respirator when mixing the use-solution and pouring it into the fogging apparatus. Mix 12 ounces of (this product or product name) to 122 ounces of water. Fog 3-8 ounces of this use-solution into setters and hatchers immediately after transfer. Repeat daily in setters and every 12 hours in hatchers. Discontinue hatcher treatments at least 24 hours prior to pulling the hatch. Do not allow people to contact or breathe this fog and do not enter until the fog has settled (30-60 minutes after fogging is completed). It is acceptable to fog setters and hatchers with a 1 ounce per gallon use-solution of (this product or product name) on an hourly or every other hour basis. If this is done, fog for 30-90 seconds once per hour or once every two hours. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

**NOTE:** The fog generated is irritating to the eyes, skin and mucous membranes. Do not under any circumstances enter a room or building within two hours of the actual fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. If the building must be entered, the individuals must wear a self-contained respirator approved by NIOSH/MSHA, goggles, long sleeves and long pants.

*(Not for Use in California Continued)*

**Water and Smoke Damage Restoration Against Odor-Causing Bacteria and Fungi for Institutional, Industrial and Hospital Use (Directions):**

(This product or product name) is suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, sub floors, drywall, trim, and frame lumber, tackless strip and paneling. Mix 1 ounce of (this product or product name) per gallon of water, saturate affected materials with enough use-solution to remain wet for at least 10 minutes. Use proper ventilation.

**Sewer backup & river flooding:** During mitigation procedures, dilute 1 to 2 ounces of (this product or product name) per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a sprayer using a coarse spray tip, before and after cleaning and extraction.

**Carpets, carpet cushions and other porous materials such as sub floors, drywall, trim and frame lumber, tackless strip and paneling (Directions):** For water damage from a clean water source, extract excess water. Test hidden area for colorfastness. Mix 1 to 2 ounces of (this product or product name) per gallon of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a sprayer using a coarse spray tip, to fully saturate affected materials. Roll, brush or agitate into materials and allow the materials to remain damp for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

**Special Instructions for Cleaning Carpet Against Odor Causing Bacteria (Directions):** (This product or product name) may be used in industrial and institutional areas: motels and hotels, nursing homes, schools and hospitals. For use on wet cleanable synthetic fibers, do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for colorfastness. **For portable extraction units:** Mix 1 ounce of (this product or product name) per gallon of water. **For truck mounted extraction machines:** Mix 24 ounces of (this product or product name) per gallon of water and meter at 4 gallons per hour. **For rotary floor machines:** Mix 2 ounce of (this product or product name) per gallon of water and apply at the rate of 300-500 sq. ft. per gallon.

Do not mix (this product or product name) with other cleaning products. Follow the cleaning procedures as specified by the manufacturer of the cleaning equipment. After using this product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

**Carpet Deodorizer against Odor-Causing Bacteria for Institutional, Industrial and Hospital Use (Directions):**

(This product or product name) deodorizes the carpet by controlling/reducing the growth of odor-causing bacteria. It can be used in industrial and institutional areas: motels, hotels, nursing homes and hospitals. Vacuum carpet thoroughly prior to application. Mix 1 ounce of (this product or product name) per gallon of water. Follow the Injection and/or Extraction procedures as specified for any conventional steam cleaning

*(Not for Use in California Continued)*

equipment you are using. For rotary floor machines, mix 2 ounces per gallon of water and spray on carpet at a rate of 300-500 sq. ft. per gallon.

For use on washable synthetic fibers. Do not use on wool. Test colorfastness of carpet before use. Apply diluted product to a small concealed spot, then rub with a clean white cloth. If color changes or transfers to cloth, a water-based product should not be used.

After using the product, set carpet pile in one direction with a stiff brush. Place aluminum foil under the legs of furniture while carpet is drying. Over-wetting can cause carpet to shrink. Manufacturer assumes no responsibility for over-wetting misuse.

**NOTE:** This product must not be mixed with other cleaning products.

*(Not for Use in California Continued)*

**Smoke Damage Restoration (Directions):** (This product or product name) is effective against odor causing bacteria and fungi in institutional, industrial and medical premises. (This product or product name) is suitable for use in smoke damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, sub floors, drywall, trim and frame lumber, tackless strip and paneling. Follow directions as outlined in the Water Damage Restoration section. Saturate affected materials with enough use-solution: 1 ounce per gallon of water (equivalent dilution) to remain wet for at least 10 minutes. Use proper ventilation.

**Entryway Sanitizing Systems (Directions):** To prevent cross contamination from area to area, set the system to deliver (1 to 1.5 ounces per gallon of water) (or equivalent use dilution) (800 to 1200 ppm active quaternary) of sanitizing solution. The (spray) (foam) should cover the entire path of the doorway. Set the system so that a continuous wet blanket of sanitizer solution is delivered to the floor. Do not mix other additives to the sanitizing solution.

### **DILUTION SYSTEM SPECIFIC DIRECTIONS FOR USE**

**(Automatic Dilution)(Dilution System Name) ((Closed)(Open) Loop):** (Concentrated product – dilute before using)

ATTACH this product (PRODUCT NAME) TO THE AUTOMATIC DILUTION CENTER: Remove white cap from product bottle. DO NOT REMOVE purple PLUG FROM BOTTLE THROAT! Attach the bottle to the automatic dilution center by screwing on matching purple dispensing cap connected to dilution center. Push down while screwing on cap. This dispensing system delivers 1 oz. per gallon of water (1:128) use solution.

**(OR)**

#### **<<System Descriptors:>>**

(The) ProFill (Dispensing) (Unit) (System)  
(The) EZFill (Dispensing) (Unit) (System)  
(The) Dilute2Go (Dispensing) (Unit) (System) (D2G)  
(The) (MDU) (MDD) (Mobile) (Dispensing) (Dilution) (Device) (Unit) (System)  
(The) (PDU) (PDD) (Portable) (Dispensing) (Dilution) (Device) (Unit) (System)

#### **<<Optional Text:>>**

(Simple.) (Smart.) (Clever.) (Designed to Dilute.) (Ready-to-Dilute.) (Accurate.) (Reduce product overuse (waste).) (Effective.) (No chemical contact (with concentrate).) (No risk of (product) cross contamination.) (Easy operation.) (Minimal training.) (Durable (during)(use)(transport).) (Effective.) (Sealed bottle.) (Dilution control.) (Portable (concentrate) (dilution).) (Plug and Go.) (Connect and Go.)  
(*{insert appropriate number}*) (gpm) (gallons per minute) (flow) (fill) (rate).  
(Dilution ratio based on product used.)  
(This dispensing system delivers 1 oz. (product) per gallon of water (1:128) use solution.)  
(!TURN OFF water supply after use and disconnect.)

#### **<<Optional Text:>>**

TO FILL SPRAYERS (BUCKETS):

1. Attach (system descriptor) (unit) to water source (using (water) (hose) (and) (or) (quick-connect) (provided))). (Turn on water supply (to pressurize unit).)
2. Pull back (small) (green)(*{other color}*) locking tab from *{off}* (representative “off” icon)} notch (with thumb).

3. While holding back tab, use opposite hand to slide (yellow) ({other color}) selector bar to {(spray bottle) (bucket) (representative spray bottle icon) (representative bucket icon)} (position) to dispense product. (The {(faucet)(representative faucet icon)} (position) dispenses water only (for rinsing)).
4. {Note to reviewer: One or both of the following statements will be used}  
(For spray bottle(s) (applications):) Insert spray bottle under (dispenser) nozzle.  
<<and/or>>  
(For bucket(s) (applications):) {(Hold) (Hang)} (dispenser) nozzle (over bucket) (on bucket rim).
5. Push down (red) ({other color}) trigger (to fill spray bottle) (to fill bucket) (for product flow) (into a bottle) (into other container). (Release (red) ({other color}) (trigger) to stop.)
6. (See (online) (service) (instruction) manual (insert) for (more) (detailed) (usage) information.)

#### TO TRANSPORT[:]

1. (Pull back (small) (green) ({other color}) locking tab and) slide (yellow) ({other color}) selector bar to {(faucet) (representative faucet icon)} (position). (Unit now dispenses water only (and can be used for rinsing) (by pushing down (red) (other color) trigger).)
2. Turn off water (at the source).
3. (While still in the {(faucet) (representative faucet icon)} (position),) push down (red) ({other color}) trigger to release water pressure. (A small amount of water will be discharged.) (Pressure will be released from the unit.)
4. (Once pressure is released (from the unit),) (pull back (small) (green) ({other color}) locking tab and) slide (yellow) ({other color}) selector bar to {(off) (representative "off" icon)} (position). (Disconnect water hose from unit.) ((Unit) (System Descriptor) is now ready for transport.)

(OR)

**Automated Dilution System (Dilution System Name):** Remove cap/spray nozzle from empty container. Fill empty container with a newly prepared use-solution. Replace cap/spray nozzle. Place correct use-dilution label on newly filled container.

(OR)

#### Smart Mix Pro Dispensing System:

1. Fill Smart Mix Pro pouch with cold water to the fill line arrow below the cap.
2. Fold and Squeeze the chemical concentrate to burst inner pouch.
3. Shake the bag to mix chemical fully.
4. Use the push button to fill the bottle.

Once water and concentrate are mixed, 1 gallon (3.8 Liters) of ready to use (disinfecting/cleaning) (disinfecting) solution.

(OR)

#### Integrated Dispensing System (Name of Integrated Dispensing System) (Control Knob Key) -

Attach to source of potable water with quick connect attachment.



Rotate control knob to (1:128)( ) for low flow rate applications such as filling trigger spray bottle.

1:128



Rotate control knob to (1:128)(**1:128**) for high flow rate applications as filling a mop bucket.

Squeeze handle to dispense a 2 oz. per gallon of water (1:64) use solution of product.

**(OR)**

**PACKETS** - *Pre-measured tear open packets* – (Simply) (tear) (open and) pour contents (of packet) into x gallons of water (for a 1:128 dilution). Keep packets in box until ready to use. (Pour contents of packet into x gallons of water for a 1:128 dilution.)

or

Pour contents of (1 or 2 oz)(xoz) packet into (1 or 2)(x) gallons of water. Keep packets in box until ready to use.

**(OR)**

**INTERMEDIATE SERVICE SOLUTION CONTAINER:**

1. Create Intermediate Service Solution by combining (x oz product) (x packet(s)) and x (oz) (gal) water for a (x:x) intermediate dilution.
2. Combine x (oz) of the Intermediate Service Solution and x (oz)(gal) water to achieve the final use dilution of 1:128.
3. Follow Directions for Use for (Sanitization), (Disinfection), (Insert applicable use header).

***The following language is required for products supplied with supplemental labeling: inserts, hang tags and reference sheets.***

***The following language is required to appear on inserts, hangtags and reference sheets:***

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Labeling must be in the possession of the user at the time of using the product. See container label for FIRST AID and PRECAUTIONARY STATEMENTS and complete DIRECTIONS for USE before applying. Use of this product is subject to the precautions and limitations imposed by the label affixed to the container for this product.

***The following language is required to appear on the container label:***

See (insert) (hangtag) (reference sheet) for (complete) (additional) information.

## **SECONDARY / SERVICE CONTAINER LABELING**

*When this product is diluted in accordance with the directions on this label, the dilution container must bear the following statements:*

**SC-NDC-128**  
**1839-215**

### **ACTIVE INGREDIENTS**

Didecyl dimethyl ammonium chloride ..... 6.288%

n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)

dimethyl benzyl ammonium chloride ..... 4.192%

**(OTHER)(INERT) INGREDIENTS** ..... 89.520%

**Total** ..... 100.000%

**KEEP OUT OF REACH OF CHILDREN**

# **DANGER**

See master label for additional precautionary statements and use directions.

**(Disposal – Do not reuse; discard empty packet by putting in trash.)**

EPA REG. NO. 1839-215  
EPA EST. NO. 1839-IL-01

STEPAN COMPANY  
22 West Frontage Road • Northfield, IL 60093  
(847) 446-7500

NOT FOR INDIVIDUAL SALE

## **PACKET LABEL UNIT PACKAGING**

**(1)(x) OUNCE PACKET LABEL TO BE USED WITH MASTER CONTAINER LABEL. MIX EACH ((1)(x) OUNCE) PACKET WITH (1)(x) GALLONS OF WATER.**

*(Note to reviewer: x ounce packets and corresponding x amount of water will be adjusted to yield equivalent dilution in accordance with directions for use on this label)*

**SC-NDC-128 / Product Brand Name  
1839-215**

Didecyl dimethyl ammonium chloride ..... 6.288%  
n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>).. ..... 4.192%  
dimethyl benzyl ammonium chloride  
**(OTHER)(INERT) INGREDIENTS**.....89.520%  
**Total**.....100.000%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

*(Note to reviewer: Only one of the following statements is required. Referral to "Directions for Use" is required when directions for use are only found in booklet. Choose applicable statement noted in curly bracket. )*

See (side) (back)(s) panel for additional precautionary statements.

or

See booklet for {(complete) (additional)} information (and) (including) (Directions for Use)

**(Disposal – Do not reuse; discard empty packet by putting in trash.)**

EPA REG. NO. 1839- EPA EST. NO. (1839-IL-01)(xxxx-xx-xxx)

STEPAN COMPANY  
22 West Frontage Road • Northfield, IL 60093  
(847) 446-7500

NOT FOR INDIVIDUAL SALE

(Pour contents of packet into xx (gallons)(gal)(oz) of water for a 1:128 dilution.)

NET CONTENTS: xx (ounces)(oz) per packet

## GRAPHICS

### Automatic Dilution System



(1:128)



{sprayer bottle}



{bucket}




{faucet}



### Integrated Dispensing System



### Smart Mix Pro™ dispensing system




(Fill the Smart Mix Pro main pouch with water.)



(Give the main pouch a slight shake to create one gallon/four liters of perfectly mixed cleaning solution.)



(Push the (yellow) dispense button on the main pouch to fill a properly labeled spray bottle.)



*Note to Reviewer: The following environmental surfaces, PPE, packaging and/or dispensing systems may be depicted by means of communicating usage.*

(packet)  
 (packet ripped open)  
 (packet being poured)  
 (intermediate service solution container)  
 (spray dispensing container)  
 (dispensing of product from intermediate service solution container to spray dispensing container)  
 (sink with faucet)  
 (work station tub or sink)  
 (rubber gloves)  
 (table)  
 (chair)  
 (bed frame)  
 (wall)  
 (cabinet)  
 (doorknob)  
 (garbage can)  
 (non-wooden picnic table)  
 (outdoor furniture except cushions and wood frames).  
 (Telephone)  
 (non-food contact counter tops, sinks, refrigerator exteriors, coolers, freezer exteriors, stovetops, appliances)  
 (non-food contact equipment, shelves, racks and carts)  
 (shower stalls)  
 (shower doors and curtains)  
 (tubs)  
 (glazed tiles)  
 (toilets)  
 (urinals)  
 (glazed porcelain tile) and (restroom fixtures).  
 (floor)  
 (mop)  
 (cloth)

\*\*\*\*\*

### ***Emerging Viral Pathogen Claims***

This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels' when used in accordance with the appropriate use directions indicated below:

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral categories:

- Enveloped viruses

|                                                              |                                                                            |
|--------------------------------------------------------------|----------------------------------------------------------------------------|
| <b><i>For an emerging viral pathogen that is a/an...</i></b> | ...follow the directions for use for the following organisms on the label: |
| Enveloped virus                                              | Rotavirus [ATCC VR-899]                                                    |

***SC-NDC-128*** has demonstrated effectiveness against viruses similar to ***[name of emerging virus]*** on ***hard, non-porous surfaces***. Therefore, ***SC-NDC-128*** can be used against ***[name of emerging virus]*** when used in accordance with the directions for use against ***Rotavirus [ATCC VR-899]*** on ***hard, non-porous surfaces***. Refer to the ***[CDC or OIE]*** website at ***[pathogen-specific website address]*** for additional information.

***[Name of illness/outbreak]*** is caused by ***[name of emerging virus]***. ***SC-NDC-128*** kills similar viruses and therefore can be used against ***[name of emerging virus]*** when used in accordance with the directions for use against ***Rotavirus [ATCC VR-899]*** on ***hard, non-porous surfaces***. Refer to the ***[CDC or OIE]*** website at ***[website address]*** for additional information.

\*\*\*\*\*