Date of Issuance:

APR 21 200



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue NW Washington, D.C. 20460

NOTICE OF PESTICIDE	Ν	O.	ΤI	CE	OF	PE	ST	ICI	DE	:
---------------------	---	----	----	----	----	----	----	-----	----	---

x Registration Reregistration

BTC 1210 WT80

Term of Issuance:
Unconditional

Name of Pesticide Product:

EPA Req.

Number:

1839-226

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Stepan Company 22 W. Frontage Rd. Northifield, IL 60093

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
 - 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Revise the "EPA Registration Symbol to read, "EPA Reg. No. 1839-226".

Velma Noble
Product Manager Team-31
Regulatory Management Branch
Antimicrobials Division (7510P)

Signature of Approving Official:

Date:

APR 21 2010

Labeling Comments:

- 3. The Directions for Use must be revised to be in compliance with PR Notice 2000-5, Mandatory Labeling by deleting the term, should, and stating "must." Revise the following Statements:
 - a) Dose conditions statement and second statement under Subsequent Product Application in the Industrial/Commercial Recirculating Cooling Water Towers Directions.
 - b) 2nd and 3rd statement Dosing Application for Pulp and Paper Mills and Paper Manufacturing Directions.
 - c) 2nd statement under Dosing Application for Pulp, Paperboard, & Wet Lap Directions.
 - d) 1st statement under Drilling, Completion, and Workover Fluids.
 - e) 2nd statement under Gas Production and Transmission Pipelines and Systems.
 - f) 2nd statement under Pipeline Pigging and Scraping Operations.
- 4. No efficacy data is required for the proposed non-public health claims.

Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Should you have any questions regarding this letter, please contact Drusilla Copeland at (703) 308-6224 or Velma Noble at (703) 308-6233.

1/1

Velma Noble

Product Manager (31)

Regulatory Management Branch Antimicrobials Division (7510P)

Enclosure:

Stamped Label, approved efficacy review dated 3/12/2010



ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 2 1 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 1839-226

BTC® 1210 WT80

For control of algae, algal, fungal and bacterial slimes in Industrial and/or Commercial Recirculating Cooling Water Towers and in Pulp, Paper Mills and Paper Manufacturing, Oil Field water Flood or Salt water Disposal Systems, Oil Drilling Muds/Packer Fluids, Gas Recovery Injection Water Systems and Gas/Oil Pipeline/Systems Maintenance

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride	48.0%
Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chloride	32.0%
INERT INGREDIENTS	
TOTAL	100.0%

DANGER

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

(Optional) HOT LINE NUMBER: You may also contact 1-XXX-XXXX for emergency medical treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE (BACK) PANEL(S) FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 1839-EPA EST. NO. 1839-IL-01

STEPAN COMPANY

22 West Frontage Road Northfield, IL 60093 USA

NET CONTENTS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

THIS PRODUCT (OR PRODUCT NAME) IS A CATIONIC MATERIAL.

Do not use water containing residues from use of this product to irrigate crops for food or feed.

Use of the product in either public/municipal or single or multiple family private/residential potable/drinking water systems is strictly prohibited. Use of the product in any cooling water system that discharges effluent within ¼ mile of either a public/municipal or single or multiple family private/residential potable/drinking water intake is strictly prohibited.

INDUSTRIAL AND/OR COMMERCIAL RECIRCULATING COOLING WATER TOWERS; SLUG OR INTERMITTENT FEEDING

Initial Product Application

When growth is evident, apply 1.6-3.1 fluid ounces (12.5 -24 ppm) of this product (or product name) per 1000 gallons of contained water. This dose may be repeated until control is achieved. When heavy growth is present, system should be cleaned before treatment is begun.

- 1. **Dosing Location**: This product (or product name) is to be applied at a point in the system where it will be uniformly mixed, such as at the sump.
- 2. **Dosing Conditions:** This product (or product name) should be applied when the system is in jeopardy of being affected or after cleaning systems where efficiency is already impaired. Tower bleed off valves should be closed to permit a retention time of 4 hours.

Subsequent Product Application

When microbial control is evident, apply 0.9-1.9 fluid ounces (7-15 ppm) of this product (or product name) per 1000 gallons of contained water. The above directions should be followed once per week or as needed to maintain control.

PULP AND PAPER MILLS AND PAPER MANUFACTURING

Slimicide Application

This product (or product name) can be used as a slimicide in the manufacture of paper and paperboard that contacts food. Depending on the type of stock, quality of raw water, complexity of the system and degree of contamination, apply 0.25-50 pounds of this product (or product name) per ton (dry basis) of pulp or paper produced. If this product (or product name) is used to treat whitewater alternatively apply 0.50-100 pounds of this product (or product name) per 100,000 gallons of whitewater to be treated (0.6-127 ppm product).

Dosing Application: This product (or product name) is to be applied at a point in the system where it will be uniformly mixed, such as at the suction side of the pump. This product (or product name) should be fed as early as possible in the system. Additions of this product (or product name) should be made at a point in the system where mixing action is good. Suitable sites are the hydrapulper, suction side of the machine chest or broke system pump. Badly fouled process systems must be cleaned before initial treatment.

Control of Bacterial, Fungi/Mold & Algae on Pulp, Paperboard & Wet Lap

This product (or product name) is used to inhibit bacteria, fungi/mold and algae growth, which causes discoloration, odor and degradation in paper, paperboard or wet lap.

Application of this product (or product name) should be made at a point in the system where mixing action is good. Application can also be made at the size press or water box. Apply at a rate of 0.25-50 pounds of this product (or product name) per ton (dry basis) of pulp or paperboard produced.

Dosing Application: This product (or product name) may be drip fed continuously from the drum, diluted and showered to the wet sheet or fed by suitable pumps. For inhibition of bacteria, fungi/mold and algae growth which causes discoloration, odor and degradation on wet lap or sheet pulp, this product (or product name) should be applied to the dewatered pulp surface via applicator rolls or showers. Application can also be made at the size press or water box.

OIL FIELD WATER FLOOD OR SALT WATER DISPOSAL

(Do not apply in Marine and Estuarine Oil Fields.)

To control slime forming and sulfate reducing bacteria (Desulfovibrio desulfricans) (this product or product name) must be added to a water flood system at a point of uniform mixing.

Initial Treatment: When the system is noticeably contaminated, add 50-750 ppm of (this product or product name) (25-375 ppm active quaternary) (6.5-96 ounces per 1000 gallons of flood water). Repeat until control is achieved.

Continuous Dose: Add (4-60 ounces per 1000 gallons of water) (3-44 gallons per 3000 barrels of water) (25-375 ppm active quaternary). Levels for effective control will vary depending on conditions at the site.

Intermittent Dose: Add 62.5–469 ppm of (this product or product name) (8-60 ounces per 1000 gallons of water) (6-44 gallons per 3000 barrels of water) (50-375 ppm active quaternary) for 4-8 hours per day, 1-4 times per week as needed to maintain control.

Add this product directly from the drum with the proper type of metering equipment.

DRILLING, COMPLETION, AND WORKOVER FLUIDS

To control slime forming and sulfate reducing bacteria (Desulfovibrio desulfricans), (this product or product name) should be added to a drilling fluid system at a point of uniform mixing such as the recirculating mud tank.

Initial Treatment: Add 94-469 ppm of (this product or product name) (12-60 ounces per 1000 gallons of fluid) (9-44 gallons per 3000 barrels of fluid) (75-375 ppm active quaternary) to a freshly produced fluid dependent on the severity of the contamination.

Maintenance Dose: Maintain a concentration of 94-469 ppm of (this product or product name) by adding (12-60 ounces per 1000 gallons of fluid) (9-44 gallons per 3000 barrels of fluid) (75-375 ppm active quaternary) to freshly produced fluid, or as needed, depending on the severity of contamination.

PACKER FLUIDS

(This product or product name) must be added to a packer fluid at a point of uniform mixing like the recirculating holding tank. Add 94-469 ppm of (this product or product name) by adding (12-60 ounces per 1000 gallons of fluid) (9-44 gallons per 3000 barrels of fluid) (75-375 ppm active quaternary) to freshly produced fluid depending on the severity of contamination. Seal the packer fluid in the wall between the casing and the production tube.

GAS PRODUCTION AND TRANSMISSION PIPELINES AND SYSTEMS

(This product or product name) must be added at 4-60 ounces per 1000 gallons of water (25-375 ppm active quaternary) via direct injection to a gas production or transmission pipeline to maintain 31-469 ppm of product. The application should be conducted to ensure maximum distribution of (this product or product name) through the entire internal surface of the pipeline. To facilitate application, it may be desirable to dilute (this product or product name) with an appropriate solvent immediately before use. Injections must be done on a weekly basis at a minimum, or more frequently as needed to maintain control.

GAS STORAGE WELLS AND SYSTEMS

Individual injection wells must be treated with a sufficient quantity of (this product or product name) by adding 36-108 ounces per 1000 gallons of water (225-675 ppm active quaternary) to produce a concentration of 281-844 ppm of product when diluted by the water present in the formation.

PIPELINE PIGGING AND SCRAPING OPERATIONS

Add (this product or product name) to a slug of water immediately following the scraper (ideally this water volume can be kept to a minimum and contained between the scraper and the trailing pig). Sufficient (product or trade name) should be added to produce a concentration of 0.625–1.875% (0.08-1.875% gallons per 100 gallons of water) depending on the length of pipe and the severity of bio-fouling.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. May be fatal if swallowed. Harmful if absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective eyewear (goggles, face shield or safety glasses). Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

(The following label statement must be retained for containers sizes of 5 gallons or more.)

ENVIRONMENTAL HAZARD

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, soap, or other anionic materials.



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE

Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer contain to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities.

(For containers equal to or less than 5 gallons)

RESIDUE REMOVAL INSTRUCTIONS

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill container with 1/4 full with water and recap. Shake 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times.

(For containers greater than 5 gallons)

RESIDUE REMOVAL INSTRUCTIONS

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill container with 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times.

SPILL OR LEAK PROCEDURES

Small spills may be mopped up, flushed away with water or absorbed on some absorbent material and incinerated. Large spills should be contained. The material then moved into containers and disposed of by approved methods for hazardous wastes.

Batch Code: (can be placed on container or on the label)