



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 6, 2016

Keshia Carswell
Senior Regulatory Specialist
Stepan Company
22 West Frontage Drive
Northfield, Illinois 60093

Subject: PRIA Label Amendment – Addition of Target Organisms
Product Name: Stepan FCSS Pouch
EPA Registration Number: 1839-232
Application Date: April 13, 2016
Decision Number: 516462

Dear Ms. Carswell:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 1839-232
Decision No. 516462

with FIFRA section 6. If you have any questions, please contact me via email at miederhoff.eric@epa.gov.

Sincerely,



Eric Miederhoff
Product Manager 31
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs
Date: September 6, 2016


Enclosure

Stepan FCSS Pouch

FRONT PANEL

ACTIVE INGREDIENTS

Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆)	
dimethyl benzyl ammonium chlorides.....	17.800%
Octyl decyl dimethyl ammonium chloride.....	13.350%
Dioctyl dimethyl ammonium chloride.....	6.670%
Didecyl dimethyl ammonium chloride.....	6.670%
(INERT)(OTHER) INGREDIENTS.....	55.510%
TOTAL.....	100.000%



NET CONTENTS(: X (total) ounces, Water Soluble Packet(s), each containing 3.27g , X (count) packet(s)

FRONT, BACK OR SIDE PANEL

<Note to reviewer: Only one of the following statements is required. Referral to "Directions for Use" is required when directions for use are only found in booklet. Choose applicable statement noted in curly bracket.>

See (side)(back) panel(s) for additional precautionary statements.

or

See booklet for {(complete) (additional)} information (and) (including) (Directions for Use)

EPA REG. NO. 1839-232

EPA EST. NO. (1839-IL-01)(xxxx-xx-xxx)

STEPAN COMPANY

22 West Frontage Rd.
Northfield, IL 60093

FRONT PANEL

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
If on Skin:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person.
(HOTLINE NUMBER: You may contact (xxx) xxx-xxxx for emergency medical treatment information.)	

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

MARKETING CLAIMS

- HARD NON-POROUS FOOD CONTACT SURFACE SANITIZER
- Cleaner, Sanitizer, Deodorizer for Homes, Institutional and Industrial Use (schools, dairies, restaurants, bars, taverns, Institutional kitchens, food handling and processing areas, Federally inspected meat and poultry plants)
- Concentrate in water-soluble packet(s)
- No need to measure sanitizer liquid concentrate
- Water-soluble packet(s)
- Kills 99.999% of bacteria in (60 seconds)(1 minute)
- Antibacterial
- This product is for use (in)(on) {insert use site from page 4}

- Stepan FCSS Pouch is designed for use in households (kitchens, tables, food preparation areas), schools, institutional kitchens (medical institution kitchens and dining areas, lodging establishment kitchens and dining areas, educational institution kitchens & dining areas), dairies, food processing plants, food service establishments, public eating establishments (restaurants, bars, taverns, cafeterias) where sanitization of food contact surfaces is of prime importance. When used as directed, (product name) will sanitize previously cleaned and rinsed, hard non-porous, food contact surfaces: food holding tanks, eating utensils, drinking glasses, counter tops and finished wood or plastic chopping blocks.
- When diluted as directed,
 - This water soluble packet concentrate (product name) can also be used for sanitization of shell eggs intended for food in shell egg and egg product processing plants when used as directed.
 - This water soluble packet concentrate (product name) contains no phosphorus.
 - This water soluble packet concentrate (product name) is for use in household food preparation areas (kitchens) and food service areas.
 - This water soluble packet concentrate (product name) can be used with a mop and bucket, sponge, cloth, low pressure coarse sprayer, hand pump trigger sprayer or by soaking.
 - This water soluble packet concentrate (product name) will not leave a grit or soap scum.
 - This water soluble packet concentrate (product name) is for use as a sanitizer on dishes, glassware, utensils and food processing equipment without potable water rinse.
 - This water soluble packet concentrate (product name) is recommended for use as a sanitizer in sanitary filling of bottles and cans.
 - This water soluble packet concentrate (product name) is recommended for use in sanitizing bottles or cans in the final rinse application, and for external spraying of filling and closing machines.
 - This water soluble packet concentrate (product name) is recommended for use as a sanitizer in beer fermentation and holding tanks.
 - This water soluble packet concentrate (product name) may be applied through automatic washing systems, immersion tanks, low pressure sprayers.
 - This water soluble packet concentrate (product name) (controls) (reduces) (eliminates) (destroys) odors to make your home (kitchen) sanitary.
 - This water soluble packet concentrate (product name) is effective against household germs and odors by animal waste, septic tank or sewage backup, smoke and bathroom and kitchen odors.
 - This water soluble packet concentrate (product name) is an effective sanitizer for use on food contact surfaces.
 - This water soluble packet concentrate (product name) may be used on washable hard, non-porous surfaces.

- This water soluble packet concentrate (product name) meets AOAC Germicidal & Detergent standards for sanitizing previously cleaned, food-contact surfaces.
- Food contact articles such as dishes, utensils (eating)(and)(or)(cooking), glasses, and silverware can be sanitized by immersion. NO POTABLE WATER RINSE REQUIRED.
- The active ingredients in this water soluble packet concentrate (product name) have been cleared by EPA in the Code of Federal Regulations (40CFR180.940) for use on food contact surfaces in public eating places, dairy-processing equipment, and food-processing equipment and utensils without the requirement of a potable water rinse after sanitization at the amounts specified by the directions for use.
- When using (this product or product name) for sanitization of previously cleaned food contact surfaces, NO POTABLE WATER RINSE is required.
- Regular, effective cleaning and sanitization of equipment, utensils, and food preparation or dining surfaces that could harbor hazardous microorganisms minimizes the probability of food contamination. Effective cleaning removes soil to prevent the accumulation of food residues, which may decompose or support the rapid development of food poisoning organisms or toxins. Application of effective sanitization procedures reduces (bacteria)(*Staphylococcus aureus*)(*Escherichia coli* (*E. coli*)) {and insert additional organism from page 5} that may be present on equipment and utensils after cleaning. Effective sanitization reduces the potential for the transfer of (bacteria)(*Staphylococcus aureus*)(*Escherichia coli* (*E. coli*)) {and insert additional organism from page 5}, either directly through tableware such as (glasses), (cups), (dishes), (flatware), (silverware) or indirectly through food between treated, hard, non-porous surfaces.
- Use (this water soluble packet concentrate or product name) on multi-touch surfaces responsible for cross-contamination.
- Recommended for use in households, public eating places (restaurants, cafeterias, bars, taverns), dairies breweries, wineries and food processing plants to sanitize hard, non-porous, food contact surfaces. Tests show that this product is an effective hard, non-porous food contact surface sanitizer.

SANITIZATION CLAIMS

- This water soluble packet concentrate (product name) is formulated as an effective food contact surface sanitizer.
- Eliminates odors caused by bacteria (and) (spoiled foods).
- Kills odor causing bacteria (in the kitchen).
- Sanitizes kitchen surfaces.
- Institutional sanitizer.
- Just spray and (&) walk away (no rinsing) after 1 minute (60 seconds).
- Kills 99.999% of bacteria(:) *Staphylococcus aureus* (*Staph*) ATCC #6538, *Escherichia coli* (*E. coli*) ATCC #11229, (and {insert organism from page 5}) on (kitchen surfaces)(food processing surfaces)(public eating establishments surfaces)(dairy processing surfaces) in 1 minute (60 seconds).
- Kills 99.999% of bacteria: *Staphylococcus aureus* (*Staph*) ATCC #6538, *Escherichia coli* (*E. coli*) ATCC #11229 (and {insert organism from page 5}) in 1 minute (60 seconds).
- Kills 99.9% of bacteria in (just) 60 seconds*
- (Acts as) an effective sanitizer
- Formulated for sanitization
- Sanitizing (formula)(formulation)
- (This product is) a no rinse cleaner that sanitizes in one (easy)(labor saving) step.
- This product is an effective sanitizer against *Staphylococcus aureus* (*Staph*) (ATCC 6538) and *Escherichia coli* (*E. coli*) (ATCC 11229).
- Kills 99.9% of {insert sanitization pathogen from page 5} in (just) 60 seconds(!)*

SURFACES & USE SITES

Hard, non-porous surfaces:

<Note to Reviewer: Product label may include a graphic depiction of hard, non-porous surfaces listed below.>

Appliances	Tables	Glass
Blenders	Kitchen equipment	High chairs
Buggies		Kitchens
(Cooking)(eating) utensils	Food processors	Refrigerators
Coolers	Chrome	Sinks
Cutlery	Vinyl	Stovetops
Dishes	Plastic	Beer fermentation & holding tanks
Drinking fountains	Plastic (and other) non-porous cutting boards	Beer bottling or pre-mix dispensing equipment
Glassware	Silverware	Formica®
Glazed ceramic	Slurpee® machines	Stainless steel
Glazed fiberglass	Non-wooden picnic tables	Metal ¹
Glazed porcelain	Countertops	Racks
Ice chests	Enameled surfaces	Citrus processing equipment and holding tanks
Ice machines	Dupont™ Corian® surfaces	DuPont™ Zodiaq® surfaces
Sealed granite	Painted woodwork	Sealed terra cotta
Sealed grout	Sealed sandstone	Sealed Saltillo
Sealed marble	Sealed limestone	Sealed textured stone
Sealed marble	Sealed flagstone	Sealed honed stone
Sealed natural stone	Sealed polished stone	Trays
Sealed travertine	Sealed slate	
Sealed tumbled stone	Sealed bluestone	

Use Sites:

Acute care institutions ¹	Dairy farms	Ice cream processing plants
(Meat)(poultry) processing plants	Dining areas	Kitchens
(Meat)(poultry) producing establishments	Donut shops	Liquor stores
Alternate care institutions ¹	Dormitories	Lodging establishments
Bagel stores	Egg flats	Milk processing plants
	Egg processing plants	Motels
Bakeries	Egg receiving (and holding) areas	Pizzerias
Bars	Fast food operations	Potato processing plants
Bed & Breakfasts	Fishery processing plants	Poultry (premises)(buildings)
Cafeterias	Food establishments	Recreational (picnic) facilities
Chick holding room	Food preparation (and storage areas)	Restaurant
Chick (processing)(loading) area	Food processing plants	Schools
Citrus processing plants	Food storage areas	Setter room
Cocktail lounges	Grocery stores	Supermarkets
Coffee shops	(Hatcheries)(hatchery room)	Taverns
Colleges	Home healthcare institutions ¹	Tray dumping area
Convenience stores	Hotels	Universities

Bracketed information is denoted as: {insert as noted }, (optional text), [required qualifier], <note>.
The term "this product" used throughout this document may be replaced with the marketed product brand name.
The term "x" is a place holder for numerical digits.
Punctuation and plural/singular word forms may be adjusted to allow for grammatical correctness.

CLAIM QUALIFIERS

* When used as directed, this product (sanitizes in 60 seconds)(is an effective sanitizer) against *Staphylococcus aureus* (ATCC 6538), *Escherichia coli* (*E. coli*) (ATCC 11229) {and insert additional organism from page 5} on hard, non-porous, food contact surfaces.

¹[This product or product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.] or [This product or product is not for use on critical and semi-critical medical device surfaces.]

MICRO-ORGANISMS

This product has been tested and found to be efficacious against the following micro-organisms on hard, non-porous surfaces:

SANITIZATION – FOOD CONTACT		
Bacteria		Contact Time
Staphylococcus aureus (Staph)	(ATCC 6538)	60 Seconds
Escherichia coli (<i>E. coli</i>)	(ATCC 11229)	60 Seconds
Salmonella enterica	(ATCC 10708)	60 Seconds
Shigella sonnei	(ATCC 11060)	60 Seconds
Listeria monocytogenes	(ATCC 35152)	60 Seconds
Escherichia coli (<i>E. coli</i>) O157:H7	(ATCC 43895)	60 Seconds

ADVISORY STATEMENTS

- To reduce cross-contamination on treated, hard, non-porous surfaces, kitchenware and equipment food contact surfaces must be washed, rinsed with potable water and sanitized after each use and following any interruption of operation during which time contamination may have occurred.
- Where equipment and utensils are used for the preparation of foods on a continuous production-line basis, utensils and equipment food-contact surfaces must be washed, rinsed with potable water and sanitized at intervals throughout the day on a schedule based on food temperature, type of food, and the amount of food particle accumulation.

DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOOD CONTACT SURFACE SANITIZATION DIRECTIONS

Sanitization: Use a mop, sponge, cloth, low pressure coarse sprayer or hand pump trigger sprayer to apply the use solution (sanitizing solution). Prior to application, pre-flush, pre-soak, and/or pre-scrape surfaces to be sanitized. Thoroughly wash or flush surfaces with a good detergent, followed by a potable water rinse before applying (this sanitizer)(this product).

Before use as a sanitizer in federally inspected meat and poultry plants and dairies, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following use of this product on previously cleaned, hard non-porous surfaces provided that the surfaces are adequately drained before contact with food.

Use Solution Preparation: To sanitize pre-cleaned and potable water-rinsed, hard, non-porous, food contact surfaces, prepare a 384 ppm active quaternary solution by adding 1 (one) 3.27 gram (g) packet(s) to 1 (one) gallon of water [or 4 (four)(x) 3.27 gram (g) packets to 4 (four)(x) gallon(s) of water or equivalent use dilution.]

(This water soluble packet concentrate or product name) when diluted as directed delivers 384 ppm active quaternary solution which kills 99.999% of bacteria: *Staphylococcus aureus* (*Staph*) ATCC #6538, *Escherichia coli* (*E. coli*) ATCC #11229 (and {insert organism from page 5}) in 60 seconds in accordance with the AOAC Germicidal and Detergent Sanitizing Action of Disinfectants test.

SITE AND APPLICATION SPECIFIC DIRECTIONS FOR USE

To sanitize immobile items such as tanks, plastic chopping blocks, food processing equipment (grinders, slicers, choppers), food work areas, plastic tables (non-wooden picnic tables), appliances (microwaves, stoves, refrigerators) and countertops:

1. Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. Tilt movable surfaces for proper drainage. Rinse with potable water.
2. Apply the use solution (384 ppm active quaternary solution) via hand pump trigger sprayer or low pressure coarse sprayer.
3. Wet surfaces thoroughly for 60 seconds (1 minute).
4. Let surfaces drain and air dry. Do not rinse or wipe.
5. The use solution (sanitizing solution) must be replaced with fresh product (sanitizing solution) daily or more frequently if it becomes visibly soiled.

To sanitize countertops:

1. Prior to application, pre-clean surfaces by following the pre-cleaning instructions above
2. Spray the use solution (sanitizing solution) onto (surface) (countertop) until thoroughly wet.
3. Allow (surface) (countertop) to remain wet for (60 seconds) (1 minute).
4. Let (surface) (countertop) air dry or wipe with a clean (cloth) (towel) (paper towel). Do not rinse (surface) (countertop).

To sanitize mobile items such as drinking glasses, cookware, dishware and eating utensils:

1. Prior to application, pre-clean surfaces by following the pre-cleaning instructions above
2. Immerse articles in the use solution (sanitizing solution) (384 ppm active quaternary solution) for 60 seconds (1 minute) or longer if specified by local government sanitary code making sure to immerse completely.

Place sanitized articles on a rack or drain board to air dry. Do not rinse or wipe.

Sanitization of food contact surfaces in public eating places, dairy-processing equipment, and food-processing equipment and utensils subject to regulation under 40CFR180.940(a):

1. Prior to application, pre-clean surfaces by following the pre-cleaning instructions above.
2. Sanitize by immersing articles in the use solution (sanitizing solution) (384 ppm active quaternary) for at least 60 seconds (1 minute). Articles too large for immersion should be thoroughly wetted by rinsing, spraying or swabbing.
3. Remove immersed items from solution to drain and then let air dry. Non-immersed items should also be allowed to air dry.
4. Prepare fresh use solution for every application.

<This statement is required for marketing food contact sanitizers in Wisconsin.>

WISCONSIN STATE DIVISION OF HEALTH

DIRECTIONS FOR EATING ESTABLISHMENTS

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner.
3. Rinse with clean water.
4. Sanitize in use solution (sanitizing solution) (384 ppm active quaternary solution). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drain board to air dry.
6. Fresh use solution should be used at least daily or when visibly soiled.

NOTE: A clean potable water rinse following sanitization is not permitted under Section DHS 196 Appendix 4-904.14 of the Wisconsin Food Code.

U. S. PUBLIC HEALTH SERVICE FOOD SERVICE SANITIZATION RECOMMENDATIONS

Cleaning and sanitizing: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above

1. Rinse utensils and equipment thoroughly with potable water.
2. Sanitize equipment and utensils by immersion in the use solution (sanitizing solution) (384 ppm active quaternary solution) for at least 60 seconds (1 minute) at a temperature of 75°F.
3. For equipment and utensils too large to sanitize by immersion, apply use solution (sanitizing solution) (384 ppm active quaternary solution) by rinsing, spraying or swabbing until thoroughly wet for at least 60 seconds (1 minute).
4. Allow sanitized surface to drain and air dry. Do not rinse.
5. Prepare fresh use solution for every application.

For mechanical sprayer operations: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. Apply the use solution (sanitizing solution) to pre-cleaned, hard, non-porous food contact surfaces with a low pressure coarse sprayer or hand pump trigger sprayer. Spray the use solution (sanitizing solution) (384 ppm active quaternary solution) 6-8 inches from surface. Allow the surface to remain thoroughly wet for at least 60 seconds (1 minute). Drain surface of excess liquid and allow to air dry. **NO POTABLE WATER RINSE IS REQUIRED.** Do not breathe spray mist.

Sanitization of beverage dispensing equipment: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above

1. Wash equipment with a compatible detergent and rinse with potable water prior to sanitizing.
2. Fill equipment with the use solution (sanitizing solution) (384 ppm active quaternary).
3. Allow use solution (sanitizing solution) (384 ppm active quaternary solution) to remain in equipment for at least 60 seconds (1 minute).
4. Drain thoroughly and allow to air dry before reuse. **NO POTABLE WATER RINSE IS REQUIRED.**

Sanitization of sanitary filling equipment: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. Use the use solution (sanitizing solution) (384 ppm active quaternary) for final washer and rinser applications. Allow surfaces to remain wet for at least 60 seconds (1 minute). Drain thoroughly and allow to air dry before reuse. **NO POTABLE WATER RINSE IS REQUIRED.**

Sanitization of beer fermentation and storage tanks: Recommended for sanitization of beer fermentation and holding tanks, citrus and food processing storage and holding tanks. Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. Use the sanitizing solution (384 ppm active quaternary) for mechanical or automated systems. Allow surfaces to remain wet for at least 60 seconds (1 minute). Drain thoroughly and allow to air dry before reuse. NO POTABLE WATER RINSE IS REQUIRED. For mechanical operations or automated systems, use solution (sanitizing solution) (384 ppm active quaternary solution) may not be reused for sanitization. Prepare a fresh use solution for each application.

Sanitization of food processing equipment and dairies: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. Then apply the use solution (sanitizing solution) (384 ppm active quaternary solution). Allow surfaces to remain wet for at least 60 seconds (1 minute). Drain thoroughly and allow to air dry before reuse. NO POTABLE WATER RINSE IS REQUIRED.

For continuous treatment of meat and poultry or fruit and vegetable conveyors: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. Apply the use solution (sanitizing solution) (384 ppm active quaternary solution) to conveyors with suitable feeding equipment. Allow surfaces to remain wet for at least 60 seconds (1 minute). Drain thoroughly and allow to air dry before reuse. Do not allow this product (product name) to be sprayed directly on food. Controlled volumes of this product (product name) are applied to return portion of conveyor through nozzles so located as to permit maximum drainage of this product (product name) from equipment and to prevent puddles on top of belt. During interruptions in operation, use a low pressure coarse sprayer to apply the use solution (sanitizing solution) (384 ppm active quaternary solution) to equipment, peelers, collators, slicers, and saws. Conveyor equipment must be free of product when applying this coarse spray.

To sanitize previously cleaned food-grade eggs: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. For use in shell egg and egg product-processing plants, spray the use solution (sanitizing solution) (384 ppm quaternary). Allow surfaces to remain wet for at least 60 seconds (1 minute). Drain thoroughly and allow to air dry before reuse. The use solution (sanitizing solution) (384 ppm quaternary) should be warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinse only if they are broken immediately for use in the manufacture of egg products. Eggs should be reasonably dry before casing or breaking. The use solution (sanitizing solution) (384 ppm quaternary solution) should not be reused for sanitizing eggs. Prepare a fresh use solution for each application.

Sanitization of Fisheries, Citrus, Potato, Milk and Ice Cream Processing Plants: The use solution (sanitizing solution) (384 ppm active quaternary solution) can be used as a sanitizer on conveyor belts and equipment to reduce or eliminate odors in processing areas. For use on filling equipment to reduce bacteria associated with condensation on condensers or piping. Follow the directions for sanitizing food contact surfaces.

Dressing Plant Sanitizer: Use the use solution (sanitizing solution) (384 ppm active quaternary solution) to sanitize equipment, utensils, walls, floors, offal rooms and loading platforms in poultry and animal dressing plants. Cover or remove all food and packaging materials and remove all heavy soils prior to sanitization. Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. Saturate all surfaces with this product. Scrub to loosen all soils. Surfaces must remain wet for 60 seconds (1 minute). Adequately drain surfaces of excess liquid and let air dry. A potable water rinse is not required following the use of (this product) (product name).

Restaurant and Bar Sanitizer: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. To apply the use solution (sanitizing solution) (384 ppm active quaternary solution) to pre-cleaned dishes, glassware, silverware, cooking utensils, immerse in the use solution (sanitizing solution) (384 ppm active quaternary solution). Allow article (surface) to remain wet for at least 60 seconds (1 minute). Drain thoroughly before reuse.). NO POTABLE WATER RINSE IS REQUIRED.

Water Coolers, Water Holding Tanks and Pressure Tanks: Sanitization should occur after initial installation, after the system is serviced and periodically during its use. Prior to application, pre-clean surfaces by following the pre-cleaning instructions above.

1. Shut off incoming water line.
2. Units/tanks must be washed with a compatible detergent and rinsed with potable water before sanitizing.

3. Sanitize unit with (this product)(product name) (384 ppm active quaternary solution).
4. Apply use solution or circulate (if possible) to wet all surfaces and allow a minimum contact of 60 seconds (1 minute).
5. Drain the unit.
6. Return to service by opening incoming water lines.

Sanitization of Refrigerated Food Processing Equipment (Ice Machines, Refrigerated Storage & Display Equipment): Prior to application, pre-clean surfaces by following the pre-cleaning instructions above. NO POTABLE WATER RINSE IS REQUIRED.

1. Turn off refrigeration.
2. Wash and rinse all surfaces thoroughly.
3. Apply the use solution (sanitizing solution) (384 ppm active quaternary solution) by mechanical spray, direct pouring or by re-circulating through the system. Surfaces must remain wet for at least 60 seconds (1 minute) followed by complete draining and drying. Fresh use solution must be used for each sanitization. No potable water rinse is required when this product is used as directed.
4. Return machine to service.

Sanitization of Interior Hard, Non-Porous Surfaces of Water Softeners and Reverse Osmosis (RO) Units: Prior to application, pre-clean surfaces by following the pre-cleaning instructions above.

Water Softeners: Sanitization should occur after initial installation, after the system is serviced and periodically during its use.

1. Units/tanks must be washed with a compatible detergent and rinsed with potable water before sanitizing.
2. Backwash the softener and add the use solution (sanitizing solution) (384 ppm active quaternary solution) to the brine tank well. (NOTE: standard system capacity is 48 gallons). (The brine tank should have water in it to permit the solution to be carried into the softener).
3. Proceed with the normal regeneration or interrupt the cycle after the brining step and let the softener soak for a minimum of 60 seconds (1 minute).
4. Drain this product from the unit.

Reverse Osmosis (RO) Units: Sanitization should occur after initial installation, after the system is serviced and periodically during its use.

1. Turn off RO system, drain storage tank and remove membrane element and pre-filters. Put membrane element in a plastic bag so it remains wet. Do not use this product to sanitize the membrane unit; it must be sterilized.
2. Units/tanks must be washed with a compatible detergent and rinsed with potable water before sanitizing.
3. Fill empty pre-filter housing with the use solution (sanitizing solution) (384 ppm active quaternary solution). (NOTE: standard system capacity is 1-2 gallons).
4. After holding tank is full, let system stand idle for a minimum of 60 seconds (1 minute). Drain holding tank.
5. Follow the manufacturer's directions for re-installation of new pre-filters, membrane element and post filter.

Sanitization of Interior Hard, Non-Porous Surfaces of Ice Machines, Water Coolers, Water Holding Tanks and Pressure Tanks

Ice Machines: Sanitization should occur after initial installation, after the machine is serviced and periodically during its use.

1. Shut off incoming water line to machine.
2. Units/tanks must be washed with a compatible detergent and rinsed with potable water before sanitizing.
3. Sanitize unit with (this product)(product name) (384 ppm active quaternary solution).
4. Circulate use solution through machine making sure to wet all surfaces and allow a minimum contact of 60 seconds (1 minute).
5. Drain the unit.
6. Return machine to normal operation.

PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear overalls worn over long-sleeved shirt and long pants, socks, and chemical-resistant footwear, waterproof or chemical-resistant gloves, and goggles or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

<NOTE: Required for products supplied in containers 5 gallons or greater>

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Contains no phosphorus.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE	Store in a dry place no lower in temperature than 50°F or higher than 120°F.
PESTICIDE DISPOSAL	Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER STORAGE/DISPOSAL	Store in an area inaccessible to children. Container: Tightly close lid between uses. Non-refillable container. Do not reuse or refill this container. Offer empty container for recycling if available or discard in trash.

Water Soluble Packet Label:

STEPAN FCSS POUCH

ACTIVE INGREDIENTS

Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆)	
dimethyl benzyl ammonium chlorides.....	17.800%
Octyl decyl dimethyl ammonium chloride.....	13.350%
Dioctyl dimethyl ammonium chloride.....	6.670%
Didecyl dimethyl ammonium chloride.....	6.670%
(OTHER)INERT INGREDIENTS.....	55.510%
TOTAL.....	100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER CORROSIVE

See master label for additional precautionary statements and use directions.

EPA REG. NO. 1839-232

EPA EST. NO. (1839-IL-01) (xxx-xx-xxx)

STEPAN COMPANY

22 West Frontage Road • Northfield, IL 60093

Add one(x) packet(s) in **1(x) GALLON(S)** of water.

NET WEIGHT CONTENTS: **3.27 grams (g)**