

RECEIVED

AUG 27 1982

275-42

WETTABLE POWDER

Active ingredient: Serotype H-14, 2,000 *Aedes aegypti* International Toxic Units (ITU) per milligram (Equivalent to 0.91 billion ITUs per pound) 2%
Inert ingredients 98%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for additional precautionary statements.

EPA Registration No. 275-45
EPA Est. No. 33782-1A-1
Filed by weight, not volume
List No. 5098

NET WEIGHT: 1 LB.

APPLICATION DIRECTIONS

MOSQUITOES	Application Rate Range
Injection ditches, roadside ditches, flood water, standing ponds	0.25 - 1.0 lb/Acre
Catch basins, storm water retention areas, tidal water, salt marshes and Mos Fields	0.25 - 1.0 lb/Acre
Polluted water, sewage lagoons, etc.	0.50 - 2.0 lb/Acre

Use higher rate when late in season or when larvae are abundant, mosquito populations are high, water is heavily polluted, and/or sites are abundant.

For aerial application, apply recommended rate in 2 to 10 gallons of water per acre. For ground application, apply in enough water to sufficiently cover the area to be treated. Uniform coverage is necessary for best results.

A 3 to 5 day interval between applications should be employed. When non-target aquatic invertebrates, predators are present, longer periods of suppression may result since these beneficials would be conserved to eat in mosquitoes population management.

BLACK FLIES - Not Registered in California
0.5 to 3 mg product per liter of treated water (0.5 to 3 ppm)

Use higher rate when late in season or when larvae are abundant, the water is heavily polluted, and/or sites are abundant. When a shorter release time is employed, the rate may be increased to 10 ppm.

Apply upstream from infested areas by either continuous spray or intermittent release for 10 to 30 minutes.

For all states except California.

NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

Not for sale
or use after

Chemical & Agricultural Products Division
Abbott Laboratories
North Chicago, Illinois 60064

00-5000-2/81

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING!

Harmful if swallowed. May be absorbed through skin. Causes skin irritation. Avoid breathing vapor or spray mist. Do not get in eyes, on skin, or on clothing.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, do not induce vomiting. Call a physician immediately. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Combustible: Keep away from heat, sparks or open flame. Use with adequate ventilation.

STORAGE AND DISPOSAL

1. Do not reuse empty container.
2. Wrap container and put in trash collection.

REV. C821001-0

TRIANGLE
CHEMICALS

ACCEPTED

OCT 14 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for this product registered under EPA Reg. No. 1842-3

COPPER NAPHTHENATE CN - 80

ACTIVE INGREDIENTS:

Copper Naphthenate.....	80%
Petroleum Hydrocarbons.....	20%
	100%

For controlling decay of wood and fabrics. For Termite control.

(8% Metallic Copper by Weight)

(Each Gallon Contains 0.7 Pounds Metallic Copper)

KEEP OUT OF REACH OF CHILDREN

WARNING!

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

Mfg. By
TRIANGLE CHEMICAL
Macon, Georgia

EPA Reg. No. 1842-3
EPA Est. No. 1842-GA-1

NET CONTENTS GALLON

BEST DOCUMENT AVAILABLE

**TRIANGLE
CHEMICALS**

ACCEPTED
OCT 14 1962
Under the Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 1842-3

COPPER NAPHTHENATE CN - 80

ACTIVE INGREDIENTS:

Copper Naphthenate.....	80%
Petroleum Hydrocarbons.....	20%
	100%

For controlling decay of wood and fabrics. For Termite control.

(8% Metallic Copper by Weight)

(Each Gallon Contains 0.7 Pounds Metallic Copper)

KEEP OUT OF REACH OF CHILDREN

WARNING!

**SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

Mfg. By
TRIANGLE CHEMICAL
Macon, Georgia

EPA Reg. No. 1842-3
EPA Est. No. 1842-GA-1

NET CONTENTS GALLON

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Add 1 gallon of concentrated preservative to 9 gallons of mineral spirits, kerosene, or fuel oil. The resulting product contains approximately 1% metallic copper by weight. If surface is to be painted, mineral spirits is preferred because it dries quicker. Timber should be dry. If necessary to cut wood after treatment swab cut surfaces thoroughly.

LUMBER, SASH, FRAMES, TOOL HANDLES, ETC., should be sprayed, painted, or dipped for 3 minutes in the preservative diluted 9 to 1. If the surface is to be painted, a single coat will be sufficient; otherwise, two or more coats as the more penetration the better the protection. Wood coming in contact with the ground or exposed to severe moisture should be soaked thoroughly. Painted surfaces that show mildew should be scraped to remove loose paint. Apply preservative by brush or spray and allow to dry thoroughly, then paint.

FOR TERMITES ALREADY IN BUILDING. Locate and destroy tunnels. Replace badly damaged wood with new treated pieces. Soak exposed wood with preservative by spray or brush.

NOTE: Copper-N will not control termites already in building, but termites which are contacted by the product will be killed. For complete control of termites, treat soil around foundations and pillars with approved soil treatment such as Triangle DIE-TERMITE.

FOR TREATING FENCE POSTS dilute 2 1/2 gallons of concentrated preservative in an open barrel to 50 gallons with fuel oil. Mix well. Fill another barrel with posts to be treated and pour in diluted preservative until barrel is full. Soak 24 hours, then turn the posts end for end and soak an additional 24 hours. The posts may be set out any time thereafter.

TENTS, TARPAULINS, ROPES, FISH NETS, ETC., should be treated by using a solution of 1 gallon of concentrate to 9 gallons of fuel oil. Spray, brush or dip. If added water-proofing is desired use 1 lb. of melted paraffine dissolved in each 10 gallons of diluted preservative.

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty or merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

BEST DOCUMENT AVAILABLE