


Net Weight Lbs.

TRIANGLE 15% Parathion Wettable Powder



ACTIVE INGREDIENT

Parathion (O,O-diethyl O-p-nitrophenyl thiophosphate) .15%

INERT INGREDIENTS 85%

100%



DANGER! Keep Out of Reach of Children!

ADSORBED POISON - PRECAUTIONS



POISONOUS IF SWALLOWED
This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT
Poisonous if touched by hands or spilled or splashed on skin in eyes or on clothing (liquid goes through clothes)

POISONOUS IF BREATHED
Breathing vapors, spray mist or dust may be fatal

DANGER
Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms progressing, rapidly increase susceptibility to parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or treatment. Do not contaminate feed or foodstuffs. KEEP AWAY FROM HEAT AND OPEN FLAME.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, shrimp, crabs, and other wildlife. Birds and other wildlife in treated areas may be killed if they eat crops or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift. Do not contaminate water by cleaning of equipment or disposal of wastes. **APPLY THIS PRODUCT ONLY TO CERTIFIED ON THIS LABEL.**

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

POISON **POISON**
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING
FIRST AID PROCEDURES, ANTIDOTES AND PHYSICIAN'S INSTRUCTIONS.

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils. Parathion may also result in central nervous system stimulation with hyperirritability, convulsions, and/or coma.

FIRST AID TREATMENT

SYMPTOMS OF POISONING: A sense of "tightness" in the chest, Sweating, Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: Ethyl Parathion exerts muscarinic-like effects--ie, stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patients tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of Parathion Poisoning. Refer to "Clinical Handbook On Economic Poisons".

DIRECTIONS FOR USE

This is a concentrated insecticide and must be diluted for use. Mix by adding the full amount without spillage to spray tank with pump and agitator running.

Consult state agriculture experiment station or state extension service specialists for timing of applications.

PEACHES For plum Curculio, use 1-3 lbs. per 100 gals. water. Add 6 lbs. of 80% wettable sulphur. Do not apply more than 5 lbs. actual parathion per year. Apply at petal fall and 10-14 days thereafter until control is achieved.

CITRUS FLORIDA For control of purple scale, cottony cushion scale, Florida red scale, snow scale & mealy bug use 1-3 lbs. per 100 gals. in full cover spray between June and October.

POISONOUS IF SWALLOWED
This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing. Spray dust may be fatal.

POISONOUS IF BREATHED
Breathing vapors, spray mist or dust may be fatal.

DANGER
POISONOUS IF SWALLOWED. Inhalation is also bad through the skin. Rapidly absorbed through the skin. Eyes: Do not get in eyes. Do not breathe spray mist or vapor. Repeated inhalation or skin contact may without symptoms progressively increase sensitivity. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention at once. Do not contaminate feed or foodstuffs.

KEEP AWAY FROM HEAT AND OPEN FLAME

POISONOUS TO FISH AND WILDLIFE

This product is highly toxic to fish, shrimp, crabs and other wildlife. Birds and other wildlife in treated areas may be killed. Keep streams, ponds, etc., from runoff. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift. Do not contaminate water by cleaning of equipment or disposal of wastes. **APPLY THIS PRODUCT ONLY ON CROPLAND ONLY ON THIS LABEL.** This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear sturdy, leather gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling or applying this product. Wear a face mask or respirator of a type passed by the U. S. Bureau of Mines for use.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. See a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers. Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Burn rinse solution at least 18 inches deep in isolated areas of cropland away from water surfaces. Do not perforate container to prevent further use and dispose of by burying with wastes or by burning. Keep out of smoke.

NOTICE OF WARRANTY

Supplier warrants that this product conforms to its stated analysis and to the physical characteristics as herein described. It neither this warranty nor any other warranty, either express or implied, extends to the use of this product in any manner, or under conditions, not reasonably foreseeable to the supplier, or for any such use.

Exposure may also result in central nervous system stimulation with hyperirritability, convulsions, and/or coma.

FIRST AID TREATMENT

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: Parathion is an exotoxin muscarinic-like effector, i.e., stimulator of the parasympathetic nervous system. Repeated use of a parasympathetic depressant such as atropine to the limit of patients tolerance is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of parathion poisoning. Refer to "Clinical Handbook On Toxicology of Poisons."

DIRECTIONS FOR USE

This is a concentrated insecticide and must be diluted for use. Mix by adding the full amount without spillage to spray tank with pump and agitator running.

Consult state agricultural experiment station or state extension service specialists for timing of applications.

PEACHES: For plum Curacao, use 1 1/4 lbs. per 100 gals. water. Add 6 lbs. of 80% wettable sulphur. Do not apply more than 5 lbs. actual parathion per year. Apply at petal fall and 10-14 days thereafter until control is achieved.

CITRUS FLORIDA: For control of purple scale, cottony cushion scale, Florida red scale, snow scale & mealy bug use 1 1/4 lbs. per 100 gals. in full cover spray between June and September.

BEANS: Mexican bean beetles, leaf hopper, Aphids, army worms, leaf rollers and leaf miners, use 2 lbs. per acre at 5-10 day intervals as required. For Red Spider use 1 1/4 lbs. of Product per acre.

Peaches: For Aphids use 1 1/4 lbs. in sufficient water to cover one acre.

SQUASH, MELONS & CUCUMBERS: For cucumber beetle, melon worm, serpentine leaf miner, aphids & pickle worms, use 1 1/4 lbs. per acre. DO NOT APPLY before plants begin to flower.

POTATOES & TOMATOES: For Colorado potato beetle, flea beetle, leaf hopper, & aphids apply 1 1/4 lbs. of product per acre.

CABBAGE & COLE CROPS: For diamond back moth, imported cabbage worm and army worm. Use 2 lbs. per acre. For Aphids & Thrips use 1 1/4 lbs. acre.

CELERY: For Aphids & Celery worms use 1 1/4 lbs. per acre.

TOBACCO: For Aphids in seed bed apply 1 1/4 lbs. of product per 100 square yards.

CAUTION

Not for gardens and read directions carefully before using. DO NOT APPLY to peaches, citrus or vegetable crops within 30 days of harvest. DO NOT apply to tobacco within 5 days of planting or 15 days before cutting. Avoid getting wet with plant juices when cutting. When working in or entering fields within 24 hours after application, protective clothing should be worn.

CAUTION: Do not graze dairy animals or animals being finished for slaughter. Workers entering fields within 24 hours after application should wear protective clothing. Do not use on forage crops to be fed to or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or their property.

Manufactured by **TRIANGLE CHEMICAL COMPANY** Macon, Georgia