

BEST DOCUMENT AVAILABLE



ACCEPTED
1842-10
AUG 25 1978
This is the Federal Insecticide,
Fungicide, and Rodenticide Act,
and the Federal Pesticide
Law, 7 U.S.C. 136-137
1974, 16 U.S.C. 1401-1402

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

NET WEIGHT.....LBS.

TRIANGLE 15% Parathion Wettable Powder

ACTIVE INGREDIENT

Parathion [O,O-diethyl O-p-nitrophenyl thiophosphat^e]15%

INERT INGREDIENTS.....85%


100%



POISON


DANGER: Keep Out of Reach of Children.

DANGER — POISON — PRECAUTIONS




DO NOT SWALLOW

POISONOUS IF SWALLOWED
This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



DO NOT TOUCH

POISONOUS BY SKIN CONTACT
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



DO NOT BREATHE

POISONOUS IF BREATHED
Breathing vapors, spray mist or dust may be fatal.

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin! Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor.

Repeated inhalation or skin contact may, without symptoms progressively increase susceptibility to parathion poisoning. Clothing wet with this material must be removed immediately.

Exposed persons must receive prompt medical attention or they may die. Do not contaminate feed or foodstuffs.

KEEP AWAY FROM HEAT AND OPEN FLAME.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, shrimp, crabs, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a face mask or respirator of a type passed by the U. S. Bureau of Mines for parathion.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers.

Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncrops and away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning (Keep out of smoke)

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

POISON POISON
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.
FIRST AID PROCEDURES, ANTIDOTES AND PHYSICIAN'S INSTRUCTIONS.

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils. Poisoning may also result in central nervous system stimulation with hyperirritability, convulsions, and/or coma.

FIRST AID TREATMENT

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: Ethyl Parathion exerts muscarine-like effects—i.e., stimulation of the para-sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patients tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of Parathion Poisoning. Refer to "Clinical Handbook On Economic Poisons".

DIRECTIONS FOR USE

This is a concentrated insecticide and must be diluted for use. Mix by adding the full amount without spillage to spray tank with pump and agitator running.

Consult state agricultural experiment station or state extension service specialists for timing of applications.

PEACHES — For plum Curculio, use 1 3/4 lbs. per 100 gals. water. Add 6 lbs. of 80% wettable sulphur. Do not apply more than 5 lbs. actual parathion per year. Apply at petal fall and 10-14 days thereafter until control is achieved.

CITRUS FLORIDA — For control of purple scale, cottony cushion scale, Florida red scale, snow scale & mealy bug use 1 1/4 lbs. per 100 gals. in full cover spray between June and September.

BEANS — Mexican bean beetles, leaf hopper, Aphids, army worms, leaf rollers and leaf miners, use 2 lbs. per acre at 7-10 day intervals as required. For Red Spider use 1 1/4 lbs. of Product per acre.

PEAS — For Aphids use 1 1/4 lbs. in sufficient water to cover one acre.

SQUASH - MELONS & CUCUMBERS — For cucumber beetle, melon worm, serpentine leaf miner, aphids & pickle worms, use 1 1/4 lbs. per acre. DO NOT APPLY before plants begin to vine.

POTATOES & TOMATOES — For Colorado potato beetle, flea beetle, leaf hopper, & aphids apply 1 1/4 lbs. of product per acre.

CABBAGE & COLE CROPS — For diamond back moth, imported cabbage worm and army worm. Use 2 lbs. per acre. For Aphids & Thrips use 1 1/4 lbs. acre.

CELERY — For Aphids & Celery worms use 1 1/4 lbs. per acre.

TOBACCO — For Aphids in seed bed apply .4-.5 lbs. of product per 100 square yards.

CAUTION

Note cautions and read directions carefully before using. — DO NOT APPLY to peaches, citrus or vegetable crops within 30 days of harvest. DO NOT apply to tobacco within 5 days of priming or 15 days before cutting. Avoid getting wet with plant juices when cutting. When necessary to enter fields within 24 hours after application, protective clothing should be worn.

CAUTION: Do not graze Dairy Animals or Animals being finished for slaughter.

Workers entering fields within 24 hours after application should wear protective clothing. Do not use on forage crops to be fed to or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

BEST DOCUMENT AVAILABLE

Net WeightLbs.

Manufactured by TRIANGLE CHEMICAL COMPANY

Macon, Georgia