

DIRECTIONS FOR USE

RESIDUAL SPRAY IN BUILDINGS

For mosquitos, flies and sand flies (culicoides) add 1 part of emulsifiable concentrate to 38 parts of water (3¼ ounces of emulsifiable concentrate per gallon of water) and mix thoroughly. This makes a 0.5% lindane spray. Apply thoroughly to surfaces just short of runoff. One gallon of spray will treat about 750 square feet, resulting in a deposit of about 25 mg. of lindane per square foot of surface area. Where people dwell, limit spray to spot application where insects are found.

For roaches, ants, and fleas, mix as above and apply 0.5% lindane emulsion as a surface spray to cracks, crevices and other places where roaches and ants crawl or hide. For fleas, apply to floor areas at the rate of 1 gallon for each 750 square feet. Where people dwell, limit spray application to where the insects are found.

OUTDOOR SPRAY

For mosquitos, flies and sand flies (culicoides). For temporary control of these insects around buildings, add 1 part of concentrate to 49 parts of water. (2.6 ounces per gallon of water) and mix thoroughly. This makes a 0.4% lindane spray. Apply lightly to vegetation, tree trunks, and other surfaces at the rate of 5 to 10 gallons per acre depending on the amount of vegetation and other surfaces to be treated.

For mites, chiggers and fleas, mix as above and apply as a spray to ground litter and low vegetation at the rate of 10 to 20 gallons per acre. For flea control apply at the same rate to infested grounds and under buildings.

TRIANGLE 20% LINDANE EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS:

Gamma Isomer of Benzene Hexachloride
from Lindane 20.0%

Petroleum Hydrocarbons 75.0%

INERT INGREDIENTS 5.0%

100.00%

CAUTION: Keep Out of Reach of Children.

This product is intended for use only by or under direction of trained or experienced persons such as Pest Control Operators and Public Health Officials.

INFLAMMABLE MIXTURE. STORE AWAY FROM FLAMES

Triangle Chemical Company makes no warranty expressed or implied regarding this product.

Manufactured by

Triangle Chemical Company
MACON, GEORGIA

NET CONTENTS



CAUTIONS

Lindane is a highly toxic chemical. It must be handled and used only when special precautions are observed. Concentrated solution must be diluted with water as directed before use. This solution should be used only under the supervision of trained personnel. It is not to be used on humans and animals, including cattle. Protective clothing and equipment will be worn when the insecticide is handled or used.

Small amounts taken internally or absorbed through the skin may produce symptoms of poisoning. In case of spillage on the skin, wash with soap and water.

Avoid contaminating food, food utensils or water supply. Avoid unnecessary exposure to sprays or mists. Avoid breathing spray. Outdoor spraying should be done only with the operator upwind in relation to the surface or equipment sprayed.

1842-40

U.S.D.A. Reg. No.