

DIRECTIONS FOR USE

This is a concentrated insecticide and must be diluted for use.

APPLY ONLY AS SPOT TREATMENT IN HOMES
FOR ROACHES, WATERBUGS, and SILVERFISH mix 1 part Chlordane concentrate with 49 parts of water and apply thoroughly with a brush or coarse spray to infested cracks and other hiding or resting places. Repeat as often as necessary to maintain effective control.

FOR ANTS use same as for roaches, particularly on ant trails and areas around door sills, window frames, openings around water pipes, heat ducts and base boards where ants may enter the premises.

FOR BROWN DOG TICKS IN PREMISES use same as for roaches and particularly around sleeping quarters of pets and localized areas of floors and floor coverings. Place fresh bedding in animals quarters after treatment. Do not use directly on pets or other animals.

FOR CARPET BEETLES use as for roaches on localized areas of floors, base boards, and cracks under carpets where insects may be found. Repeat as needed.

FOR FLEAS, TICKS, ANTS and CHIGGERS in outdoor premises use 1 part concentrate with 49 parts of water and spray infested areas including foliage of weeds and high grass thoroughly. **Do Not Apply Where Food Crops Are Grown.**

FOR WHITE GRUBS AND JAPANESE BEETLE LARVAE in ornamental lawns mix 1 part concentrate with 38 parts of water and apply 1 gallon of the solution to 1,000 sq. ft. of lawn. Wash the insecticide into the soil with ample quantities of additional water.

FOR WIRE WORMS AND MOLE CRICKETS mix as above and apply 1/2 gal. to 1,000 sq. ft. washing in thoroughly.

TRIANGLE

CHEMICALS

Net Contents
1 GALLON

6-6-68
 1842-41

QUALITY TESTED

TRIANGLE Chlordane-8 Emulsifiable Concentrate

Each gallon contains 8 pounds of Technical Chlordane

ACTIVE INGREDIENTS:

Technical Chlordane*	72%
Petroleum Hydrocarbons	23%
INERT INGREDIENTS	5%
	<hr/> 100%

*Equivalent to 43.2% Octachloro-4, 7 Methanotetrahydroindane and 28.8% related compounds.

CAUTION Keep Out of Reach of Children.

See additional cautions in side panel.

Do not reuse container, destroy when empty. Keep children and pets off the treated areas until this material is washed into the soil and grass is dry.

MANUFACTURED BY
TRIANGLE CHEMICAL CO.
 MACON, GEORGIA

FOR FARWIGS, CHINCHBUGS, SOD WEBWORMS first wet down the thoroughly. Mix 1 part concentrate parts of water and apply this solution at a rate of 1 quart to 1,000 sq. ft. Do not water lawn again for 2 to 3 days.
FOR CORN ROOTWORMS IN CORN Band spraying—use 1 pint concentrate sufficient water to cover 1 acre. Apply spraying in bands of approximately 6 feet per row at planting time. For broadcast treatment apply 2 quarts per acre with sufficient water to cover. Work into depth of several inches.
FOR TOBACCO TRANSPLANT ER. Mix 1/4 to 1/2 pint (depending on degree of infestation of WIREWORM) 50 gallons of water. Apply 200 to 300 gallons of this mix per acre.
FOR SUBTERRANEAN TERMITES 1 part concentrate with 99 parts of water and thoroughly soak infested areas. Dig a trench 1 to 2 feet deep and 12 inches next to foundation wall. Apply 1 gallon of above solution to each foot of trench and treat the soil. Trench is refilled. Inspect premises regularly for reinfestation and repeat application as needed.

Cautions

Harmful if swallowed. Wash thoroughly after use. Chlordane is toxic and may be absorbed through the skin. Avoid inhaling spray and mists. Avoid contamination of foodstuffs. Do not use on household pets, animals or humans.
 Antidote: Call a physician immediately. Internal: Emetic of mustard. External: Wash with soap and water.

Do not use on dairy cattle or in dairy barns or those being finished for slaughter.

This product is toxic to fish and wildlife. Feeding on treated areas may be harmed. Do not apply to lakes, ponds, and streams. Do not apply area not specified on the label.

Notice Of Warranty

Seller warrants that this product conforms to the description and is reasonably fit for the purpose described on the label when used in accordance with directions. This warranty of merchantability or fitness for purpose, expressed or implied, extends to the product contrary to label instructions, or under conditions, or under conditions not reasonably stated on the label, and buyer assumes the risk of any loss.

USD

TRIANGLE

CHEMICALS

Net Contents
1 GALLON

6-6-68
1642-41

QUALITY TESTED

TRIANGLE Chlordane-8 Emulsifiable Concentrate

Each gallon contains 8 pounds of Technical Chlordane

ACTIVE INGREDIENTS:

Technical Chlordane*	72%
Petroleum Hydrocarbons	23%
INERT INGREDIENTS	5%

100%

*Equivalent to 43.2% Octachloro-4, 7-Methanotetrahydroindane and 28.8% related compounds.

CAUTION Keep Out of Reach of Children.

See additional cautions in side panel.

Do not reuse container, destroy when empty.
Keep children and pets off the treated areas
until this material is washed into the soil
and grass is dry.

MANUFACTURED BY
TRIANGLE CHEMICAL CO.
MACON, GEORGIA

FOR FARWIGS, CHINCHBUGS AND SOD WEBWORMS first wet down the lawn thoroughly. Mix 1 part concentrate to 39 parts of water and apply this solution at a rate of 1 quart to 1,000 sq. ft. of lawn. Do not water lawn again for 2 to 3 days. FOR CORN ROOTWORMS IN CORN. Band spraying—use 1 pint concentrate with sufficient water to cover 1 acre. Apply by spraying in bands of approximately 6 inches per row at planting time. For broadcast treatment apply 2 quarts per acre with sufficient water to cover. Work into soil to depth of several inches.

FOR TOBACCO TRANSPLANT WATER. Mix 1/8 to 1/4 pint (depending on degree of infestation of WIREWORMS) to 50 gallons of water. Apply 200 to 300 gallons of this mix per acre.

FOR SUBTERRANEAN TERMITES mix 1 part concentrate with 99 parts of water and thoroughly soak infested areas. If possible dig a trench 1 to 2 feet deep and 8 to 12 inches next to foundation wall. Apply 1 gallon of above solution to each linear foot of trench and treat the soil as the trench is refilled. Inspect premises annually for reinfestation and repeat application as needed.

Cautions

Harmful if swallowed. Wash thoroughly after use. Chlordane is toxic and may be absorbed through the skin. Avoid inhaling spray and mists. Avoid contamination of foodstuffs. Do not use on household pets, animals or humans.

Antidote: Call a physician immediately. Internal: Emetic of mustard. External: Wash with soap and water.

Do not use on dairy cattle or in dairy barns. Do not use in forage crops to be fed to dairy animals or those being finished for slaughter.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be harmed. Keep out of lakes, ponds, and streams. Do not apply to any area not specified on the label.

Notice Of Warranty

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

USDA Reg. 1842

- 41

NET CONTENTS 50 POUNDS

10% CHLORDANE GRANULES

ACTIVE INGREDIENTS

Technical Chlordane*	10%
Aromatic Petroleum Hydrocarbons	25%
INERT INGREDIENTS	65%
	<hr/>
	100%

*Equivalent to 6% Octachloro-4, 7-Methanotetrahydroindane and 4% related compounds.

CAUTION: Keep Out of Reach of Children.

Directions For Use

FOR LAWN AND TURF INSECTS such as **WHITE GRUBS AND JAPANESE BEETLE LARVAE**, apply 2½ pounds per 1,000 square feet of lawn. Wash the insecticide into the soil with ample quantities of water.

Keep children and pets off treated areas until material is watered into the soil and area is dry. Birds feeding on treated areas may be harmed.

FOR ANTS, apply ½ to 1 pound per 1,000 square feet, or for spot treatment, apply directly to individual ant hills and wash into the soil.

FOR MOLE CRICKETS in lawns and around shrubbery, flowers and other ornamentals, apply ½ to 1 pound per 1,000 square feet washing well into the soil.

FOR CORN ROOT WORM ON CORN, apply broadcast at a rate of 40 pounds per acre. Apply on soil surface before planting. Work into top 3 inches of soil by discing or harrowing. For band treatment 6 inches wide per row, apply 10 to 15 pounds per acre.

FOR WIRE WORMS IN POTATOES: In sandy soils apply 20 pounds per acre. Clays or loams require 25 to 30 pounds per acre. Peats and mulchs require up to 100 pounds per acre. Apply by broadcasting or as a mixture with fertilizer as for corn root worms.

FOR WHITE FRINGED BEETLE CONTROL in small grains, corn and peanuts, apply from 10 to 30 pounds per acre in drill rows, (depending on spacing of rows) or 50 pounds per acre broadcast. Work into the soil by discing or harrowing.

FOR NURSERY SOIL CERTIFICATION the dose is 100 pounds per acre. This must be supervised by the proper authorities for certification (Plant Pest Control or State Quarantine Authorities).

Cautions

Harmful if swallowed. Wash thoroughly after use.

Chlordane is toxic and may be absorbed through the skin. Avoid inhaling spray and mists. Avoid contamination of foodstuffs. Do not use on household pets, animals or humans.

Antidote: Call a physician immediately. Internal: Emetic of mustard. External: Wash with soap and water.

Do not use on dairy animals or meat animals. Do not use in dairy barns or poultry houses. Do not use on forage crops to be fed to dairy animals or animals being finished for slaughter.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be harmed. Keep out of lakes, ponds, and streams. Do not apply to any area not specified on the label.

Warranty

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk for any such use.

Manufactured by

TRIANGLE CHEMICAL COMPANY

MACON, GA.

USDA Reg. No. 1842-61

