ACCEPTED

MAY 24 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBENTICIDE ACT
FOR ECONOMIC POISON REGISTERED UNDER NO. 10 LECTROSURIECT
TO ATTACHED COMMENTS.

MILL DIRECTIONS FOR USE

WR DFIRE and BLUE MOLD in TOBACCO SEED BEDS: Preventive Treatment: Mix 4.67 ounces of Triangle 15% Streptomycin Antibiotic Spray Powder with 50 gallons of water and spray plant beds when seedlings are in two leaf stage. Apply at least four sprays at 5 to 7 days intervals.

Eradicative Treatment: In bods where wildfire or bluemold is already established mix 9.34 ounces with 50 gallons of water and spray as above.

FIREBLIGHT IN APPLES AND PEARS: For effective control mix 4.07 Ounces with 50 to 100 gallons of water and spray are at 20 to 50% bloom. Repeat at 4 to 5 day intervals at the sound time.

Do not apply after fruit is

visible.

SOFT ROT and BLACK LEG IN SEED POTATOES: Mix 4.87 ounces in 50 gallons of water and soak cut seed pieces for 20 to 50 minutes.

BACTERIAL LEAF ROT-PHILODENDRON; Remove all rotted leaves from piants. Mix 4.67 ounces with 50 gallons of water (one level teaspoonful per gallon) and spray plants every 4 days as long as disease persists.

TRIANGLE

QUALITY TESTED

15% Streptomycin Antibiotic Spray Powder

For Agricultural use to control certain fungus and bacterial diseases in plants.

ACTIVE INGREDIENTS:

Streptomycin 15%
INERT INGREDIENTS 85%

100%

CAUTION

Keep Out of Reach of Children.
See Cautions in Right Panel.

TRIANGLE CHEMICAL CO.

Not Contents

9.34 ozs.

MACTERIAL WILT IN CHRYSANTHEMUMS: Mix 4.67 ounces in 100 gallons of water (V2 teaspoonful per gallon or I tablespoon to 5 gallons) and soak plant cuttings for 4 hours.

CAUTIONS

This material is a non-sterile grade of Streptomycin and is not to be used for medicinal puposes. May cause skin irritation. Around prolonged or repeated contact with skin. In case of contact flush with plenty of water.

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and he er assumes the risk of any such use.

USDA Reg. 1842 96

Cameraman's Note

Poor Copy