

TRIANGLE 2% PHOSDRIN® DUST

6-18-68
1842-111

ACTIVE INGREDIENTS:

Alpha Isomer of 2-Carbomethoxy-1-methylvinyl Dimethyl Phosphate*	1.2%
Related Compounds	0.8%
INERT INGREDIENTS	98.0%
	100.0%

*Equivalent to 2.0% of PHOSDRIN Insecticide.

Directions For Use

Use this product only for recommended purposes and at recommended dosages.

Insect control on Broccoli, Cabbage and Lettuce:

For the control of aphids, cabbage looper, and imported cabbage worm apply PHOSDRIN Dust at the rate of 12½ to 25 (0.25 to 0.50 lb. actual) per acre.

Apply to give uniform coverage. Begin application when the insects first appear and repeat application as often as necessary to maintain control. Do not apply within 1 day of harvesting for broccoli and cabbage and within 2 days for lettuce.

Warning

Workers entering treated fields within 5 days after application should wear protective clothing. Do not use on forage crops to be fed to or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.

DANGER

Poisonous by skin contact, inhalation, or swallowing. Rapidly absorbed through skin. Repeated exposure may, without symptoms, be increasingly hazardous.

DANGER: POISON Keep Out of Reach of Children.

**Do Not Get On Skin
On Clothing Or In Eyes**

Wear heavy natural rubber gloves and clean waterproof or freshly laundered protective clothing (coveralls, cap, etc.) and goggles. Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before smoking or eating. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and water before re-use. In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and warm water.

**Do Not Breathe Dust, Vapor
Or Spray Mist**

Wear respirator of type passed by U. S. Department of Agriculture for Phosdrin protection. Airplane pilots should wear full face canister type mask. If handled indoors provide mechanical exhaust ventilation. Keep all persons out of operating areas or vicinity where there may be danger of poisonous drift. Vacated areas should not be reentered until Phosdrin residues have dissipated.

**Do Not Contaminate Food
Or Feed Products**

Bury spillage. Clean up area with strong lye solution. Burn or bury containers. Never re-use. Stay out of smoke or fumes.

Physicians Note

Warning symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pin point pupils, salivating, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Phosdrin is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine in large doses to produce full atropinization and artificial respiration, if necessary.

The critical acute period following Phosdrin poisoni. lasts 36 to 48 hours.

Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.



POISON

Atropine is an antidote. Consult physician for emergency supply.

Antidote

Call a physician at once in all cases of suspected Phosdrin poisoning. If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest don't wait for a doctor but give two atropine tablets (each 1/100 grains) at once. Remove patient immediately from area where Phosdrin is present. Remove contaminated clothing and wash skin clean with plenty of soap and water, to remove all traces of Phosdrin. If swallowed induce vomiting by giving warm salty or soapy water. Repeat until vomit fluid is clear. Do not give liquids to unconscious patient. Have patient lie down and keep quiet.

Notice of Warranty

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

Manufactured by

TRIANGLE CHEMICAL COMPANY

MACON, GA.

USDA Reg. No. 1842-111